

N318DN

1981 Citation I/SP

CAMP Status Report

Aircraft S/N: 501-0184



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

501 - MODEL 501

S/N 501-0184 N318DN

OWNER: DEAN LUMBER CO
ADDRESS: 48 AVIATION DRIVE
GILMER TX 75645
OFFICE: 903-586-1521
FAX:

OPERATOR: RIDGEAIRE INC
ADDRESS: 428 CR 1618 HANGAR #1
RUSK TX 75785
OFFICE: 903-586-1521
FAX:

ANALYST: CLAYTON WAYMAN
EMAIL: CWAYMAN@CAMPSYSTEMS.COM

1-866-581-2267 (OFFICE)
316-462-2442 (FAX)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 501-0184/N318DN MODEL: 501 - MODEL 501 MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 30-JAN-1981

LAST ACTUALS:
9520.8 A/C HRS as of 18-SEP-2023
6625 AFL as of 18-SEP-2023
22.9 ACH as of 25-JAN-2019

ENGINE NO. 1 SERIAL/PART: PCE-76919/3018700 MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 06-APR-1999
0 ENG. HRS 6640 A/C HRS
ENC

LAST ACTUALS:
9727.3 ENG. HRS as of 18-SEP-2023
7181 ENC as of 18-SEP-2023

ENGINE NO. 2 SERIAL/PART: PCE-77129/3018700 MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 30-OCT-2008
1186 ENG. HRS 8288 A/C HRS
ENC

LAST ACTUALS:
9375.7 ENG. HRS as of 18-SEP-2023
6549 ENC as of 18-SEP-2023



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052501 ^U	FIRST AID KIT P/N 932-1528-61 (EXPIRATION)							Service	ATA:05
	MOS/MSC	14-Sep-21	DUE		01-May-23 (M)		OVD		
	HRS	9474.4							
	AFL	6592							
053203 ^U	INSPECT NOSE NDT WHEEL INSPECTION							Service	ATA:05
	MOS/MSC	15-Nov-16	O/C						
	HRS	9119.2							
	AFL	6400							
053417 ^U	INSPECT RDR 2000 ICA							Service	ATA:05
	MOS	31-Oct-22	12		31-Oct-23		OVD		
	HRS	9497.4							
	AFL	6609							
053490 ^U	INSPECT RVSM GMU TEST FLIGHT							Service	ATA:05
	MOS/MSC	15-Mar-04	O/C	TAC 0					
	HRS								
	AFL								
055008	ACCOMPLISH INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: TLMC 5-50-00								
055009	ACCOMPLISH EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED CHECK							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
	PROC. REF: TLMC 5-50-00								
057110	NO. 1 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9680.8	300 (+30)		(9980.8) 9674.3	10010.8	253.5 (+30)		
	ENC	7148							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
057110	NO. 2 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9329.3	300 (+30)		(9629.3) 9773.4	9659.3	253.6 (+30)		
	ENC	6516							
	PROC. REF: EMM 72-00-00								
5-12-01	PHASE 1 INSPECTION							Package	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9474.4	300 (+30)		9774.4	9804.4	253.6 (+30)		
	AFL	6592							
	PROC. REF: TLMC 5-12-01								
5-12-02	PHASE 2 INSPECTION							Package	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9474.4	300 (+30)		9774.4	9804.4	253.6 (+30)		
	AFL	6592							
	PROC. REF: TLMC 5-12-02								
5-12-03	PHASE 3 INSPECTION							Package	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9474.4	300 (+30)		9774.4	9804.4	253.6 (+30)		
	AFL	6592							
	PROC. REF: TLMC 5-12-03								
5-12-04	PHASE 4 INSPECTION							Package	ATA:05
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9474.4	300 (+30)		9774.4	9804.4	253.6 (+30)		
	AFL	6592							
	PROC. REF: TLMC 5-12-04								
5-12-05	PHASE 5 INSPECTION							Package	ATA:05
	MOS	07-Aug-20	36 (+2m)		31-Aug-23	07-Oct-23	OVD		
	HRS	9454.6	1200 (+100)		10654.6	10754.6	1133.8 (+100)		
	AFL	6580							
	PROC. REF: TLMC 5-12-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-0B	PHASE B							Package	ATA:05
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)		9624.4	9654.4	103.6 (+30)		
	AFL	6592							
	PROC. REF: TLMC 5-12-0B							PKG:1	
5-12-12	PHASE 12 INSPECTION							Package	ATA:05
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)		10015.1	10025.1	494.3 (+10)		
	AFL	6559	600		7159		534		
	PROC. REF: TLMC 5-12-12							PKG:13	
5-12-13	PHASE 13 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	3 (+1m)		31-Jan-23	28-Feb-23	OVD		
	HRS	9497.4	100 (+10)		9597.4	9607.4	76.6 (+10)		
	AFL	6609							
	PROC. REF: TLMC 5-12-13							PKG:14	
5-12-15	PHASE 15 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
	PROC. REF: TLMC 5-12-15							PKG:16	
5-12-16	PHASE 16 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
	PROC. REF: TLMC 5-12-16							PKG:17	
5-12-17	PHASE 17 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
	PROC. REF: TLMC 5-12-17							PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-18	PHASE 18 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	12 (+1m)		31-Oct-23	30-Nov-23	OVD		
	HRS	9497.4							
	AFL	6609							
	PROC. REF: TLMC 5-12-18							PKG:19	
5-12-20 ^S	PHASE 20 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	14-Sep-21	24		30-Aug-23 (M)		OVD		
	HRS	9474.4							
	AFL	6592							
	PROC. REF: TLMC 5-12-20							PKG:20	
5-12-23 ^S	PHASE 23 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	30-Jan-81	60						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-23							PKG:23	
5-12-24	PHASE 24 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
	PROC. REF: TLMC 5-12-24							PKG:24	
5-12-34 ^S	PHASE 34 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	31-Oct-22	6 (+1m)						
	HRS	9497.4							
	AFL	6609							
	PROC. REF: TLMC 5-12-34							PKG:28	
5-12-37	PHASE 37 INSPECTION							Package	ATA:05
	MOS	07-Feb-95							
	HRS	5002	5000 (+10)		10002	10012	481.2 (+10)		
	AFL								
	PROC. REF: TLMC 5-12-37							PKG:29	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-40	PHASE 40 INSPECTION (NOT CURRENTLY USED)							Package	ATA:05
	MOS/MSC	30-Jan-81	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: GENERIC NO REF							PKG:31	
5-12-48 ^S	PHASE 48 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	02-Feb-18	72						
	HRS	9222.3							
	AFL								
	PROC. REF: TLMC 5-12-48							PKG:34	
5-12-49	PHASE 49 INSPECTION							Package	ATA:05
	MOS	07-Aug-20	36 (+2m)		31-Aug-23	07-Oct-23	OVD		
	HRS	9454.6	1200 (+100)		10654.6	10754.6	1133.8 (+100)		
	AFL	6580							
	PROC. REF: TLMC 5-12-49							PKG:35	
5-12-52	PHASE 52 INSPECTION							Package	ATA:05
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)		11454.6	11464.6	1933.8 (+10)		
	AFL	6580							
	PROC. REF: TLMC 5-12-52							PKG:38	
5-12-53	PHASE 53 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	12		31-Oct-23		OVD		
	HRS	9497.4							
	AFL	6609							
	PROC. REF: TLMC 5-12-53							PKG:39	
5-12-54 ^S	PHASE 54 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	3						
	HRS	9497.4	200						
	AFL	6609							
	PROC. REF: TLMC 5-12-54							PKG:52	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-55	PHASE 55 INSPECTION							Package	ATA:05
	MOS	24-Nov-19							
	HRS	9415.1	600		10015.1		494.3		
	AFL	6559							
				PROC. REF: TLMC 5-12-55				PKG:53	
5-12-56	PHASE 56 INSPECTION							Package	ATA:05
	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS								
	AFL								
				PROC. REF: TLMC 5-12-56				PKG:501	
5-12-57	PHASE 57 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	6 (+1m)		30-Apr-23	31-May-23	OVD		
	HRS	9497.4							
	AFL	6609							
				PROC. REF: TLMC 5-12-57				PKG:502	
5-12-58	PHASE 58 INSPECTION							Package	ATA:05
	MOS/MSC		N/A					NOT APPLICABLE	
	HRS								
	AFL								
	ACH	EFF							
				PROC. REF: TLMC 5-12-58				PKG:503	
5-12-59	PHASE 59 INSPECTION							Package	ATA:05
	MOS	EFF							
	HRS	EFF	T:10000 (+10)		10000 * (M)	10010	479.2 (+10)		
	AFL								
				PROC. REF: TLMC 5-12-59				PKG:504	
5-12-MA	PHASE MA INSPECTION							Package	ATA:05
	MOS	06-Jan-03							
	HRS	7457							
	AFL	5195	1000	Adj 11000	17195		10570		
				PROC. REF: TLMC 5-12-MA				PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-MD ^S	PHASE MD INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	25-May-01							
	HRS	7179							
	AFL	5028	5000						
	PROC. REF: TLMC 5-12-MD							PKG:42	
5-12-MF	PHASE MF INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	30-Jan-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-MF							PKG:50	
5-12-MG	PHASE MG INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	30-Jan-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-MG							PKG:51	
5-12-MH	PHASE MH INSPECTION							Package	ATA:05
	MOS/MSC	19-May-15	N/A					NOT APPLICABLE	
	HRS	9062.2							
	AFL	6371							
	PROC. REF: TLMC 5-12-MH							PKG:54	
A256002 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:05
PN:453-6603	MOS	31-Oct-22	12						
SN:06081	HRS	9497.4							
WC#: 25.040	AFL	6609							
	PROC. REF: AMM 34-43-00							PKG:39	
B256001 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:05
PN:453-6603	MOS	31-Oct-22	12						
SN:06081	HRS	9497.4							
WC#: 25.040	AFL	6609							
	PROC. REF: AMM 34-43-00							PKG:39	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 11 - PLACARDS AND MARKINGS									
A113001 ^S	INSPECT GOVERNMENT REQUIRED INTERIOR AND EXTERIOR PLACARDS AND DECALS: PHASE 5 INSPECTION							Service	ATA:11
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
					PROC. REF: AMM 11-00-00			PKG:6	
ATA 12 - SERVICING									
12-26-00-601	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
					PROC. REF: AMM 12-26-00				
12-26-00-602	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
					PROC. REF: AMM 12-26-00				
12-26-00-603	90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
					PROC. REF: AMM 12-26-00				
ATA 21 - AIR CONDITIONING									
211002	EMERGENCY PRESSURIZATION VALVE							Component	ATA:21
PN:224465-2	MOS/MSC	30-Jan-81	O/C						
SN:702	HRS	0			TSN 0				
WC#: 21.010	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
212002	CABIN AFT OVERHEAD BLOWER							Component	ATA:21
PN:BC61A901-2	MOS	07-Jun-14						REPLACE	
SN:1131A	HRS	8963.2	1000		TSN 0	9963.2	442.4		
WC#: 21.210	AFL	6315							
					PROC. REF: AMM 21-20-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212003		AIR INLET DOOR ACTUATOR						Component	ATA:21
PN:1H56-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212005		LEFT CABIN COOLING FAN						Component	ATA:21
PN:WS2107F30	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212005		RIGHT CABIN COOLING FAN						Component	ATA:21
PN:WS2107F30	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212007		FORWARD BLOWER MOTOR						Component	ATA:21
PN:19A827	MOS/MSC	07-Jun-14	O/C		TSN 0				
SN:-NSN-	HRS	8963.2			TSN 0				
WC#: 21.250	AFL	6315							
PROC. REF: AMM 21-60-00									
212010		DOOR ACTUATOR MOTOR ASSEMBLY						Component	ATA:21
PN:5A3032	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213001		CABIN PRESSURE INDICATOR						Component	ATA:21
PN:C668511-0102	MOS/MSC	30-Jan-81	O/C						
SN:15714	HRS	0		TSN 0					
WC#: 21.180	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03									
213002		PRESSURIZATION CONTROLLER						Component	ATA:21
PN:130356-14	MOS/MSC	25-Nov-97	O/C						
SN:5790053	HRS	6163		TSO 0					
	AFL								
PROC. REF: AMM 21-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213003 CABIN RATE OF CLIMB INDICATOR Component ATA:21								
PN:C668513-0101	MOS/MSC	30-Jan-81	O/C					
SN:11576G	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
213005 LEFT CABIN ALTITUDE LIMIT VALVE Component ATA:21								
PN:102466-1	MOS/MSC	30-Jan-81	O/C					
SN:292856	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02								
213005 RIGHT CABIN ALTITUDE LIMIT VALVE Component ATA:21								
PN:102466-1	MOS/MSC	30-Jan-81	O/C					
SN:302980	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02								
213006 SAFETY OUTFLOW VALVE Component ATA:21								
PN:103576-13	MOS/MSC	30-Oct-95	O/C					
SN:45817	HRS	5330		TSO 0				
WC#: 21.060	AFL							
PROC. REF: AMM 21-30-01								
213007 NORMAL OUTFLOW VALVE Component ATA:21								
PN:103576-12	MOS/MSC	30-Oct-95	O/C					
SN:50759	HRS	5330		TSO 0				
WC#: 21.050	AFL							
PROC. REF: AMM 21-30-01								
213008 MANUAL DUMP VALVE Component ATA:21								
PN:2101701-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-31-03								
213009 LEFT BLEED AIR FLOW CONTROL VALVE Component ATA:21								
PN:225645-2	MOS/MSC	30-Jan-81	O/C					
SN:177	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213009 RIGHT BLEED AIR FLOW CONTROL VALVE Component ATA:21								
PN:320595	MOS/MSC	03-Feb-03	O/C					
SN:861	HRS	7457		TSO 0				
WC#: 21.040	AFL							
PROC. REF: AMM 21-10-00								
213013 PNEUMATIC RELAY Component ATA:21								
PN:130358-1	MOS/MSC	30-Jan-81	O/C					
SN:109848	HRS	0		TSN 0				
WC#: 21.030	AFL	0		TSN 0				
PROC. REF: AMM 21-31-02								
215001 REFRIGERATION UNIT Component ATA:21								
PN:738443-13	MOS/MSC	30-Jan-81	O/C					
SN:51865	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 21-50-00								
215002 ASPIRATOR AND FAN HOUSING Component ATA:21								
PN:740730-2	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-50-00								
215004 AIR CYCLE MACHINE Component ATA:21								
PN:738384-8	MOS	23-Nov-96						OVERHAUL
SN:LB0996B	HRS	5741	5000	TSO 0	10741	10741	1220.2	
WC#: 21.070	AFL							
PROC. REF: AMM 21-50-00								
215005 BYPASS VALVE Component ATA:21								
PN:754751-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 21-50-00								
215006 OVERHEAT SWITCH Component ATA:21								
PN:746833-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.080	AFL	0		TSN 0				
PROC. REF: AMM 21-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215007	GROUND OPERATION VALVE							Component	ATA:21
PN:225655	MOS/MSC	30-Jan-81	O/C						
SN:350	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
215012	REPLACE COMPRESSOR DRIVE MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1, -5 OR FWA1134104-1, -5)							Service	ATA:21
	MOS/MSC	EFF	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED	
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: GENERIC NO REF									
215016	COMPRESSOR							Component	ATA:21
PN:JBS5005-2	MOS/MSC	14-Feb-03	O/C						
SN:K1216	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01									
215020 ^U	LEFT EVAPORATOR BLW MOTOR							Component	ATA:21
PN:JBS13001-1	MOS/MSC	03-Feb-03	O/C						
SN:247	HRS	7457		TSN 0					
	AFL								
215020 ^U	RIGHT EVAPORATOR BLW MOTOR							Component	ATA:21
PN:JBS-275-2	MOS/MSC	14-Feb-03	N/A						
SN:K1182	HRS	7457		TSN 0					
	AFL								
215022	LEFT AFT EVAPORATOR ASSEMBLY							Component	ATA:21
PN:JBS-275-6	MOS/MSC	14-Feb-03	O/C						
SN:254	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01									
215022	RIGHT AFT EVAPORATOR ASSEMBLY							Component	ATA:21
PN:JBS-275-5	MOS/MSC	14-Feb-03	O/C						
SN:K1113	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216001		CABIN TEMPERATURE SELECTOR						Component	ATA:21
PN:5518118-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00									
216002		TEMPERATURE CONTROL UNIT						Component	ATA:21
PN:754661-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.330	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00									
216003		DUCT TEMPERATURE SENSOR						Component	ATA:21
PN:754691-1	MOS/MSC	13-Jul-84	O/C						
SN:091507	HRS	1096		TSN 0					
WC#: 21.110	AFL								
PROC. REF: AMM 21-60-00									
216004		CABIN TEMPERATURE SENSOR						Component	ATA:21
PN:754681-1	MOS/MSC	13-Jul-95	O/C						
SN:UNKNOWN	HRS	5214		TSN 0					
WC#: 21.100	AFL								
PROC. REF: AMM 21-60-00									
216005		CENTRIFUGAL BLOWER						Component	ATA:21
PN:19A608	MOS/MSC	07-Aug-20	O/C						
SN:NSN	HRS	9454.6							
WC#: 21.160	AFL	6580							
PROC. REF: AMM 21-23-00									
21FO-05B		LH FAN INSTALLATION FORWARD DIVIDER FACTORY OPTION						Component	ATA:21
PN:180B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 21-21-00									
A215001^S		CHECK AIR CYCLE MACHINE OIL LEVEL: PHASE 1 INSPECTION						Service	ATA:21
	MOS	14-Sep-21							
	HRS	9474.4	150 (+10)						
WC#: 21.335	AFL	6592							
PROC. REF: AMM 21-50-00									

PKG:1,2,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A216003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER (COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104- 1, -5): PHASE MH INSPECTION							Service	ATA:21
	MOS	19-May-15							
	HRS	9062.2	300						
	AFL	6371							
	PROC. REF: AMM 21-51-01							PKG:54	
A216004 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104-1, -5): PHASE 56 INSPECTION							Service	ATA:21
	MOS	30-Jan-81		TAC 0					
	HRS	0	300	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 21-51-01							PKG:501	
A216005 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: PHASE 18 INSPECTION							Service	ATA:21
	MOS/MSC	31-Oct-22	N/A						
	HRS	9497.4							
	AFL	6609							
	PROC. REF: AMM 21-51-01							PKG:19	
A216006 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE: PHASE 58 INSPECTION							Service	ATA:21
	MOS	30-Jan-81		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	ACH		500						
	PROC. REF: AMM 21-51-01							PKG:503	
B210000 ^S	OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
	PROC. REF: AMM 21-00-00							PKG:6	
B211001 ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: PHASE 4 INSPECTION							Service	ATA:21
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
	PROC. REF: AMM 21-10-00							PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B211002 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-10-00				PKG:6	
B211003 ^S	OPERATIONAL TEST FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 2 INSPECTION							Service	ATA:21
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
	AFL	6592							
				PROC. REF: AMM 21-10-00				PKG:1,3,5	
B212001 ^S	LEAK CHECK TAILCONE BLEED AIR LINES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-10-00				PKG:6	
B212002 ^S	OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-22-00				PKG:6	
B212003 ^S	OPERATIONAL CHECK AVIONICS BAY COOLING FANS: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-23-00				PKG:6	
B213000 ^S	OPERATIONAL CHECK PRESSURIZATION: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-00				PKG:6	
B213001 ^S	FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-05				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B213003 ^S	OPERATIONAL CHECK PRESSURIZATION (AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-00				PKG:6	
C215001 ^S	CHANGE ACM OIL: PHASE 12 INSPECTION							Service	ATA:21
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)						
	AFL	6559	600 (+10)						
				PROC. REF: AMM 21-50-00				PKG:13	
D213001 ^S	CLEAN/REPLACE PRESSURIZATION CONTROLLER FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-00				PKG:6	
D213003 ^S	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-00				PKG:6	
D213004 ^S	CLEAN/REPLACE DISABLE SOLENIOD VALVE BREATHER PLUG: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 21-31-00				PKG:6	
D217001 ^S	INSPECT HUMIDITY REGULATOR(WATER SEPERATOR): PHASE 3 INSPECTION							Service	ATA:21
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 21-70-00				PKG:4	
ATA 22 - AUTO FLIGHT									
221008	AUTOPILOT COMPUTER							Component	ATA:22
PN:4008519-911	MOS/MSC	31-Aug-04	O/C						
SN:81042447	HRS	7796		TSO 57					
WC#: 22.020	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PROC. REF: AMM 22-12-02									
221009	AUTOPILOT CONTROLLER							Component	ATA:22
PN:4018639-901	MOS/MSC	30-Jan-81	O/C						
SN:040200	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-12-03									
221010	AILERON SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	23-Apr-04	O/C						
SN:96038439	HRS	7728		TSO 877					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-01									
221010	ELEVATOR SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	30-Jan-81	O/C						
SN:009584	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01									
221010	RUDDER SERVO ACTUATOR							Component	ATA:22
PN:4006719-906	MOS/MSC	30-Jan-81	O/C						
SN:085212	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01									
A221001 ^S	INSPECT AILERON SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 22-12-01									
A222001 ^S	INSPECT RUDDER SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 22-12-01									

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
A223001 ^S	INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 22-12-01				PKG:6	
B221002 ^S	PERFORMANCE TEST SPERRY AUTOPILOT DISENGAGEMENT AND WARNING: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Aug-20	36						
	HRS	9454.6	1200						
	AFL	6580							
				PROC. REF: AMM 22-11-03				PKG:6	
B221003 ^S	PERFORMANCE TEST BENDIX AUTOPILOT DISENGAGEMENT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 22-11-03				PKG:6	
ATA 23 - COMMUNICATIONS									
232002	NO. 2 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VF10-108-1	MOS/MSC	30-Jan-81	O/C						
SN:838	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
232003	NO. 1 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VFS10-90-5	MOS/MSC	30-Jan-81	O/C						
SN:1116	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
232004	FLITEFONE TRANSCEIVER							Component	ATA:23
PN:400-0033	MOS/MSC	07-Apr-83	O/C						
SN:7754	HRS	556		TSN 0					
WC#: 23.090	AFL								
				PROC. REF: AMM 23-23-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
232005 CABIN FLITEFONE CONTROL Component ATA:23								
PN:400-0030	MOS/MSC	07-Apr-83	O/C					
SN:7573	HRS	556		TSN 0				
WC#: 23.090	AFL							
PROC. REF: AMM 23-23-01								
232006 COCKPIT FLITEFONE CONTROL Component ATA:23								
PN:400-0018	MOS/MSC	07-Apr-83	O/C					
SN:1775	HRS	556		TSN 0				
WC#: 23.050	AFL							
PROC. REF: AMM 23-23-01								
232010 NO. 1 TOP COMMUNICATION TRANSCEIVER Component ATA:23								
PN:622-1879-002	MOS/MSC	02-Oct-14	O/C					
SN:12589	HRS	9002.9						
	AFL	6339						
PROC. REF: GENERIC NO REF								
232010 NO. 2 BOTTOM COMMUNICATION TRANSCEIVER Component ATA:23								
PN:622-1879-002	MOS/MSC	31-Aug-04	O/C					
SN:14298	HRS	7796		TSO 6697				
	AFL							
PROC. REF: GENERIC NO REF								
232011 COMMUNICATION CONTROL Component ATA:23								
PN:1U434-001	MOS/MSC	12-Dec-96	O/C					
SN:3114	HRS	5765		TSO 0				
	AFL							
PROC. REF: GENERIC NO REF								
235001 LEFT AUDIO AMPLIFIER Component ATA:23								
PN:1630-1	MOS/MSC	30-Jan-81	O/C					
SN:781	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
235001 RIGHT AUDIO AMPLIFIER Component ATA:23								
PN:1630-1	MOS/MSC	23-Apr-08	O/C					
SN:777	HRS	8175		TSO 8175				
WC#: 23.100	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235003	CABIN SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	14-Aug-81	O/C						
SN:UNKNOWN	HRS	101		TSN 0					
	AFL								
				PROC. REF: AMM 23-50-00					
235003	COCKPIT SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 23-50-00					
235006	LEFT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
235006	RIGHT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
A231001 ^S	INSPECT HIGH FREQUENCY ANTENNA AND TENISION UNIT: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 23-00-05				PKG:6	
A236002 ^S	INSPECT CONTROL SURFACE BOND JUMPERS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-00-00				PKG:6	
A237001 ^S	INSPECT COCKPIT VOICE RECORDER: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 23-70-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
B236001 ^S	INSPECT STATIC DISCHARGE WICKS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 23-60-00				PKG:6	
B237002 ^S	OPERATIONAL TEST COCKPIT VOICE RECORDER: PHASE 1 INSPECTION							Service	ATA:23
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 23-70-00				PKG:2	
ATA 24 - ELECTRICAL POWER									
242001	NO. 1 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	10-May-94	O/C						
SN:932	HRS	4632		TSO 0					
WC#: 24.010	AFL								
				PROC. REF: GENERIC NO REF					
242001	NO. 2 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	30-Jan-81	O/C						
SN:1443	HRS	0		TSN 0					
WC#: 24.010	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
243001	NO. 1 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-001-1CHJ	MOS	06-Mar-13						OVERHAUL	
SN:1524	HRS	8830	1000	TSN 0	9830		309.2		
WC#: 24.060	AFL	6236							
				PROC. REF: GENERIC NO REF					
243001	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-001-1	MOS	07-Aug-20						OVERHAUL	
SN:663	HRS	9454.6	1000	TSO 0	10454.6		933.8		
WC#: 24.060	AFL	6580							
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243003	LEFT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51509-006BR	MOS/MSC	31-Oct-22	O/C						
SN:9333	HRS	9497.4							
WC#: 24.090	AFL	6609							
PROC. REF: AMM 24-30-02									
243003	RIGHT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51509-006BR	MOS/MSC	31-Oct-22	O/C						
SN:2009A	HRS	9497.4							
WC#: 24.090	AFL	6609							
PROC. REF: AMM 24-30-02									
243004	LEFT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	30-Jan-81	O/C						
SN:3024	HRS	0			TSN 0				
WC#: 24.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
243004	RIGHT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	30-Jan-81	O/C						
SN:3037	HRS	0			TSN 0				
WC#: 24.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
243005	VOLTMETER							Component	ATA:24
PN:C662502-0101	MOS/MSC	28-Aug-89	O/C						
SN:692	HRS	2850			TSN 0				
WC#: 24.150	AFL								
PROC. REF: GENERIC NO REF									
243007	BATTERY							Component	ATA:24
PN:S3597-8	MOS/MSC	19-May-15	O/C		TSN 0				
SN:40717347	HRS	9062.2			TSN 0				
WC#: 24.020	AFL	6371							
PROC. REF: AMM 24-30-03									
243008	BATTERY TEMPERATURE MODULE							Component	ATA:24
PN:1529-1	MOS/MSC	30-Jan-81	O/C						
SN:630	HRS	0			TSN 0				
WC#: 24.050	AFL	0			TSN 0				
PROC. REF: AMM 24-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243009	BATTERY TEMPERATURE GAUGE							Component	ATA:24
PN:1229-1	MOS/MSC	06-Jan-13	O/C						
SN:1890	HRS	8804.7							
WC#: 24.040	AFL	6219							
PROC. REF: AMM 24-30-06									
243011	CURRENT / VOLT CONTROLLER							Component	ATA:24
PN:1301-1	MOS/MSC	08-Jan-19	O/C		TSO 60				
SN:106A	HRS	9335.5							
WC#: 24.140	AFL	6512							
PROC. REF: AMM 24-31-00									
243012	CURRENT SENSOR							Component	ATA:24
PN:1302-1	MOS/MSC	30-Jan-81	O/C						
SN:691A	HRS	0			TSN 0				
WC#: 24.130	AFL	0			TSN 0				
PROC. REF: AMM 24-31-00									
244001	K1 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
244001	K11 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
244001	K12 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
244001	K13 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
244001	K7 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
244001	K8 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245001	CENTER 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	18-Sep-91	O/C						
SN:1117	HRS	3591		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
245001	LEFT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	30-Jan-81	O/C						
SN:2328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245001	RIGHT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	05-Sep-95	O/C						
SN:2730	HRS	5260		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
24FO-01B	BATTERY & MONITOR FOR 20 CELL FACTORY OPTION							Component	ATA:24
PN:12B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A242001 ^S	INSPECT NOSE AREA COMPONENTS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 24-00-00									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
A245001 ^S	INSPECT CIRCUIT BREAKER PANELS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 24-50-00				PKG:6	
A245002 ^S	INSPECT COCKPIT SIDE CONSOLE: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 24-50-00				PKG:6	
A245003 ^S	INSPECT AVIONICS RELAY JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 34-02-00				PKG:6	
A245004 ^S	INSPECT AFT POWER JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 24-50-00				PKG:6	
A245005 ^S	INSPECT LEFT AND RIGHT WING ANTI-ICE JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-10-01				PKG:6	
B243001 ^S	OPERATIONAL TEST DC GENERATOR SYSTEM: PHASE 4 INSPECTION							Service	ATA:24
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 24-30-00				PKG:5	
B243003	FUNCTIONAL CHECK BATTERY LEAD ACID BATTERY (CAPACITY CHECK): PHASE 54 INSPECTION							Service	ATA:24
PN:S3597-8	MOS	31-Oct-22	3		31-Jan-23		OVD		
SN:40717347	HRS	9497.4	200 (+10)		9697.4	9707.4	176.6 (+10)		
	AFL	6609							
				PROC. REF: AMM 24-30-03				PKG:52	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
B244001 ^S	FUNCTIONAL TEST OVERVOLTAGE SYSTEM: PHASE 1 INSPECTION							Service	ATA:24
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 24-31-01								PKG:2	
ATA 25 - EQUIPMENT/FURNISHINGS									
251001	LEFT INERTIA REEL							Component	ATA:25
PN:CM4033-16	MOS/MSC	25-May-01	O/C						
SN:UNKNOWN	HRS	7179		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
251001	RIGHT INERTIA REEL							Component	ATA:25
PN:CM4033	MOS/MSC	18-Feb-82	O/C						
SN:UNKNOWN	HRS	222		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
256001	LAVATORY LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	24-Nov-19	120	TSN 3	31-Aug-29		2074 d		
SN:19080920335	HRS	9415.1							
	AFL	6559							
PROC. REF: GENERIC NO REF									
256001	NO. 1 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	14-Sep-21	120	TSN 0	30-Sep-31		2834 d		
SN:21040320266	HRS	9474.4		TSN 0					
	AFL	6592		TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 2 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100492	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256001	NO. 3 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100493	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 4 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100494	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 5 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100496	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 6 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100700	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 7 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100701	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
256001	NO. 8 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1434 d		
SN:17112100779	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256007	LEFT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-1	MOS/MSC	16-Jul-99	O/C						
SN:1212	HRS	6697		TSN 0					
WC#: 25.030	AFL								
PROC. REF: GENERIC NO REF									
256008	RIGHT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-2	MOS/MSC	30-Jan-81	O/C						
SN:376	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256019	EMERGENCY LOCATER TRANSMITTER							Component	ATA:25
PN:453-6603	MOS/MSC	20-Aug-09	O/C						
SN:06081	HRS	8381		TSN 0					
WC#: 25.040	AFL								
PROC. REF: GENERIC NO REF									
256025	EMERGENCY LOCATER TRANSMITTER BATTERY							Component	ATA:25
PN:2020	MOS/MSC	31-Oct-22	DUE	TSN 0	01-May-24 (M)		126 d		
SN:-NSN-	HRS	9497.4		TSN 0					
WC#: 25.040	AFL	6609		TSN 0					
Expiry Date: : 01-May-24			PROC. REF: GENERIC NO REF						
25FO-04	MAP CASE FACTORY OPTION							Component	ATA:25
PN:103	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-12-01									
25FO-09	SEATING OPTION A OR 2 FACTORY OPTION							Component	ATA:25
PN:111	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-18E	SEAT #3 AFT FACING FACTORY OPTION							Component	ATA:25
PN:121E	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25FO-20G EXECUTIVE TABLE USED W/STD & OPT A FACTORY OPTION								Component	ATA:25
PN:124G	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-20H EXECUTIVE TABLE USE W/STD AND A STG FACTORY OPTION								Component	ATA:25
PN:124H	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-22B FLUSH TOILET AFT RELIEF TUBE ONLY FACTORY OPTION								Component	ATA:25
PN:131B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 38-33-01									
25FO-37 CHIMES UNIT FACTORY OPTION								Component	ATA:25
PN:166	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-38 AFT FOLDING DOOR FACTORY OPTION								Component	ATA:25
PN:184	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-22-07									
A251001^S INSPECT PILOT AND COPILOT CREW SEATS: PHASE 5 INSPECTION								Service	ATA:25
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 25-11-01									
A251002^S INSPECT PILOT AND COPILOT SEAT TRACK STOPS: PHASE 5 INSPECTION								Service	ATA:25
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A251004 ^S	INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 25-10-00				PKG:6	
A252001 ^S	INSPECT PASSENGER SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 25-20-00				PKG:6	
A252002 ^S	INSPECT PASSENGER SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 25-20-00				PKG:6	
A256001 ^S	INSPECT EMERGENCY EQUIPMENT: PHASE 18 INSPECTION							Service	ATA:25
	MOS	31-Oct-22	12 (+1m)						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 25-60-00				PKG:19	
A256003 ^S	INSPECT LIFE VEST: PHASE 18 INSPECTION							Service	ATA:25
	MOS	31-Oct-22	12 (+1m)						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 25-60-00				PKG:19	
A256004 ^S	INSPECT OPTIONAL STRECHER: PHASE 1 INSPECTION							Service	ATA:25
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 25-21-09				PKG:2	
A256005 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	31-Oct-22	12						
SN:06081	HRS	9497.4							
WC#: 25.040	AFL	6609							
				PROC. REF: AMM 34-43-06				PKG:39	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
B256002 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	31-Oct-22	12						
SN:06081	HRS	9497.4							
WC#: 25.040	AFL	6609							
PROC. REF: AMM 34-43-06								PKG:39	
ATA 26 - FIRE PROTECTION									
261001	NO. 1 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	21-Jan-91	O/C						
SN:UNKNOWN	HRS	3432		TSN 0					
WC#: 26.070	AFL								
PROC. REF: AMM 26-10-01									
261001	NO. 2 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.070	AFL	0		TSN 0					
PROC. REF: AMM 26-10-01									
261002	NO. 1 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02830	MOS/MSC	10-Jun-05	O/C						
SN:UNKNOWN	HRS	7910		TSN 0					
WC#: 26.060	AFL								
PROC. REF: AMM 26-10-02									
261002	NO. 2 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	30-Jan-81	O/C						
SN:021031	HRS	0		TSN 0					
WC#: 26.060	AFL	0		TSN 0					
PROC. REF: AMM 26-10-02									
262001	AFT ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	14-Feb-01	O/C	TSO 116					
SN:B6264	HRS	7113							
WC#: 26.010	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262001	FORWARD ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	14-Feb-01	O/C	TSO 22					
SN:B7343	HRS	7113							
WC#: 26.020	AFL								
PROC. REF: GENERIC NO REF									
262002	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	24-Aug-05	O/C	TSN 0					
SN:W790368	HRS	7913							
WC#: 26.030	AFL								
PROC. REF: GENERIC NO REF									
262002	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:C352	MOS/MSC	31-Oct-22	O/C						
SN:X-926176	HRS	9497.4							
WC#: 26.030	AFL	6609							
PROC. REF: GENERIC NO REF									
262003	AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE13083-5	MOS	01-Jun-17	120		31-Jan-27		1131 d	MANDATORY	
SN:AEN 1-203	HRS	9178.7		TSN 0					
WC#: 26.010	AFL			TSN 0					
Manufacture Date:: 01-Jan-17 PROC. REF: AMM 26-20-00									
262003	AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:13083-5	MOS	24-Nov-19	72		30-Apr-25		490 d	MANDATORY	
SN:UNKNOWN	HRS			TSN 0					
WC#: 26.010	AFL			TSN 0					
Manufacture Date:: 30-Apr-19 PROC. REF: AMM 26-20-00									
262003	FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:13083-5	MOS	24-Nov-19	72		30-Apr-25		490 d	MANDATORY	
SN:UNKNOWN	HRS			TSN 0					
WC#: 26.020	AFL			TSN 0					
Manufacture Date:: 30-Apr-19 PROC. REF: AMM 26-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262003		FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE						Component	ATA:26
PN:13083-5	MOS	24-Nov-19	72		30-Apr-25		490 d	MANDATORY	
SN:UNKNOWN	HRS			TSN 0					
WC#: 26.020	AFL			TSN 0					
		Manufacture Date:: 30-Apr-19		PROC. REF: AMM 26-20-00					
262037		REPLACE AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:AE13083-5	MOS	01-Jun-17	120		31-Jan-27 (M)		1131 d		
SN:AEN 1-203	HRS								
WC#: 26.010	AFL								
				PROC. REF: GENERIC NO REF					
262038		REPLACE AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:13083-5	MOS	24-Nov-19	72	Adj -7	30-Apr-25		490 d		
SN:UNKNOWN	HRS								
WC#: 26.010	AFL								
				PROC. REF: GENERIC NO REF					
262039		REPLACE FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:13083-5	MOS	24-Nov-19	72	Adj -7	30-Apr-25		490 d		
SN:UNKNOWN	HRS								
WC#: 26.020	AFL								
				PROC. REF: GENERIC NO REF					
262040		REPLACE FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:13083-5	MOS	24-Nov-19	72	Adj -7	30-Apr-25		490 d		
SN:UNKNOWN	HRS								
WC#: 26.020	AFL								
				PROC. REF: GENERIC NO REF					
A262003		WEIGHT CHECK CABIN PORTABLE EXTINGUISHER : PHASE 34 INSPECTION						Service	ATA:26
PN:C352TS	MOS	31-Oct-22	6 (+1m)		30-Apr-23	31-May-23	OVD		
SN:W790368	HRS	9497.4							
WC#: 26.030	AFL	6609							
				PROC. REF: AMM 26-20-01				PKG:28	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
A262003 WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER : PHASE 34 INSPECTION								Service ATA:26
PN:C352	MOS	31-Oct-22	6 (+1m)		30-Apr-23	31-May-23	OVD	
SN:X-926176	HRS	9497.4						
WC#: 26.030	AFL	6609						
PROC. REF: AMM 26-20-01								PKG:28
B262002 HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER								Service ATA:26
PN:30401102	MOS	18-Nov-19	60		30-Nov-24		339 d	MANDATORY
SN:B6264	HRS							
WC#: 26.010	AFL							
PROC. REF: AMM 26-20-00								
B262002 HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER								Service ATA:26
PN:30401102	MOS	19-Nov-19	60		30-Nov-24		339 d	MANDATORY
SN:B7343	HRS							
WC#: 26.020	AFL							
PROC. REF: AMM 26-20-00								
B262003 HYDROSTATIC TEST CABIN PORTABLE EXTINGUISHER								Service ATA:26
PN:C352TS	MOS	01-Jan-09	144		31-Jan-21		OVD	
SN:W790368	HRS							
WC#: 26.030	AFL							
PROC. REF: AMM 26-20-01								
B262003 HYDROSTATIC TEST COCKPIT PORTABLE EXTINGUISHER								Service ATA:26
PN:C352	MOS	01-Jan-10	144		31-Jan-22		OVD	
SN:X-926176	HRS							
WC#: 26.030	AFL							
PROC. REF: AMM 26-20-01								
B262004 EMPTY/INSPECT/RECHARGE CABIN PORTABLE EXTINGUISHER : PHASE 48 INSPECTION								Service ATA:26
PN:C352TS	MOS	02-Feb-18	72		29-Feb-24		64 d	
SN:W790368	HRS	9222.3						
WC#: 26.030	AFL							
PROC. REF: AMM 26-20-01								PKG:34

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
B262004	EMPTY/INSPECT/RECHARGE COCKPIT PORTABLE EXTINGUISHER : PHASE 48 INSPECTION							Service	ATA:26
PN:C352	MOS	02-Feb-18	72		29-Feb-24		64 d		
SN:X-926176	HRS	9222.3							
WC#: 26.030	AFL								
				PROC. REF: AMM 26-20-01				PKG:34	
B262005 ^S	FUNCTIONAL TEST FIRE EXTINGUISHING SYSTEM: PHASE 5 INSPECTION							Service	ATA:26
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 26-20-00				PKG:6	
ATA 27 - FLIGHT CONTROLS									
271001	AILERON TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-51	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
				PROC. REF: AMM 27-10-06					
272001	RUDDER TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-53	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
				PROC. REF: AMM 27-20-04					
273002	ELEVATOR TRIM ELECTRICAL ACTUATOR							Component	ATA:27
PN:5115231-30	MOS/MSC	02-Oct-14	O/C						
SN:81513X	HRS	9002.9							
WC#: 27.110	AFL	6339							
				PROC. REF: AMM 27-30-06					
273003	ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-92	MOS/MSC	25-Nov-97	O/C						
SN:UNKNOWN	HRS	6163		TSN 0					
WC#: 27.110	AFL								
				PROC. REF: AMM 27-30-05					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275001	LEFT FLAP MOTOR							Component	ATA:27
PN:FS30-5	MOS/MSC	15-May-02	O/C						
SN:547	HRS	7347		TSO 1813					
WC#: 27.040	AFL								
PROC. REF: GENERIC NO REF									
275001	RIGHT FLAP MOTOR							Component	ATA:27
PN:FS30-5	MOS/MSC	15-May-02	O/C						
SN:1249	HRS	7347		TSO 4701					
WC#: 27.040	AFL								
PROC. REF: GENERIC NO REF									
275002	LEFT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	09-Jun-05						OVERHAUL	
SN:0403971	HRS	7910	3000	TSO 0	10910	10910	1389.2		
WC#: 27.070	AFL								
PROC. REF: GENERIC NO REF									
275002	RIGHT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	09-Jun-05						OVERHAUL	
SN:1019932	HRS	7910	3000	TSO 0	10910	10910	1389.2		
WC#: 27.070	AFL								
PROC. REF: GENERIC NO REF									
276001	LEFT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	11-Aug-89	O/C						
SN:S110236	HRS	2796		TSO 0					
WC#: 27.080	AFL								
PROC. REF: AMM 27-60-04									
276001	RIGHT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	30-Jan-81	O/C						
SN:110984	HRS	0		TSN 0					
WC#: 27.080	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04									
276002	SPEED BRAKE CONTROL VALVE							Component	ATA:27
PN:66720	MOS/MSC	26-Jan-08	O/C						
SN:2929	HRS	8115		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276005 ^U	LEFT SPEED BRAKE SWITCH							Component	ATA:27
PN:602EN16-6	MOS/MSC	28-Jan-08	O/C						
SN:NSN	HRS	8119		TSN 0					
	AFL								
276005 ^U	RIGHT SPEED BRAKE SWITCH							Component	ATA:27
PN:602EN16-6	MOS/MSC	28-Jan-08	O/C						
SN:NSN	HRS	8119		TSN 0					
	AFL								
27FO-01A	ELECTRIC TRIM SWITCH COPILOT FACTORY OPTION							Component	ATA:27
PN:33A	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A271003 ^S	INSPECT AILERON AND AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 27-10-00									
A271004 ^S	INSPECT CONTROL WHEEL: PHASE 1 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 27-10-00									
A271005 ^S	INSPECT AILERON RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: PHASE 1 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 27-10-00									
A271006 ^S	INSPECT AILERON CONTROL CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A271007 ^S	INSPECT AILERON TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-10-00				PKG:6	
A272002 ^S	INSPECT RUDDER AND RUDDER TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-20-00				PKG:3	
A272003 ^S	INSPECT RUDDER PEDALS: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-20-00				PKG:6	
A272005 ^S	INSPECT RUDDER CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-20-00				PKG:6	
A272006 ^S	INSPECT RUDDER TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-20-00				PKG:6	
A273002 ^S	INSPECT ELEVATOR EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+1m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-30-00				PKG:3	
A273005 ^S	INSPECT CONTROL COLUMN: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273006 ^S	INSPECT ELEVATOR LINKAGE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	
A273007 ^S	INSPECT ELECTRIC ELEVATOR TRIM ACTUATOR AND SECTOR: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	
A273008 ^S	INSPECT ELEVATOR CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	
A273009 ^S	INSPECT ELEVATOR TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	
A275001 ^S	INSPECT FLAP DRIVE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
A275003 ^S	INSPECT FLAP PRESELECT CABLE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
A275008 ^S	INSPECT FLAP CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A276001 ^S	INSPECT SPEED BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-60-00				PKG:6	
B271001 ^S	CHECK AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-10-00				PKG:3	
B271002 ^S	CHECK AILERON AND AILERON TRIM TAB TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-10-00				PKG:6	
B272001 ^S	CHECK RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-20-00				PKG:6	
B272004 ^S	CHECK RUDDER AND RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-20-00				PKG:6	
B273003 ^S	CHECK ELEVATOR AND ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	
B273004 ^S	CHECK ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-30-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B275001 ^S	OPERATIONAL CHECK FLAP MOTOR: PHASE 1 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-50-00				PKG:2	
B275002 ^S	OPERATIONAL CHECK FLAP UP LIMIT SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
B275004 ^S	OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
B275005 ^S	OPERATIONAL TEST FLAP/AUTOPILOT POSITION SWITCH(AIRPLANE-0275 AND ON): PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
B275006 ^S	CHECK FLAPS TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
B277001 ^S	INSPECT CONTROL LOCK SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-70-00				PKG:6	
C271001 ^S	LUBRICATE/CHECK AILERON TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-10-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
C272001 ^S	LUBRICATE/CHECK RUDDER TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-20-00				PKG:3	
C273001 ^S	LUBRICATE/CHECK ELEVATOR TRIM TAB ACTUATORS: PHASE 2 INSPECTION							Service	ATA:27
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 27-30-00				PKG:3	
C275007 ^S	CLEAN/LUBRICATE CENTER FLAP TRACK BEARING AIRPLANES 0001 THRU -0684 EXCEPT INCORPORATING SB500-27-11: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 27-50-00				PKG:6	
ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
				PROC. REF: AMM 28-00-02					
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
				PROC. REF: AMM 28-00-02					
281002	LEFT AFT FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
				PROC. REF: AMM 28-10-06					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281002		LEFT FORWARD FUEL DRAIN VALVE						Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.160	AFL	0			TSN 0				
PROC. REF: AMM 28-10-06									
281002		LEFT MID FUEL DRAIN VALVE						Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.180	AFL	0			TSN 0				
PROC. REF: AMM 28-10-06									
281002		RIGHT AFT FUEL DRAIN VALVE						Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.160	AFL	0			TSN 0				
PROC. REF: AMM 28-10-06									
281002		RIGHT FORWARD FUEL DRAIN VALVE						Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.170	AFL	0			TSN 0				
PROC. REF: AMM 28-10-06									
281002		RIGHT MID FUEL DRAIN VALVE						Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.150	AFL	0			TSN 0				
PROC. REF: AMM 28-10-06									
282001		LEFT FUEL BOOST PUMP						Component	ATA:28
PN:1C7-12	MOS/MSC	02-Apr-13	O/C						
SN:7F149	HRS	8846.5			TSN 8846.5				
WC#: 28.030	AFL	6247			TSN 6247				
PROC. REF: AMM 28-20-01									
282001		RIGHT FUEL BOOST PUMP						Component	ATA:28
PN:1C7-12	MOS/MSC	24-Aug-10	O/C		TSO 4				
SN:2AE3	HRS	8507.2			TSO 0				
WC#: 28.030	AFL	6036			TSO 0				
PROC. REF: AMM 28-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282004	LEFT FUEL SHUTOFF VALVE							Component	ATA:28
PN:9912013-1	MOS/MSC	21-Aug-12	O/C	TSO 0					
SN:1598	HRS	8748.8		TSO 0					
WC#: 28.070	AFL	6187		TSO 0					
PROC. REF: AMM 28-20-07									
282004	RIGHT FUEL SHUTOFF VALVE							Component	ATA:28
PN:230125-2	MOS/MSC	17-May-11	O/C	TSN 0					
SN:AA181707	HRS	8569		TSN 0					
WC#: 28.070	AFL	6072		TSN 0					
PROC. REF: AMM 28-20-07									
284001	LEFT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	17-May-11	O/C	TSN 0					
SN:7105	HRS	8569		TSN 0					
WC#: 28.130	AFL	6072							
PROC. REF: GENERIC NO REF									
284001	RIGHT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	07-Feb-98	O/C						
SN:5019	HRS	6297		TSN 0					
WC#: 28.130	AFL								
PROC. REF: GENERIC NO REF									
284002	LEFT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:3266004-0101	MOS/MSC	30-Jan-81	O/C						
SN:13224P	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284002	RIGHT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:3266004-0101	MOS/MSC	30-Jan-81	O/C						
SN:13143P	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284003	LEFT WING SECTION (61.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-218	MOS/MSC	30-Jan-81	O/C						
SN:1641D	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284003 RIGHT WING SECTION (61.00) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-218	MOS/MSC	30-Jan-81	O/C					
SN:1682D	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284004 LEFT WING SECTION (129.00) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-219	MOS/MSC	30-Jan-81	O/C					
SN:1739D	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284004 RIGHT WING SECTION (129.00) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-219	MOS/MSC	30-Jan-81	O/C					
SN:1767D	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284005 LEFT WING SECTION (171.50) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-220	MOS/MSC	30-Jan-81	O/C					
SN:1700D	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284005 RIGHT WING SECTION (171.50) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-220	MOS/MSC	30-Jan-81	O/C					
SN:1643D	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284006 LEFT WING SECTION (211.00) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-221	MOS/MSC	30-Jan-81	O/C					
SN:1827D	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
284006 RIGHT WING SECTION (211.00) FUEL QUANTITY PROBE Component ATA:28								
PN:391046-221	MOS/MSC	30-Jan-81	O/C					
SN:1830D	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284007	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:VSDL-0C203C	MOS/MSC	14-Sep-21	O/C	TSO 0					
SN:86	HRS	9474.4		TSO 0					
WC#: 28.120	AFL	6592		TSO 0					
PROC. REF: AMM 28-40-01									
28FO-01	FUEL CAP LOCKING FACTORY OPTION							Component	ATA:28
PN:36	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A281001 ^S	INSPECT WING FUEL STORAGE AREA: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 28-10-00									
A281008 ^S	INSPECT FOAM(AIRPLANES REGISTERED IN THE UNITED KINGDOM): PHASE 18 INSPECTION							Service	ATA:28
	MOS	31-Oct-22	12 (+1m)						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 28-10-00									
A282002 ^S	INSPECT WING DRY BAY FUEL SYSTEM COMPONENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 28-20-00									
B282003 ^S	OPERATIONAL CHECK FUEL SYSTEMS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 28-20-00									
B284001 ^S	OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 28-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
D282002 ^S	REPLACE FUEL FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 28-20-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291001	HYDRAULIC RESERVOIR							Component	ATA:29
PN:7140-150-2	MOS/MSC	30-Jan-81	O/C						
SN:1053	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 29-10-01									
291002	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:4120-004000	MOS/MSC	30-Jan-81	O/C						
SN:231	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: AMM 29-10-03									
291002	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:9912062-4	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:5800	HRS	9002.9		TSN 0					
WC#: 29.060	AFL	6339							
PROC. REF: AMM 29-10-03									
291005	RIGHT HYDRAULIC W/FLW DET CHECK VALVE							Component	ATA:29
PN:3520020100-4	MOS/MSC	26-Feb-98	O/C						
SN:4187	HRS	6329		TSN 0					
	AFL								
PROC. REF: AMM 29-10-05									
291010	HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:1106P59	MOS/MSC	10-Jun-05	O/C						
SN:4364	HRS	7910		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
A291002 ^S	INSPECT HYDRAULIC SUB PANEL: PHASE 1 INSPECTION							Service	ATA:29
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
WC#: 29.115	AFL	6592							
PROC. REF: AMM 29-10-06									
D291001 ^S	INSPECT/REPLACE HYDRAULIC FILTERS AND FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:29
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 29-10-04									

PKG:1,2,4

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301001	LEFT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-07	MOS/MSC	12-Mar-97	O/C						
SN:375BH	HRS	5896		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01									
301002	RIGHT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-08	MOS/MSC	12-Mar-97	O/C						
SN:M207530	HRS	5896		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01									
301003	LEFT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	12-Mar-97	O/C						
SN:M706560	HRS	5896		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301003	RIGHT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	12-Mar-97	O/C						
SN:M704960	HRS	5896		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301004	VERTICAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-05	MOS/MSC	19-Feb-03	O/C						
SN:MU95720	HRS	7457		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301005	LEFT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-1	MOS/MSC	30-Jan-81	O/C						
SN:419	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301006	RIGHT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-8	MOS/MSC	30-Jan-81	O/C						
SN:323	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301007 AFT DE-ICE PRESSURE SWITCH Component ATA:30								
PN:1106P55	MOS/MSC	30-Jan-81	O/C					
SN:1019	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05								
301007 FORWARD DE-ICE PRESSURE SWITCH Component ATA:30								
PN:1106P55	MOS/MSC	30-Jan-81	O/C					
SN:1024	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05								
301008 LEFT WING DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	25-Mar-96	O/C					
SN:N13220	HRS	5458		TSN 0				
WC#: 30.190	AFL							
PROC. REF: GENERIC NO REF								
301008 RIGHT WING DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	15-Nov-16	O/C		TSO 5			
SN:N19969	HRS	9119.2			TSO 0			
WC#: 30.190	AFL	6400						
PROC. REF: GENERIC NO REF								
301008 STABILIZER AND FIN DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	15-Nov-16	O/C		TSO 5			
SN:N19969	HRS	9119.2			TSO 0			
WC#: 30.190	AFL	6400						
PROC. REF: GENERIC NO REF								
301009 AIRFOIL DE-ICE TIMER Component ATA:30								
PN:76-1A	MOS/MSC	30-Jan-81	O/C					
SN:407	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301010 LEFT WING ANTI-ICE ASSEMBLY Component ATA:30								
PN:5528007-207	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301010 RIGHT WING ANTI-ICE ASSEMBLY Component ATA:30								
PN:5528007-208	MOS/MSC	06-Apr-99	O/C					
SN:15278	HRS	6640		TSN 0				
WC#: 30.010	AFL							
PROC. REF: GENERIC NO REF								
302001 ALCOHOL PUMP Component ATA:30								
PN:476411	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: AMM 30-43-00								
302002 BLEED AIR CHECK VALVE Component ATA:30								
PN:85300	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
302003 LEFT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:320605	MOS/MSC	25-Nov-97	O/C					
SN:801C	HRS	6163		TSO 0				
WC#: 30.040	AFL							
PROC. REF: GENERIC NO REF								
302003 RIGHT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:1946-00-16	MOS/MSC	18-Sep-03	O/C					
SN:3266	HRS	7628		TSN 0				
WC#: 30.040	AFL							
PROC. REF: GENERIC NO REF								
302004 NO. 2 ENGINE ANTI-ICE SWITCH Component ATA:30								
PN:21548-2-68-6	MOS/MSC	17-May-11	O/C	TSN 0				
SN:UNKNOWN	HRS	8569		TSN 0				
WC#: 30.210	AFL	6072		TSN 0				
PROC. REF: GENERIC NO REF								
303001 LEFT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
303001	RIGHT PITOT TUBE							Component	ATA:30
PN:PH502	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.230	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303002	LEFT LOWER PILOT STATIC PORT							Component	ATA:30
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303002	RIGHT LOWER COPILOT STATIC PORT							Component	ATA:30
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.250	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303003	LEFT UPPER COPILOT STATIC PORT							Component	ATA:30
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.250	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303003	RIGHT UPPER PILOT STATIC PORT							Component	ATA:30
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.240	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
304001	HOT AIR TEMPERATURE MONITOR-							Component	ATA:30
PN:1169-1	MOS/MSC	30-Jan-81	O/C						
SN:912	HRS	0			TSN 0				
WC#: 30.240	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
304005	TEMPERATURE CONTROL VALVE							Component	ATA:30
PN:27241287	MOS/MSC	30-Jan-81	O/C						
SN:5F0110	HRS	0			TSN 0				
WC#: 30.100	AFL	0			TSN 0				
PROC. REF: AMM 30-42-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304006		TEMPERATURE CONTROLLER						Component	ATA:30
PN:27231272	MOS/MSC	30-Jan-81	O/C						
SN:2F0146	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: AMM 30-42-06									
304007		LEFT TEMPERATURE SENSOR						Component	ATA:30
PN:27221274	MOS/MSC	30-Jan-81	O/C						
SN:9E0081	HRS	0		TSN 0					
WC#: 30.220	AFL	0		TSN 0					
PROC. REF: AMM 30-20-00									
304007		RIGHT TEMPERATURE SENSOR						Component	ATA:30
PN:27221274	MOS/MSC	30-Jan-81	O/C						
SN:9F0059	HRS	0		TSN 0					
WC#: 30.220	AFL	0		TSN 0					
PROC. REF: AMM 30-20-00									
304008		PRESSURE SWITCH						Component	ATA:30
PN:1115P25	MOS/MSC	30-Jan-81	O/C						
SN:404	HRS	0		TSN 0					
WC#: 30.250	AFL	0		TSN 0					
PROC. REF: AMM 30-42-07									
304009		WINDSHIELD ANTI-ICE BLEED AIR SOLENOID VALVE						Component	ATA:30
PN:1962-00-3	MOS/MSC	23-Apr-08	O/C						
SN:3611	HRS	8175		TSN 0					
WC#: 30.090	AFL								
PROC. REF: GENERIC NO REF									
A301002^S		INSPECT WING HEATED LEADING EDGE AND WIRING: PHASE 5 INSPECTION						Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 30-10-01									
A304001^S		INSPECT WINDSHIELD BLEED AIR AUGMENTOR DOOR AND SHROUD: PHASE 5 INSPECTION						Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 30-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
A304003 ^S	INSPECT WINDSHIELD BLEED AIR CONTROLS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-42-00				PKG:6	
A304004 ^S	INSPECT WINDSHIELD ALCOHOL RESERVOIR VENT LINE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-43-00				PKG:6	
B301001 ^S	OPERATIONAL TEST ENGINE AND WING LEADING EDGE ANTI-ICE SYSTEMS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-10-01				PKG:6	
B301003 ^S	OPERATIONAL TEST PNEUMATIC DEICE SYSTEM: PHASE 4 INSPECTION							Service	ATA:30
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 30-11-00				PKG:5	
B304001 ^S	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-42-00				PKG:6	
B304004 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: PHASE 1 INSPECTION							Service	ATA:30
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 30-43-00				PKG:2	
D304004 ^S	INSPECT WINDSHIELD ALCOHOL PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 30-43-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312001 CENTER DIGITAL CLOCK Component ATA:31								
PN:811A	MOS/MSC	30-Jan-81	O/C					
SN:12923	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-20-04								
312002 CLOCK BATTERY Component ATA:31								
PN:811-BATT-1	MOS	14-Sep-21	36	TSN 0	30-Sep-24		278 d	
SN:-NSN-	HRS	9474.4		TSN 0				
	AFL	6592						
PROC. REF: AMM 31-20-04								
313001 FLIGHT HOUR METER Component ATA:31								
PN:C664503-0104	MOS/MSC	01-Feb-99	O/C					
SN:UNKNOWN	HRS	6574		TSN 0				
WC#: 31.020	AFL							
PROC. REF: AMM 31-30-00								
313003 ACCELEROMETER Component ATA:31								
PN:7000992	MOS/MSC	31-Aug-04	O/C					
SN:009151	HRS	7796		TSO 0				
	AFL							
PROC. REF: GENERIC NO REF								
31FO-02B CLOCK DIGITAL ELECTRIC 24 HOUR LH FACTORY OPTION Component ATA:31								
PN:182B	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
A313001^S INSPECT FLIGHT DATA RECORDER: PHASE 5 INSPECTION Service ATA:31								
	MOS	07-Aug-20	36 (+2m)					
	HRS	9454.6	1200 (+100)					
	AFL	6580						
PROC. REF: AMM 31-31-05								
ATA 32 - LANDING GEAR								
321001 LEFT MAIN LANDING GEAR ASSEMBLY Component ATA:32								
PN:5541000-11	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0						
WC#: 32.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: GENERIC NO REF									
321002	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5541000-12	MOS/MSC		31-Jan-81	O/C					
SN:UNKNOWN	HRS		1						
WC#: 32.011	AFL		1		TSN 1				
PROC. REF: GENERIC NO REF									
322001	NOSE GEAR ASSEMBLY							Component	ATA:32
PN:5542000-7	MOS		30-Jan-81					LIFE LIMIT	
SN:0837	HRS		0		TSN 0				
WC#: 32.030	AFL		0	41000	TSN 0	41000	41000	34375	
PROC. REF: GENERIC NO REF									
322002	NOSE LANDING GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-12	MOS/MSC		21-Aug-12	O/C					
SN:623-12X	HRS		8748.8						
WC#: 32.280	AFL		6187						
PROC. REF: AMM 32-20-01									
322004	NOSE LANDING GEAR FORK							Component	ATA:32
PN:5542300-3	MOS/MSC		06-Jan-03	O/C					
SN:UNKNOWN	HRS		7457						
WC#: 32.020	AFL		5195		TSN 0				
PROC. REF: AMM 32-20-00									
322005	NOSE LANDING GEAR ACTUATOR FITTING							Component	ATA:32
PN:5511169-1	MOS/MSC		30-Jan-81	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 32.270	AFL		0		TSN 0				
PROC. REF: AMM 32-30-04									
322006	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-5	MOS		30-Jan-81					LIFE LIMIT	
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 32.150	AFL		0	22500	TSN 0	22500	22500	15875	
PROC. REF: AMM 32-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322006	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.150	AFL	0	22500	TSN 0	22500	22500	15875		
PROC. REF: AMM 32-20-00									
322007	NOSE LANDING GEAR TRUNION							Component	ATA:32
PN:5542301-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.290	AFL	0	22500	TSN 0	22500	22500	15875		
PROC. REF: AMM 32-20-00									
322008	LEFT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.410	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-10-00									
322008	RIGHT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-4	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.410	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-10-00									
322009	LEFT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.420	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-30-03									
322009	RIGHT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.420	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322010	LEFT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	16-Mar-96						LIFE LIMIT	
SN:UNKNOWN	HRS	5458							
WC#: 32.430	AFL	4040	28600	TSN 0	32640	32640	26015		
PROC. REF: AMM 32-30-03									
322010	RIGHT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	16-Mar-96						LIFE LIMIT	
SN:UNKNOWN	HRS	5458							
WC#: 32.430	AFL	4040	28600	TSN 0	32640	32640	26015		
PROC. REF: AMM 32-30-03									
322011	LEFT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322011	RIGHT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322012	LEFT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.560	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REF									
322012	RIGHT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.560	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322013	LEFT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REF									
322013	RIGHT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REF									
322014	LEFT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-9	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322014	RIGHT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-10	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322015	LEFT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-11	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.480	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322015	RIGHT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.480	AFL	0	41600	TSN 2525, Adj 2525	41600	41600	34975		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322016	LEFT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.490	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322016	RIGHT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.490	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322017	LEFT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.500	AFL	0	41600	TSN 2564, Adj 2564	41600	41600	34975		
PROC. REF: AMM 32-10-00									
322017	RIGHT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.500	AFL	0	41600	TSN 2564, Adj 2564	41600	41600	34975		
PROC. REF: AMM 32-10-00									
322018	LEFT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.510	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00									
322018	RIGHT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.510	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322019	NOSE GEAR PISTON ASSEMBLY							Component	ATA:32
PN:5542105-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.520	AFL	0			TSN 2564, Adj 2564				
PROC. REF: GENERIC NO REF									
322020	NOSE GEAR CYLINDER BRAZE ASSEMBLY							Component	ATA:32
PN:5542100-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.530	AFL	0	22500		TSN 2564, Adj 2564	22500	22500	15875	
PROC. REF: GENERIC NO REF									
322021	NOSE GEAR AXLE SPACER							Component	ATA:32
PN:5542223-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.540	AFL	0	22500		TSN 2564, Adj 2564	22500	22500	15875	
PROC. REF: GENERIC NO REF									
322022	NOSE GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5542208-3	MOS	07-Jun-94						LIFE LIMIT	
SN:UNKNOWN	HRS	4665							
WC#: 32.550	AFL	3519	22500		TSN 0	26019	26019	19394	
PROC. REF: AMM 32-20-00									
323001	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-7442-1	MOS	30-Jan-81						LIFE LIMIT	
SN:DA400	HRS	0			TSN 0				
WC#: 32.170	AFL	0	37500		TSN 0	37500	37500	30875	
PROC. REF: AMM 32-30-03									
323002	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-7442-2	MOS	30-Jan-81						LIFE LIMIT	
SN:DA428	HRS	0			TSN 0				
WC#: 32.170	AFL	0	37500		TSN 0	37500	37500	30875	
PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323003 NOSE LANDING GEAR ACTUATOR ASSEMBLY Component ATA:32								
PN:1523200-1	MOS	19-Oct-03						LIFE LIMIT
SN:266	HRS	7642						
WC#: 32.300	AFL	5386	32600	TSN 0	37986	37986	31361	
PROC. REF: AMM 32-30-04								
323004 LEFT MAIN LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	30-Jan-81	O/C					
SN:CE2330	HRS	0		TSN 0				
WC#: 32.160	AFL	0		TSN 0				
PROC. REF: AMM 32-30-03								
323004 NOSE LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	30-Jan-81	O/C					
SN:CE2362	HRS	0		TSN 0				
WC#: 32.160	AFL	0		TSN 0				
PROC. REF: AMM 32-30-03								
323004 RIGHT MAIN LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	19-Feb-12	O/C	TSN 0				
SN:3756	HRS	8661.4		TSN 0				
WC#: 32.160	AFL	6135						
PROC. REF: AMM 32-30-03								
323006 EMERGENCY GEAR AIR BOTTLE Component ATA:32								
PN:212940-2	MOS	14-Sep-21	288	TSN 171	30-Jun-31		2742 d	LIFE LIMIT
SN:160	HRS	9474.4						
WC#: 32.040	AFL	6592						
PROC. REF: GENERIC NO REF								
323007 LANDING GEAR CONTROL VALVE Component ATA:32								
PN:2710969	MOS/MSC	30-Jan-81	O/C					
SN:0867	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 32-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323008	RIGHT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541109-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.180	AFL	0	16100	TSN 2525, Adj 2525	16100	16100	9475		
PROC. REF: GENERIC NO REF									
323014	LEFT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541109-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.180	AFL	0	16100	TSN 2525, Adj 2525	16100	16100	9475		
PROC. REF: GENERIC NO REF									
323018	LEFT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.190	AFL	0	15000	TSN 0	15000	15000	8375		
PROC. REF: GENERIC NO REF									
323018	RIGHT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.190	AFL	0	15000	TSN 0	15000	15000	8375		
PROC. REF: GENERIC NO REF									
323019	EMERGENCY AIR BOTTLE GAGE							Component	ATA:32
PN:2341128	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324001	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	21-Apr-00	O/C						
SN:99081178	HRS	6964							
WC#: 32.120	AFL	4901		TSN 0					
PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324001	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	21-Apr-16	O/C						
SN:AUG99-1166/S-NOV07-227	HRS	9119.2							
WC#: 32.220	AFL	6400							
PROC. REF: AMM 32-40-00									
324002	NOSE LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:3-1418	MOS/MSC	20-Nov-05	O/C						
SN:4759	HRS	7930							
WC#: 32.130	AFL	5685		TSO 784					
PROC. REF: AMM 32-45-00									
324003	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001445-3	MOS/MSC	08-Jan-19	O/C	TSO 25					
SN:MAR84-692	HRS	9335.5							
WC#: 32.090	AFL	6512							
PROC. REF: AMM 32-40-00									
324004	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001446-4	MOS/MSC	21-May-04	O/C						
SN:75020413	HRS	7750							
WC#: 32.091	AFL	5497		TSO 0					
PROC. REF: AMM 32-40-00									
324005	LEFT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:41512027	HRS	9002.9		TSN 0					
WC#: 32.120	AFL	6339							
PROC. REF: AMM 32-40-00									
324005	RIGHT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	21-Apr-16	O/C	TSN 0					
SN:43462849	HRS	9119.2		TSN 0					
WC#: 32.220	AFL	6400							
PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324006	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:031-613-8	MOS/MSC	15-Nov-16	O/C	TSN 0					
SN:6030S00286	HRS	9119.2		TSN 0					
WC#: 32.130	AFL	6400							
PROC. REF: AMM 32-45-00									
324011	COPILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-9	MOS/MSC	30-Jan-81	O/C						
SN:1694	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
324011	PILOT OUTBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-9	MOS/MSC	30-Jan-81	O/C						
SN:1633	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
324012	COPILOT OUTBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-10	MOS/MSC	30-Jan-81	O/C						
SN:1757	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
324012	PILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-10	MOS/MSC	30-Jan-81	O/C						
SN:1760	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
324013	PARKING BRAKE VALVE							Component	ATA:32
PN:AS20800-1	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:660	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01									
324014	EMERGENCY BRAKE VALVE							Component	ATA:32
PN:53640	MOS/MSC	30-Jan-81	O/C						
SN:296A	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326001	GEAR WARNING HORN							Component	ATA:32
PN:A2948	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
326002	RIGHT MAIN GEAR UP AND LOCKED SWITCH							Component	ATA:32
PN:65430087	MOS/MSC	14-Feb-01	O/C						
SN:UNKNOWN	HRS	7113							
WC#: 32.260	AFL	4987		TSN 0					
PROC. REF: GENERIC NO REF									
32FO-02	BRAKES EXTENDED LIFE FACTORY OPTION							Component	ATA:32
PN:93	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A320001 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 57 INSPECTION							Service	ATA:32
	MOS	31-Oct-22	6 (+1m)						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 32-00-00									
A320002 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 32-00-00									
A321001 ^S	INSPECT MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 32-10-00									
A322001 ^S	INSPECT SHIMMY DAMPER: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
	AFL	6592							
PROC. REF: AMM 32-20-01									

PKG:502

PKG:19

PKG:3

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A323002 ^S	INSPECT NOSE GEAR ASSEMBLY: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-20-00				PKG:3	
A323002 ^S	INSPECT NOSE GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-30-05				PKG:3	
A323003 ^S	INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-30-05				PKG:6	
A323004 ^S	INSPECT MAIN GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-30-05				PKG:3	
A324001 ^S	INSPECT MAIN WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-40-00				PKG:3	
A324002 ^S	INSPECT NOSE WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-45-00				PKG:3	
A324003 ^S	INSPECT NOSE WHEEL, TIRE AND BEARINGS(GRAVEL RUNWAY): PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-45-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
A324004^S INSPECT BRAKE MASTER CYLINDERS: PHASE 1 INSPECTION Service ATA:32								
	MOS	14-Sep-21	24 (+2m)					
	HRS	9474.4	300 (+30)					
	AFL	6592						
					PROC. REF: AMM 32-40-04			PKG:2
A324005^S INSPECT EMERGENCY BRAKE CONTROL VALVE: PHASE 5 INSPECTION Service ATA:32								
	MOS	07-Aug-20	36 (+2m)					
	HRS	9454.6	1200 (+100)					
	AFL	6580						
					PROC. REF: AMM 32-40-03			PKG:6
A324007^S INSPECT MAIN LANDING GEAR BRAKE: PHASE 2 INSPECTION Service ATA:32								
	MOS	14-Sep-21	24 (+2m)					
	HRS	9474.4	300 (+30)					
	AFL	6592						
					PROC. REF: AMM 32-40-00			PKG:3
A324008 INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS:PHASE MF INSPECTION Service ATA:32								
PN:5001445-3	MOS/MSC	08-Jan-19	N/A					N/A EQUIPMENT NOT INSTALLED
SN:MAR84-692	HRS	9335.5						
	AFL	6512						
					PROC. REF: AMM 32-40-00			
A324008 INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS Service ATA:32								
PN:5001446-4	MOS/MSC	30-Jan-81	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED
SN:75020413	HRS	0		TAC 0				
	AFL	0		TAC 0				
					PROC. REF: AMM 32-40-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324009	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS. PHASE MG INSPECTION							Service	ATA:32
PN:5001445-3	MOS/MSC	08-Jan-19	N/A					N/A EQUIPMENT NOT INSTALLED	
SN:MAR84-692	HRS	9335.5							
	AFL	6512							
PROC. REF: AMM 32-40-00									
A324009	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS							Service	ATA:32
PN:5001446-4	MOS/MSC	30-Jan-81	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED	
SN:75020413	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-40-00									
A324010 ^S	INSPECT AVIATION BRAKE SYSTEM LIMITED BRAKE RESERIOR AND ANTI-SKID COMPONENTS: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 32-42-01									
A324014 ^S	INSPECT BRAKE RESERIOR AND ANTISKID COMPONENTS(AIRPLANES 0425 AND ON INCORP SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 32-44-00									
A325001 ^S	INSPECT NOSE STEERING ARM SUPPORT BRACKET,BUNGEE AND BELLCRANK: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 32-50-00									
A325002 ^S	INSPECT NOSE STEERING SYSTEM CABLES: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 32-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A325003 ^S	INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN UP: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-45-01				PKG:1,3,5	
A325004 ^S	INSPECT NOSE WHEEL SPIN-UP CONTROL: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-45-01				PKG:3	
A325008 ^S	INSPECT NOSE LANDING GEAR FORK NOSE LANDING GEAR FORK(P/N 5542300-1,-3): PHASE MA INSPECTION							Service	ATA:32
PN:5542300-3	MOS	06-Jan-03		TAC 0					
SN:UNKNOWN	HRS	7457		TAC 0					
	AFL	5195	T:12000	TAC 0, Adj 11000					
				PROC. REF: AMM 32-20-00				PKG:40	
A530002 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 53-00-00				PKG:19	
B322003 ^S	CHECK NOSE GEAR CYLINDER BEARING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-20-00				PKG:6	
B323001 ^S	DIAL INDICATOR CHECK NOSE GEAR ACTUATOR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-30-04				PKG:3	
B324006 ^S	CHECK MAIN GEAR WHEEL BRAKES: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-40-00				PKG:1,3,5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B324008 ^S	FUNCTIONAL CHECK SKID WARNING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-41-03				PKG:6	
B324009 ^S	OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-40-03				PKG:6	
B324011 ^S	OPERATIONAL CHECK AVIATION BRAKE SYSTEMS LIMITED ANTISKID BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-42-01				PKG:6	
B324015 ^S	OPERATIONAL CHECK ANTISKID BRAKE SYSTEM(AIRPLANES 0425 AND ON INCORPATING SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-44-00				PKG:6	
B325001 ^S	FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-45-01				PKG:6	
B326001 ^S	ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEM: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-01-00				PKG:3	
B326003	HYDROSTATIC TEST EMERGENCY GEAR AIR BOTTLE							Service	ATA:32
PN:212940-2	MOS	19-Aug-21	36		31-Aug-24		248 d	MANDATORY	
SN:160	HRS								
WC#: 32.040	AFL								
				PROC. REF: AMM 32-30-07					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
C122001 ^S	LUBRICATION NOSE AND MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24						
	HRS	9474.4	300						
	AFL	6592							
				PROC. REF: AMM 12-20-01				PKG:3	
C321003 ^S	LUBRICATE MAIN GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-10-00				PKG:3	
C322001 ^S	LUBRICATE NOSE GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 32-20-00				PKG:3	
D324010 ^S	REPLACE AVIATION BRAKE SYSTEM ANTI-SKID SYSTEM MOTOR PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-42-01				PKG:6	
D324012 ^S	REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR AIR FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-42-01				PKG:6	
D324013 ^S	CLEAN/REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR SUPPLY LINE FILTER : PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-42-01				PKG:6	
D324014 ^S	REPLACE ANTI-SKIP MOTOR/PUMP(AIRPLANES 0425 AND ON INCORPORATING SB500-32-28) FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-44-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324016 ^S	REPLACE BRAKE RESERVOIR AIR FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-44-00				PKG:6	
D324017 ^S	CLEAN/REPLACE BRAKE RESERVOIR SUPPLY LINE FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 32-44-00				PKG:6	
ATA 33 - LIGHTS									
331001	ANNUNCIATOR PANEL							Component	ATA:33
PN:9912167-11	MOS/MSC	14-Sep-21	O/C		TSR 0				
SN:25	HRS	9474.4			TSR 0				
WC#: 33.070	AFL	6592			TSR 0				
				PROC. REF: AMM 33-10-04					
331011	ELECTRICAL PANEL LIGHT INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	04-Mar-03	O/C						
SN:4011A	HRS	7473			TSO 0				
WC#: 33.080	AFL								
				PROC. REF: AMM 33-10-03					
331012	MASTER WARNING SWITCH							Component	ATA:33
PN:1941-4	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 33-10-04					
334002	VERTICAL FIN ANTI-COLLISION LIGHT							Component	ATA:33
PN:40-0100-1	MOS/MSC	30-Jan-81	O/C						
SN:4726	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334003 LEFT STROBE POWER SUPPLY Component ATA:33								
PN:60-1755-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
334003 RIGHT STROBE POWER SUPPLY Component ATA:33								
PN:60-1755-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
335001 EMERGENCY LIGHTING BATTERY Component ATA:33								
PN:CBS28-1	MOS/MSC	14-Sep-21	O/C					
SN:005680	HRS	9474.4						
WC#: 33.090	AFL	6592						
PROC. REF: GENERIC NO REF								
33FO-02B LIGHT-RECOGNITION WING-TIP MOUNTED FACTORY OPTION Component ATA:33								
PN:49B	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
33FO-03 LIGHT-ROTATING BEACON RUDDER MOUNTED FACTORY OPTION Component ATA:33								
PN:51	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
A335001^S INSPECT EMERGENCY LIGHTS BATTERY BOX: PHASE 5 INSPECTION Service ATA:33								
	MOS	07-Aug-20	36 (+2m)					
	HRS	9454.6	1200 (+100)					
	AFL	6580						
PROC. REF: AMM 33-50-00								
A335002^S INSPECT EMERGENCY EXIT LIGHTS: PHASE 1 INSPECTION Service ATA:33								
	MOS	14-Sep-21	24 (+2m)					
	HRS	9474.4	300 (+30)					
	AFL	6592						
PROC. REF: AMM 33-50-00								

PKG:6

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
B335001 ^S	OPERATIONAL CHECK EMERGENCY LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 33-50-00				PKG:2	
ATA 34 - NAVIGATION									
341001	LEFT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0103	MOS/MSC	05-Feb-01	O/C						
SN:661ADC	HRS	7111		TSO 537					
WC#: 34.050	AFL								
				PROC. REF: AMM 34-10-01					
341001	RIGHT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0103	MOS/MSC	11-Jul-10	O/C		TSO 0				
SN:763	HRS	8492.3			TSO 0				
WC#: 34.050	AFL	6025			TSO 0				
				PROC. REF: AMM 34-10-01					
341002	PILOT ALTIMETER							Component	ATA:34
PN:4016341-905	MOS/MSC	05-Feb-01	O/C						
SN:80061533	HRS	7111			TSO 7111				
WC#: 34.010	AFL								
				PROC. REF: GENERIC NO REF					
341002	STANDBY ALTIMETER							Component	ATA:34
PN:C661072-0101	MOS/MSC	30-Nov-18	O/C						
SN:W10060	HRS								
	AFL								
				PROC. REF: GENERIC NO REF					
341004	OUTSIDE AIR TEMPERATURE GAUGE							Component	ATA:34
PN:C668510-0401	MOS/MSC	30-Jan-81	O/C						
SN:1637	HRS	0			TSN 0				
WC#: 34.470	AFL	0			TSN 0				
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341005	OVERSPEED WARNING SWITCH							Component	ATA:34
PN:DRA45C-39	MOS/MSC	27-May-06	O/C						
SN:161	HRS	7961		TSO 0					
WC#: 34.510	AFL								
PROC. REF: AMM 34-10-05									
341006	OVERSPEED WARNING HORN							Component	ATA:34
PN:5518108-7	MOS/MSC	14-Sep-21	O/C		TSN 0				
SN:-NSN-	HRS	9474.4			TSN 0				
WC#: 34.040	AFL	6592			TSN 0				
PROC. REF: AMM 34-10-05									
341010	ANGLE OF ATTACK INDICATOR							Component	ATA:34
PN:SLZ9686-1	MOS/MSC	07-Mar-14	O/C						
SN:PC1865	HRS	8952.5							
WC#: 34.460	AFL	6302							
PROC. REF: AMM 34-11-01									
341012	ANGLE OF ATTACK POTENTIOMETER							Component	ATA:34
PN:MOD202-5K	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341013	ANGLE OF ATTACK TRANSMITTER							Component	ATA:34
PN:SLZ9386	MOS/MSC	29-Jan-86	O/C						
SN:GU1229C	HRS	1540			TSO 0				
WC#: 34.070	AFL								
PROC. REF: AMM 34-11-03									
341014	ANGLE OF ATTACK INDEXER							Component	ATA:34
PN:SLZ9374	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341020	VERTICAL NAVIGATIONAL CONTROLLER/ COMPUTER							Component	ATA:34
PN:4020571-901	MOS/MSC	21-Aug-12	O/C						
SN:04011238	HRS	8748.8							
WC#: 34.280	AFL	6187							
PROC. REF: AMM 34-12-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341021 RADIO ALTIMETER INDICATOR Component ATA:34								
PN:7000839-903	MOS/MSC	02-Feb-05	O/C					
SN:81021287	HRS	7864		TSO 39				
WC#: 34.480	AFL							
PROC. REF: GENERIC NO REF								
342001 MAGNETIC COMPASS Component ATA:34								
PN:C660501-0301	MOS/MSC	14-Sep-21	O/C	TSN 0				
SN:-NSN-	HRS	9474.4		TSN 0				
WC#: 34.090	AFL	6592		TSN 0				
PROC. REF: AMM 34-20-01								
342002 RIGHT TURN & BANK INDICATOR Component ATA:34								
PN:C661004-0101	MOS/MSC	06-Nov-08	O/C					
SN:459	HRS	8299		TSO 0				
	AFL							
PROC. REF: AMM 34-20-02								
342003 LEFT HORIZON GYRO Component ATA:34								
PN:4200-10	MOS/MSC	08-Aug-19	O/C	TSN 0				
SN:L18-11829	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 34-20-03, AMM 34-20-06								
342003 RIGHT HORIZON GYRO Component ATA:34								
PN:1U149-002-2	MOS/MSC	28-Dec-15	O/C	TSO 0				
SN:A19658H	HRS	9106		TSO 0				
WC#: 34.600	AFL	6372		TSO 0				
	ACH	22.9		TSO 0				
PROC. REF: AMM 34-20-03, AMM 34-20-06								
342021 LEFT VERTICAL SPEED INDICATOR Component ATA:34								
PN:C661006-0101	MOS/MSC	01-Feb-99	O/C					
SN:W22489G	HRS	6574		TSO 0				
WC#: 34.300	AFL							
PROC. REF: AMM 34-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342021	RIGHT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	01-Feb-99	O/C						
SN:W2785H	HRS	6574		TSO 278					
WC#: 34.300	AFL								
				PROC. REF: AMM 34-10-03					
342041	NO. 1 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	17-Feb-81	O/C						
SN:122257	HRS	13		TSN 0					
	AFL								
				PROC. REF: AMM 34-24-00					
342041	NO. 2 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	30-Jan-81	O/C						
SN:121504	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
				PROC. REF: AMM 34-24-00					
342042	LEFT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-901	MOS/MSC	30-Jan-81	O/C						
SN:030770	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 34-24-03					
342043	NO. 1 VERTICAL GYRO							Component	ATA:34
PN:7000622-901	MOS/MSC	14-Dec-03	O/C						
SN:79060501	HRS	7665		TSO 4949					
WC#: 34.340	AFL								
				PROC. REF: AMM 34-21-00					
342044	RIGHT RATE GYRO							Component	ATA:34
PN:4020576-901	MOS/MSC	30-Jan-81	O/C						
SN:100753	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 34-23-00					
342047 ^U	LEFT ADI							Component	ATA:34
PN:7000466-901	MOS/MSC	20-Oct-97	O/C						
SN:84092171	HRS	6106		TSO 71					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342048	NO. 1 AIR DATA COMPUTER							Component	ATA:34
PN:7024900-30302	MOS/MSC	18-Feb-10	O/C						
SN:02110522	HRS	8420.1							
WC#: 34.030	AFL								
PROC. REF: AMM 34-12-04									
342048	NO. 2 AIR DATA COMPUTER							Component	ATA:34
PN:70251N02D04	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:01100538D	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-12-04									
342048 ^U	RVSM ADC/ALTIMETER							Component	ATA:34
PN:70251N02D04	MOS/MSC	17-Apr-04	O/C						
SN:01100538D	HRS	7722		TSO 0					
	AFL								
342049	LEFT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	16-Jul-99	O/C						
SN:80051683	HRS	6697		TSO 6163					
	AFL								
PROC. REF: AMM 34-23-01									
342049	RIGHT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	16-Jul-99	O/C						
SN:87114090	HRS	6697		TSO 534					
	AFL								
PROC. REF: AMM 34-23-01									
342050	NO. 1 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	30-Jan-81	O/C						
SN:083778	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01									
342050	NO. 2 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	30-Jan-81	O/C						
SN:083776	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342052	DUAL REMOTE COMPENSATOR							Component	ATA:34
PN:2593379-1	MOS/MSC	30-Jan-81	O/C						
SN:074887	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01									
342053	NO. 1 HSI INDICATOR							Component	ATA:34
PN:7000469-905	MOS/MSC	16-Apr-84	O/C						
SN:090319	HRS	1000		TSO 122					
WC#: 34.360	AFL								
PROC. REF: GENERIC NO REF									
342054 ^U	RIGHT HSI							Component	ATA:34
PN:2592920-901	MOS/MSC	29-Jan-86	O/C						
SN:80104076	HRS	1540		TSO 0					
	AFL								
342064	STANDBY GYRO POWER SUPPLY							Component	ATA:34
PN:501-1075-01	MOS/MSC	28-Sep-18	O/C						
SN:1392	HRS	9222.3							
WC#: 34.100	AFL	6434							
PROC. REF: GENERIC NO REF									
342065	STANDBY GYRO							Component	ATA:34
PN:501-1105-04	MOS/MSC	08-Jan-19	O/C	TSO 3					
SN:3774	HRS	9335.5							
	AFL	6512							
PROC. REF: GENERIC NO REF									
342066	MFD DISPLAY							Component	ATA:34
PN:010-00890-50	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:1ZA210971	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
342082 ^U	MODULE-CONFIS TCAS II							Component	ATA:34
PN:071-00097-0100	MOS/MSC	12-Mar-04	O/C						
SN:12467	HRS	7695		TSN 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344002 RADAR INDICATOR SCREEN Component ATA:34								
PN:MI585277	MOS/MSC	21-Apr-00	O/C					
SN:2227	HRS	6964			TSO 6588			
	AFL							
PROC. REF: GENERIC NO REF								
344004 WEATHER RADAR RECEIVER/TRANSMITTER Component ATA:34								
PN:MI585222-1	MOS/MSC	21-Apr-00	O/C					
SN:3227	HRS	6964			TSO 3064			
WC#: 34.670	AFL							
PROC. REF: AMM 34-41-00								
344005 WEATHER RADAR ANTENNA Component ATA:34								
PN:MI585224	MOS/MSC	21-Apr-00	O/C					
SN:1739	HRS	6964			TSO 187			
WC#: 34.660	AFL							
PROC. REF: AMM 34-41-00								
344019^U RADAR-RCVR/XMTR Component ATA:34								
PN:071-01519-0101	MOS/MSC	18-Oct-04	O/C					
SN:X7859	HRS	7825			TSO 0			
	AFL							
344020^U RADAR ANTENNA Component ATA:34								
PN:071-01549-0200	MOS/MSC	12-Mar-04	O/C					
SN:5403	HRS	7695			TSN 0			
	AFL							
344021 NO. 1 RADIO MAGNETIC INDICATOR Component ATA:34								
PN:622-0555-008	MOS/MSC	20-Aug-09	O/C					
SN:9653	HRS	8381			TSO 8381			
WC#: 34.180	AFL							
PROC. REF: AMM 34-51-05								
344021 NO. 2 RADIO MAGNETIC INDICATOR Component ATA:34								
PN:622-0555-008	MOS/MSC	20-Aug-09	O/C					
SN:10873	HRS	8381			TSO 4356			
WC#: 34.180	AFL							
PROC. REF: AMM 34-51-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344022	RADIO ALTIMETER TRANSCEIVER							Component	ATA:34
PN:4004437-901	MOS/MSC	31-Aug-04	O/C						
SN:80013165	HRS	7796		TSO 0					
WC#: 34.060	AFL								
PROC. REF: GENERIC NO REF									
344023	AFT RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:DMPN3-12/A	MOS/MSC	31-Aug-04	O/C						
SN:6897	HRS	7796		TSN 0					
WC#: 34.260	AFL								
PROC. REF: AMM 34-13-03									
344023	FORWARD RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:DMPN3-12/A	MOS/MSC	31-Aug-04	O/C						
SN:6892	HRS	7796		TSN 0					
WC#: 34.260	AFL								
PROC. REF: AMM 34-13-03									
344025^U	SATELLITE WEATHER RECEIVER							Component	ATA:34
PN:010-01294-01	MOS/MSC	08-Aug-19	O/C		TSN 0				
SN:3NU000888	HRS				TSN 0				
	AFL				TSN 0				
344027	STORMSCOPE PROCESSOR							Component	ATA:34
PN:78-8051-9160-4	MOS/MSC	07-Jun-14	O/C						
SN:JXP04502211	HRS	8963.2							
	AFL	6315							
PROC. REF: GENERIC NO REF									
344028	STORMSCOPE DISPLAY							Component	ATA:34
PN:78-8051-9170-3	MOS/MSC	09-Jul-03	O/C						
SN:JDXD05901538	HRS	7570			TSO 4774				
	AFL								
PROC. REF: GENERIC NO REF									
344029	STORMSCOPE ANTENNA							Component	ATA:34
PN:78-8051-9200-8	MOS/MSC	08-Aug-89	O/C						
SN:UNKNOWN	HRS	2796			TSN 0				
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345004 ^U	FORWARD BOTTOM ANT-TRANSPONDER							Component	ATA:34
PN:DMN150-2-2	MOS/MSC	12-Mar-04	O/C						
SN:89152	HRS	7695		TSN 0					
	AFL								
345004	NO. 1 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:13078	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
					PROC. REF: AMM 34-53-01				
345004	NO. 2 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:17251	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
					PROC. REF: AMM 34-53-01				
345007	NO. 1 DME ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:14403	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
					PROC. REF: AMM 34-51-02, AMM 34-51-09				
345008	NO. 1 COURSE DEVIATION INDICATOR							Component	ATA:34
PN:520850	MOS/MSC	30-Jan-81	O/C						
SN:909	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
345010	NAV ANTENNA KIT							Component	ATA:34
PN:C1120-200	MOS/MSC	22-Mar-96	O/C						
SN:UNKNOWN	HRS	5458		TSN 0					
	AFL								
					PROC. REF: AMM 34-51-01				
345011	NO. 2 ADF RECEIVER							Component	ATA:34
PN:622-2362-001	MOS/MSC	07-Jun-14	O/C		TSO 23				
SN:17839	HRS	8963.2		TSO 0					
WC#: 34.450	AFL	6315							
					PROC. REF: AMM 34-50-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345012	NO. 1 ADF CONTROL							Component	ATA:34
PN:156M1	MOS/MSC	24-Aug-10	O/C						
SN:1978B	HRS	8507.2							
WC#: 34.140	AFL	6036							
PROC. REF: AMM 34-50-01									
345014	NO. 2 ADF LOOP ANTENNA							Component	ATA:34
PN:622-2363-001	MOS/MSC	15-Nov-96	O/C						
SN:37646	HRS	5720		TSN 0					
WC#: 34.380	AFL								
PROC. REF: AMM 34-52-05									
345018	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS1048	MOS/MSC	30-Jan-81	O/C						
SN:7149	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 34-32-00									
345019	AREA NAVIGATION CONTROL DISPLAY							Component	ATA:34
PN:010-00889-50	MOS/MSC	08-Aug-19	O/C		TSN 0				
SN:1Z8210636	HRS				TSN 0				
WC#: 34.160	AFL				TSN 0				
PROC. REF: AMM 34-52-08									
345030	NO. 1 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-11	MOS/MSC	08-Aug-19	O/C		TSN 0				
SN:99613478	HRS				TSN 0				
	AFL				TSN 0				
PROC. REF: GENERIC NO REF									
345030	NO. 2 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-11	MOS/MSC	08-Aug-19	O/C		TSN 0				
SN:99613480	HRS				TSN 0				
	AFL				TSN 0				
PROC. REF: GENERIC NO REF									
345031	LEFT MARKER BEACON RECEIVER							Component	ATA:34
PN:050-023-0101	MOS/MSC	08-Aug-19	O/C		TSN 0				
SN:B02075	HRS				TSN 0				
	AFL				TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345032	BOTTOM NO. 2 NAVIGATION RECEIVER							Component	ATA:34
PN:622-0876-001	MOS/MSC	24-Aug-10	O/C	TSO 0					
SN:12441	HRS	8507.2		TSO 0					
	AFL	6036		TSO 0					
PROC. REF: GENERIC NO REF									
345032	TOP NO. 1 NAVIGATION RECEIVER							Component	ATA:34
PN:622-0876-001	MOS/MSC	30-Jan-81	O/C						
SN:14978	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
345034	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:010-01215-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:3EF021246	HRS	9379.1		TSN 0					
WC#: 34.220	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
345034	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:010-01217-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:3EH024530	HRS	9379.1		TSN 0					
WC#: 34.220	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
345035	NO. 1 DME INDICATOR							Component	ATA:34
PN:622-2012-201	MOS/MSC	30-Jan-81	O/C						
SN:2551	HRS	0		TSN 0					
WC#: 34.430	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-09									
345036	NO. 2 DME INTERROGATOR							Component	ATA:34
PN:622-1233-001	MOS/MSC	06-Nov-08	O/C						
SN:1400	HRS	8299		TSO 0					
WC#: 34.440	AFL								
PROC. REF: AMM 34-51-02									
345118	GPS ANTENNA							Component	ATA:34
PN:013-00235-00	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:160573	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345118	NO. 2 GPS ANTENNA							Component	ATA:34
PN:013-00235-00	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:160573	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
345132	GPS RECEIVER/ SENSOR							Component	ATA:34
PN:066-04031-1421	MOS/MSC	16-Dec-08	O/C						
SN:M23231	HRS	8316		TSO 0					
	AFL								
PROC. REF: GENERIC NO REF									
346027	GARMIN FLIGHT STREAM 510							Component	ATA:34
PN:010-01322-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:402008412	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
34FO-02	INDICATOR-ANGLE OF ATTACK FACTORY OPTION							Component	ATA:34
PN:11	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-03	HORIZON GYRO ELECTRIC STANDBY FACTORY OPTION							Component	ATA:34
PN:142	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-04	LOCATOR BEACON EMERGENCY FACTORY OPTION							Component	ATA:34
PN:175	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-06F	9500 LB ZERO FUEL WT FACTORY OPTION							Component	ATA:34
PN:185F	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34FO-07D	2ND TRANSPONDER-COLLINS TDR-90 FACTORY OPTION							Component	ATA:34
PN:623D	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 34-53-03									
34FO-14	AA215 RAD ALTIMETER W/SEPARATE INDICATOR FACTORY OPTION							Component	ATA:34
PN:672	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 34-13-03									
34FO-15B	FLIGHT DIRECTOR LH-5" SINGLE CUE SPERRY FACTORY OPTION							Component	ATA:34
PN:679B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-19	MARKER BEACON AUDIO MUTING FACTORY OPTION							Component	ATA:34
PN:692	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A341007	INSPECT RVSM SKIN WAVINESS: PHASE 20 INSPECTION							Service	ATA:34
	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
	HRS	9474.4							
	AFL	6592							
PROC. REF: AMM 34-10-10									
A342001 ^S	INSPECT MAGNETIC COMPASS AND COMPASS CARD: PHASE 5 INSPECTION							Service	ATA:34
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 34-20-01									
B341002 ^S	OPERATIONAL TEST ANGLE OF ATTACK SYSTEM: PHASE 5 INSPECTION							Service	ATA:34
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 34-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341005	LEAK TEST LEFT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	14-Sep-21	24		30-Sep-23		OVD		
	HRS	9474.4							
	AFL	6592							
				PROC. REF: AMM 34-10-10				PKG:20	
B341005	LEAK TEST RIGHT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	14-Sep-21	24		30-Sep-23		OVD		
	HRS	9474.4							
	AFL	6592							
				PROC. REF: AMM 34-10-10				PKG:20	
B341008	CALIBRATION TEST LEFT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:C661063-0103	MOS	01-Aug-21	24		31-Aug-23		OVD		
SN:661ADC	HRS								
WC#: 34.050	AFL								
				PROC. REF: AMM 34-10-10				PKG:20	
B341008	CALIBRATION TEST NO. 1 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:7024900-30302	MOS	01-Aug-21	24		31-Aug-23		OVD		
SN:02110522	HRS								
WC#: 34.030	AFL								
				PROC. REF: AMM 34-10-10				PKG:20	
B341008	CALIBRATION TEST NO. 2 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:70251N02D04	MOS	01-Aug-21	24		31-Aug-23		OVD		
SN:01100538D	HRS								
	AFL								
				PROC. REF: AMM 34-10-10				PKG:20	
B341008	CALIBRATION TEST PILOT ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:4016341-905	MOS	01-Aug-21	24		31-Aug-23		OVD		
SN:80061533	HRS								
WC#: 34.010	AFL								
				PROC. REF: AMM 34-10-10				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
B341008 CALIBRATION TEST RIGHT AIRSPEED INDICATOR PHASE 20 INSPECTION Service ATA:34								
PN:C661063-0103	MOS	01-Aug-21	24		31-Aug-23		OVD	
SN:763	HRS							
WC#: 34.050	AFL							
PROC. REF: AMM 34-10-10								PKG:20
B341008 CALIBRATION TEST STANDBY ALTIMETER FAR 91.411: PHASE 20 INSPECTION Service ATA:34								
PN:C661072-0101	MOS	01-Aug-21	24		31-Aug-23		OVD	
SN:W10060	HRS							
	AFL							
PROC. REF: AMM 34-10-10								PKG:20
B342001^S OPERATIONAL CHECK COMPASS SYSTEMS AND ADF BEARINGS: PHASE 5 INSPECTION Service ATA:34								
	MOS	07-Aug-20	36 (+2m)					
	HRS	9454.6	1200 (+100)					
	AFL	6580						
PROC. REF: AMM 34-23-01								PKG:6
B342005^S PERIODIC CHECK STANDBY GYRO POWER SUPPLY STANDBY GYRO BATTERY PACK(NICAD PS-823): PHASE 13 INSPECTION Service ATA:34								
PN:501-1075-01	MOS	31-Oct-22	3 (+1m)					
SN:1392	HRS	9497.4	100 (+100)					
	AFL	6609						
PROC. REF: AMM 34-20-05								PKG:14
B345001 CALIBRATION TEST NO. 1 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION Service ATA:34								
PN:010-01215-01	MOS	01-Aug-21	24		31-Aug-23		OVD	
SN:3EF021246	HRS							
	AFL							
PROC. REF: AMM 34-53-00								PKG:20
B345001 CALIBRATION TEST NO. 2 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION Service ATA:34								
PN:010-01217-01	MOS	01-Aug-21	24		31-Aug-23		OVD	
SN:3EH024530	HRS							
	AFL							
PROC. REF: AMM 34-53-00								PKG:20
ATA 35 - OXYGEN								
351001 OXYGEN PRESSURE GAUGE Component ATA:35								
PN:C668512-0101	MOS/MSC	05-Mar-82	O/C	TSN 0				
SN:UNKNOWN	HRS	234						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
WC#: 35.060	AFL								
PROC. REF: AMM 35-10-00									
351004	COPILOT OXYGEN MASK							Component	ATA:35
PN:174118-01	MOS/MSC	25-May-01	O/C	TSO 0					
SN:6291	HRS	7179							
WC#: 35.050	AFL								
PROC. REF: AMM 35-10-03									
351004	PILOT OXYGEN MASK							Component	ATA:35
PN:174045-16	MOS/MSC	14-Sep-21	O/C	TSO 0					
SN:7045	HRS	9474.4		TSO 0					
WC#: 35.050	AFL	6592		TSO 0					
PROC. REF: AMM 35-10-03									
351005	OXYGEN REGULATOR							Component	ATA:35
PN:172070	MOS/MSC	04-Oct-95	O/C	TSO 0					
SN:5031	HRS	5292							
WC#: 35.060	AFL								
PROC. REF: GENERIC NO REF									
351006	OXYGEN CYLINDER							Component	ATA:35
PN:176176-64	MOS	31-Oct-22	288		30-Nov-45		8009 d	LIFE LIMIT	
SN:R671110	HRS	9497.4							
WC#: 35.010	AFL	6609							
		Manufacture Date:: 30-Nov-21							
PROC. REF: AMM 35-10-00									
351007	OXYGEN FILLER VALVE							Component	ATA:35
PN:ZV951	MOS/MSC	24-Aug-10	O/C	TSN 0					
SN:5499	HRS	8507.2		TSN 0					
	AFL	6036		TSN 0					
PROC. REF: GENERIC NO REF									
35FO-02B	OXYGEN SYSTEM-64 CUBIC FEET FACTORY OPTION							Component	ATA:35
PN:66B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 35-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
A351001 ^S	INSPECT OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 35-00-00				PKG:6	
A351007 ^S	INSPECT PASSENGER OXYGEN MASK: PHASE 18 INSPECTION							Service	ATA:35
	MOS	31-Oct-22	12 (+1m)						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 35-20-00				PKG:19	
B350004	HYDROSTATIC TEST OXYGEN CYLINDER (DOT 3HT1850 OR 3FC1850)							Service	ATA:35
PN:176176-64	MOS	27-Oct-22	36		31-Oct-25		674 d		
SN:R671110	HRS								
WC#: 35.010	AFL								
				PROC. REF: AMM 35-00-00					
B351002 ^S	FUNCTIONAL TEST OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 35-00-00				PKG:6	
B351003 ^S	OPERATIONAL CHECK CREW OXYGEN MASK INSPECTION,AND MICROPHONE: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 35-10-03				PKG:6	
ATA 36 - PNEUMATIC									
361001	DOOR SEAL CONTROL VALVE							Component	ATA:36
PN:MJV3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.040	AFL	0		TSN 0					
				PROC. REF: AMM 36-10-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361002	INSTRUMENT REGULATOR							Component	ATA:36
PN:38E85-4C	MOS/MSC	24-Mar-05	O/C						
SN:528-U	HRS	7895		TSO 0					
	AFL								
PROC. REF: AMM 36-10-05									
361003	DEICE BOOT REGULATOR							Component	ATA:36
PN:38E85-5C	MOS/MSC	06-Apr-99	O/C						
SN:B2462	HRS	6640		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
361004	PNEUMATIC (BLEED AIR) PRESSURE REGULATOR							Component	ATA:36
PN:2102702-5	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01									
361005	RIGHT GYRO PRESSURE GAUGE							Component	ATA:36
PN:C668515-0101	MOS/MSC	30-Aug-05	O/C						
SN:111	HRS	7913		TSO 0					
WC#: 36.060	AFL								
PROC. REF: GENERIC NO REF									
361006	FORWARD INSTRUMENT BLEED AIR PRESSURE REGULATOR							Component	ATA:36
PN:3H64-4	MOS/MSC	07-Dec-16	O/C	TSN 0					
SN:9BM11	HRS	9141.3		TSN 0					
	AFL	6412							
PROC. REF: AMM 36-10-05									
361007	PRESSURE DOOR SEAL HOSE							Component	ATA:36
PN:CM2939-4-15	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361008	LEFT CHECK VALVE							Component	ATA:36
PN:1H95-1	MOS/MSC	08-Jan-19	O/C	TSN 0					
SN:S11BR10	HRS	9335.5		TSN 0					
	AFL	6512							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361008	RIGHT CHECK VALVE							Component	ATA:36
PN:1H95-1	MOS/MSC	24-Aug-10	O/C	TSN 0					
SN:6BE8	HRS	8507.2		TSN 0					
	AFL	6036		TSN 0					
PROC. REF: GENERIC NO REF									
A361001 ^S	DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: PHASE 4 INSPECTION							Service	ATA:36
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 36-10-00									
D361001 ^S	REPLACE BLEED AIR-SEAL CONNECTORS: PHASE 4 INSPECTION							Service	ATA:36
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 36-10-00									
D361003 ^S	REPLACE INSTRUMENT AIR WATER SEPERATOR FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 36-10-05									
D361005 ^S	SERVICE AIR PERI-SEAL REPLACEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 36-10-00									
ATA 37 - VACUUM									
D371001 ^S	CLEAN/REPLACE VACUM REGULATOR INLINE FILTER SCREEN: PHASE 5 INSPECTION							Service	ATA:37
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 37-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
B383001 ^S	OPERATIONAL CHECK REFRESHMENT CENTER DRAIN LINE: PHASE 5 INSPECTION							Service	ATA:38
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 38-30-00				PKG:6	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
A510001 ^S	INSPECT EXTERIOR DRAIN HOLES: PHASE 1 INSPECTION							Service	ATA:51
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 51-00-00				PKG:2	
ATA 52 - DOORS									
521001	CABIN DOOR SEAL							Component	ATA:52
PN:S15501-1	MOS/MSC	18-Oct-95	O/C						
SN:UNKNOWN	HRS	5328		TSN 0					
WC#: 52.050	AFL								
				PROC. REF: AMM 52-10-01					
526001	CABIN DOOR STEP							Component	ATA:52
PN:6519009-25	MOS/MSC	30-Jan-81	O/C						
SN:434	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
A521001 ^S	INSPECT CABIN DOOR INFLATABLE SEAL: PHASE 1 INSPECTION							Service	ATA:52
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 52-10-00				PKG:2	
A521003 ^S	INSPECT CABIN DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 52-10-02				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A521004 ^S	INSPECT CABIN DOOR LOCKING PINS: PHASE 37 INSPECTION							Service	ATA:52
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
				PROC. REF: AMM 52-10-02				PKG:29	
A521005 ^S	INSPECT CABIN DOOR LOCKING COMPONENTS BEARING PLATES: PHASE 16 INSPECTION							Service	ATA:52
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 52-10-02				PKG:17	
A522001 ^S	INSPECT EMERGENCY EXIT DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 52-20-00				PKG:6	
A523001 ^S	INSPECT NOSE BAGGAGE DOOR AND LATCHES: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 52-30-00				PKG:6	
A523002 ^S	INSPECT TAILCONE DOORS: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 52-30-00				PKG:6	
A526001 ^S	INSPECT CABIN DOOR STEP: PHASE 1 INSPECTION							Service	ATA:52
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 52-60-00				PKG:2	
B527001 ^S	OPERATIONAL CHECK DOOR WARNING SYSTEM: PHASE 1 INSPECTION							Service	ATA:52
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 52-70-00				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
C521002 ^S	LUBRICATE CABIN DOOR HINGE: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 52-10-00				PKG:6	
ATA 53 - FUSELAGE									
A530001 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:53
	MOS	31-Oct-22	6						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 53-00-00				PKG:502	
A531001 ^S	INSPECT NOSE AREA GENERAL STRUCTURE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-00-00				PKG:6	
A531002 ^S	INSPECT UNDERFLOOR: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-20-03				PKG:6	
A531003 ^S	INSPECT TAILCONE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-20-04				PKG:6	
A531004 ^S	INSPECT FRONT AND REAR SPAR CARRY-THRU: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-20-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531005 ^S	INSPECT CABIN DOOR FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	07-Aug-20							
	HRS	9454.6	5000 (+30)						
	AFL	6580							
				PROC. REF: AMM 53-20-00				PKG:6,29	
A531006 ^S	INSPECT EMERGENCY EXIT DOOR FRAME: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-20-00				PKG:6	
A531007 ^S	INSPECT WINDSHIELD,COCKPIT SIDE WINDOW AND CABIN WINDOW FRAMES: PHASE 37 INSPECTION							Service	ATA:53
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+30)	TAC 0, Adj -2					
	AFL			TAC 0					
				PROC. REF: AMM 53-30-00				PKG:29	
A531008 ^S	INSPECT FUSELAGE INTERIOR CABIN STRUCTURE: PHASE 1 INSPECTION							Service	ATA:53
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 53-20-00				PKG:2	
A531009 ^S	INSPECT CABIN BULHEADS AND STRINGERS: PHASE 17 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 53-00-00				PKG:18	
A531011 ^S	INSPECT FRONT CARRY-THRU TO WING SPAR LUGS - INSPECT: PHASE 59 INSPECTION							Service	ATA:53
	MOS	08-Jun-12							
	HRS	8699.6	T:10000 (+10)						
	AFL	6158							
				PROC. REF: AMM 53-00-00				PKG:504	
A531012 ^S	INSPECT CABIN DOOR THRESHOLD: PHASE 1 INSPECTION							Service	ATA:53
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 53-20-00				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531013 ^S	INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-00-00							PKG:24	
A531014 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-00-00							PKG:24	
A531017 ^S	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-20-00							PKG:24	
A531019 ^S	INSPECT WING ATTACH BOLT AND LUG: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
	PROC. REF: AMM 53-30-00							PKG:6	
A531020 ^S	INSPECT CABIN DOOR FUSELAGE FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	5000 (+10)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 53-20-00							PKG:29	
A531021 ^S	INSPECT TOILET AND GALLEY UNDERFLOOR AREA: PHASE 18 INSPECTION							Service	ATA:53
	MOS	31-Oct-22	12 (+1m)						
	HRS	9497.4							
	AFL	6609							
	PROC. REF: AMM 53-20-00							PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531031 ^S	INSPECT FOWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU 0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)						
	AFL	6580							
					PROC. REF: AMM 53-00-00			PKG:38	
A531032 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)						
	AFL	6580							
					PROC. REF: AMM 53-00-00			PKG:38	
A532001 ^S	INSPECT CONTROL PEDESTAL AREA: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
					PROC. REF: AMM 53-20-00			PKG:6	
A532002 ^S	INSPECT NOSE GEAR WHEEL WELL: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
					PROC. REF: AMM 53-30-00			PKG:6	
A533001 ^S	INSPECT FUSELAGE EXTERIOR SKIN: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
					PROC. REF: AMM 53-30-00			PKG:6	
A533010 ^S	INSPECT FUSELAGE SKIN SEAM : PHASE 49 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
					PROC. REF: AMM 53-30-00			PKG:35	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A535001 ^S	INSPECT NOSE CAP: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-50-01				PKG:6	
A535002 ^S	INSPECT STINGER: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-50-02				PKG:6	
A536001 ^S	INSPECT DRAG CHUTE CANISTER AND LATCH ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-60-00				PKG:6	
A536002 ^S	INSPECT DRAG CHUTE HANDLE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 53-60-00				PKG:6	
B535001 ^S	CHECK ELECTRICAL BOND RADOME: PHASE 1 INSPECTION							Service	ATA:53
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 53-50-01				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
A541001 ^S	INSPECT ENGINE NACELLE,PYLON, AND FIREWALL: PHASE 5 INSPECTION							Service	ATA:54
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 54-10-02				PKG:6	
A541002 ^S	INSPECT ENGINE SUPPORT STRUCTURES: PHASE 16 INSPECTION							Service	ATA:54
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 54-40-00				PKG:17	
ATA 55 - STABILIZERS									
A551001 ^S	INSPECT HORIZONTAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 55-10-00				PKG:3	
A551002 ^S	INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: PHASE 2 INSPECTION							Service	ATA:55
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 55-10-00				PKG:3	
A551003 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-00				PKG:16	
A551004 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR AND FORWARD AUXILIARY SPAR SPLICE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-00				PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551006 ^S	INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: PHASE 37 INSPECTION							Service	ATA:55
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
				PROC. REF: AMM 55-10-00				PKG:29	
A551007 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	31-Oct-22	6						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 55-10-00				PKG:502	
A551008 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 55-10-00				PKG:19	
A553001 ^S	INSPECT VERTICAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 55-30-00				PKG:3	
A553002 ^S	INSPECT VERTICAL STABILIZER AFT SPAR: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 55-30-00				PKG:16	
A553003 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 55-30-00				PKG:16	
A553005 ^S	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: PHASE 17 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-00				PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553006 ^S	INTERNAL INSPECTION VERTICAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 55-30-00				PKG:6	
A553007 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	31-Oct-22	6						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 55-30-00				PKG:502	
A553008 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
				PROC. REF: AMM 55-30-00				PKG:19	
A555001 ^S	INTERNAL INSPECTION HORIZONTAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 55-10-00				PKG:6	
ATA 56 - WINDOWS									
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-9	MOS/MSC	03-Dec-93	O/C						
SN:2603	HRS	4429		TSN 0					
WC#: 56.060	AFL								
				PROC. REF: AMM 56-10-01					
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-10	MOS/MSC	03-Dec-93	O/C						
SN:2362	HRS	4429		TSN 0					
WC#: 56.060	AFL								
				PROC. REF: AMM 56-10-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561003	FOUL WEATHER WINDOW							Component	ATA:56
PN:5511275-17	MOS/MSC	29-Jul-98	O/C						
SN:1596	HRS	6381		TSN 0					
WC#: 56.050	AFL								
PROC. REF: AMM 56-10-03									
561005	COPILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-6	MOS/MSC	13-Aug-96	O/C						
SN:UNKNOWN	HRS	5586		TSO 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REF									
561005	COPILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-48	MOS/MSC	03-Feb-03	O/C						
SN:950130	HRS	7457		TSO 0					
WC#: 56.040	AFL								
PROC. REF: GENERIC NO REF									
561005	PILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-5	MOS/MSC	13-Aug-96	O/C						
SN:UNKNOWN	HRS	5586		TSO 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REF									
561005	PILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-47	MOS/MSC	16-Mar-96	O/C						
SN:UNKNOWN	HRS	5458		TSN 0					
WC#: 56.040	AFL								
PROC. REF: GENERIC NO REF									
562001	LEFT AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7557	HRS	5458		TSN 0					
WC#: 56.080	AFL								
PROC. REF: AMM 56-21-00									
562001	LEFT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7581	HRS	5458		TSN 0					
WC#: 56.090	AFL								
PROC. REF: AMM 56-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7682	HRS	5458		TSN 0					
WC#: 56.100	AFL								
PROC. REF: AMM 56-21-00									
562001	LEFT FORWARD CABIN MAIN DOOR WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7560	HRS	5458		TSN 0					
WC#: 56.070	AFL								
PROC. REF: AMM 56-21-00									
562001	RIGHT AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7726	HRS	5458		TSN 0					
WC#: 56.080	AFL								
PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7482	HRS	5458		TSN 0					
WC#: 56.090	AFL								
PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7413	HRS	5458		TSN 0					
WC#: 56.100	AFL								
PROC. REF: AMM 56-21-00									
562001	RIGHT FORWARD CABIN EMERGENCY DOOR WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7564	HRS	5458		TSN 0					
WC#: 56.070	AFL								
PROC. REF: AMM 56-21-00									
A561001 ^S	INSPECT AIRPLANE WINDOWS: PHASE 1 INSPECTION							Service	ATA:56
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 56-00-00									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
A561002 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS: PHASE 49 INSPECTION							Service	ATA:56
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 56-00-00				PKG:35	
A562001 ^S	PRISM CHECK CABIN WINDOWS(AIRPLANES -0001 THRU -0213 NOR INCORPORATING SB500-21-9 OR SB500-56-5): PHASE 49 INSPECTION							Service	ATA:56
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 56-00-00				PKG:35	
ATA 57 - WINGS									
572001	LEFT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.110	AFL	0	20000	TSN 0	20000	20000	13375		
				PROC. REF: GENERIC NO REF					
572002	RIGHT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.110	AFL	0	20000	TSN 0	20000	20000	13375		
				PROC. REF: GENERIC NO REF					
574001	LEFT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.100	AFL	0	41600	TSN 0	41600	41600	34975		
				PROC. REF: GENERIC NO REF					
574002	RIGHT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.100	AFL	0	41600	TSN 0	41600	41600	34975		
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
574003	LEFT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.090	AFL	0			TSN 0				
PROC. REF: AMM 57-40-00									
574004	RIGHT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 57.090	AFL	0			TSN 0				
PROC. REF: AMM 57-40-00									
A570001 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	31-Oct-22	6						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 57-00-00									
A570002 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	31-Oct-22	6						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 57-00-00									
A570003 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 57-00-00									
A570004 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	31-Oct-22	12						
	HRS	9497.4							
	AFL	6609							
PROC. REF: AMM 57-00-00									
A571001 ^S	INSPECT WING MAIN SPAR CAP HORIZONTAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81			TAC 0				
	HRS	0	T:10000 (+10)		TAC 0				
	AFL	0			TAC 0				
PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A571002 ^S	INSPECT WING MAIN SPAR CAP VERTICAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:24	
A571003 ^S	INSPECT WING AFT SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:24	
A571004 ^S	INSPECT WING MAIN SPAR CAPS-AIRPLANES -0001 THRU -0520 NOT INCORPORATING SB500-57-10 OR 500-57-11: PHASE 12 INSPECTION							Service	ATA:57
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)						
	AFL	6559	600						
				PROC. REF: AMM 57-00-00				PKG:13	
A571008 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING SPAR ATTACHMENT(-0001 THRU -0087,THRU -0092,-0094 THRU -0099 THRU -0114): PHASE 37 INSPECTION							Service	ATA:57
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
				PROC. REF: AMM 57-00-00				PKG:29	
A572004 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING MAIN SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:24	
A573001 ^S	INSPECT WINGS: PHASE 5 INSPECTION							Service	ATA:57
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 57-00-00				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A573003 ^S	INSPECT JACK PADS: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
	PROC. REF: AMM 57-00-00							PKG:24	
A574010	INSPECT LEFT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-1	MOS	25-May-01		TAC 0					
SN:UNKNOWN	HRS	7179		TAC 0					
	AFL	5028	5000		10028		3403		
	PROC. REF: AMM 57-40-00							PKG:42	
A574010	INSPECT RIGHT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-2	MOS	25-May-01		TAC 0					
SN:UNKNOWN	HRS	7179		TAC 0					
	AFL	5028	5000		10028		3403		
	PROC. REF: AMM 57-40-00							PKG:42	
A575001 ^S	INSPECT FLAPS: PHASE 2 INSPECTION							Service	ATA:57
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
	PROC. REF: AMM 57-00-00							PKG:3	
ATA 71 - POWER PLANT									
710000	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: EMM 71-00-00								
710000	NO. 2 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
	PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710002	LEFT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
710002	RIGHT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
710010	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	06-Apr-99							
	HRS	6853	3500 (+50/-50)		(10353) 10140	10403	625.7 (+50)		
	ENC (AFL)			TAC 0					
PROC. REF: EMM 72-00-00									
710010	NO. 2 ENGINE - OVERHAUL							Service	ATA:71
	MOS	16-Jun-00							
	HRS	6964	3500 (+50/-50)		(10464) 10609.1	10514	1088.3 (+50)		
	ENC (AFL)	4901		TAC 0					
PROC. REF: EMM 72-00-00									
710020	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	23-Mar-10							
	HRS	8661	1750 (+50/-50)		(10411) 10198	10461	683.7 (+50)		
	ENC								
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710020	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	26-Sep-08							
	HRS	8149.9	1750 (+50/-50)		(9899.9) 10045	9949.9	524.2 (+50)		
	ENC	5825							
PROC. REF: EMM 72-00-00									
710030	NO. 1 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00									
710030	NO. 2 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00									
712001	LEFT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6-1	MOS	06-Apr-99						OVERHAUL	
SN:R0083	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00									
712001	RIGHT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6	MOS	07-Jul-00						OVERHAUL	
SN:879	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	06-Apr-99						OVERHAUL	
SN:113	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	06-Apr-99						OVERHAUL	
SN:97	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	07-Jul-00						OVERHAUL	
SN:1914	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	07-Jul-00						OVERHAUL	
SN:2042	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	06-Apr-99	E/C						
SN:PCE-76919	HRS	6640		TSO 0					
WC#: 71.EN1	AFL								
PROC. REF: GENERIC NO REF									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	16-Jun-00	E/C						
SN:PCE-77129	HRS	6964		TSO 0					
WC#: 71.EN2	AFL	4901							
PROC. REF: GENERIC NO REF									
A711000 ^S	INSPECT ENGINE: PHASE 4 INSPECTION							Service	ATA:71
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 71-01-00									
PKG:5									
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00									
720010	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3029284	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 72-60-02									
722001	NO. 2 ENGINE - OIL PUMP							Component	ATA:72
PN:3030391	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 72-60-02									
723001	NO. 1 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: GENERIC NO REF									
723001	NO. 2 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 848					
	ENC								
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3020365	MOS	06-Apr-99						LIFE LIMIT	
SN:B0176	HRS	6853							
	ENC	5282		TSN 5282	(8400) 7845 (M)		1219		
	ACCCYC	0	8400	TSN 5282					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3032070	MOS	30-Oct-08						LIFE LIMIT	
SN:2B706	HRS	8150							
	ENC	5828		TSN 3491	(10737) 10814 (M)		4188		
	ACCCYC	0	8400	TSN 3491					
PROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS	06-Apr-99						LIFE LIMIT	
SN:882	HRS	6853							
	ENC	5282		TSN 5282	(16391) 15836 (M)		9210		
	ACCCYC	0	27500	TSN 5282			18420		
PROC. REF: EMM 72-30-03									
723030	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS	30-Oct-08						LIFE LIMIT	
SN:6C748	HRS	8150							
	ENC	5828		TSN 5826	(16665) 16742 (M)		10116		
	ACCCYC	0	27500	TSN 5826			20232		
PROC. REF: EMM 72-30-03									
725010	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	23-Mar-10						LIFE LIMIT	
SN:9E627	HRS	8661							
	ENC	6555		TSN 4146	(16409) 15854 (M)		9228		
	ACCCYC	0	14000	TSN 4146					
PROC. REF: EMM 72-50-02									
725010	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	30-Oct-08						LIFE LIMIT	
SN:A002ARP6	HRS	8150							
	ENC	5828		TSN 0	(19828) 19905 (M)		13279		
	ACCCYC	0	14000	TSN 0					
PROC. REF: EMM 72-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725020	NO. 1 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	06-Apr-99						LIFE LIMIT	
SN:3393	HRS	6853							
	ENC	5282		TSN 5282	(14000) 13445 (M)		6819		
	ACCCYC	0	14000	TSN 5282					
	PROC. REF: GENERIC NO REF								
725020	NO. 2 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	30-Oct-08						LIFE LIMIT	
SN:7C013	HRS	8150							
	ENC	5828		TSN 5826	(14002) 14079 (M)		7453		
	ACCCYC	0	14000	TSN 5826					
	PROC. REF: GENERIC NO REF								
725030	NO. 1 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3021213	MOS	06-Apr-99						LIFE LIMIT	
SN:3322	HRS	6853							
	ENC	5282		TSN 5282	(14000) 13445 (M)		6819		
	ACCCYC	0	14000	TSN 5282					
	PROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3036113	MOS	30-Oct-08						LIFE LIMIT	
SN:7C994	HRS	8150							
	ENC	5828		TSN 5826	(14002) 14079 (M)		7453		
	ACCCYC	0	14000	TSN 5826					
	PROC. REF: GENERIC NO REF								
725071	NO. 1 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3041219	MOS/MSC	23-Mar-10	O/C						
SN:478	HRS	8661		TSO 0					
	ENC								
	PROC. REF: EMM 72-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725071	NO. 2 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3029994	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
				PROC. REF: EMM 72-40-01					
725101	NO. 1 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	23-Mar-10	O/C						
	HRS	8661		TAC 0					
	ENC								
				PROC. REF: GENERIC NO REF					
725101	NO. 2 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	30-Oct-08	O/C						
	HRS	8150		TAC 0					
	ENC								
				PROC. REF: GENERIC NO REF					
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 1 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P92	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 73.030	AFL	0		TSN 0					
				PROC. REF: AMM 73-30-04					
731004	NO. 2 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	07-Jul-00	O/C						
SN:4073	HRS	7022		TSN 0					
WC#: 73.030	AFL								
				PROC. REF: AMM 73-30-04					
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-05	MOS/MSC	06-Apr-99	O/C						
SN:1236	HRS	6853		TSO 0					
	ENC								
				PROC. REF: EMM 73-10-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-05	MOS/MSC	30-Oct-08	O/C						
SN:1812	HRS	8150		TSO 1186					
	ENC								
				PROC. REF: EMM 73-10-02					
731020	NO. 1 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:UA530768-4	MOS/MSC	06-Apr-99	O/C						
SN:2420	HRS	6853		TSO 0					
	ENC								
				PROC. REF: EMM 73-10-01					
731020	NO. 2 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:UA530768-4	MOS/MSC	30-Oct-08	O/C						
SN:3838	HRS	8150		TSO 4447					
	ENC								
				PROC. REF: EMM 73-10-01					
731025	NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:UA530768-4	MOS/MSC		A/R						
SN:2420	HRS	0		TAC 0					
	ENC	0							
				PROC. REF: EMM 73-10-01					
731025	NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:UA530768-4	MOS/MSC		A/R						
SN:3838	HRS	0		TAC 0					
	ENC	0							
				PROC. REF: EMM 73-10-01					
731030	NO. 1 ENGINE - MOTIVE FLOW VALVE							Component	ATA:73
PN:2524995	MOS/MSC	06-Apr-99	O/C						
SN:A40548	HRS	6853		TSO 0					
	ENC								
				PROC. REF: EMM 73-10-08					
731030	NO. 2 ENGINE - MOTIVE FLOW VALVE							Component	ATA:73
PN:2524995	MOS/MSC	30-Oct-08	O/C						
SN:A90389	HRS	8150		TSO 1186					
	ENC								
				PROC. REF: EMM 73-10-08					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731035	NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service	ATA:73
PN:2524995	MOS/MSC		A/R						
SN:A40548	HRS	0			TAC 0				
	ENC	0							
PROC. REF: EMM 73-10-08									
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service	ATA:73
PN:2524995	MOS/MSC		A/R						
SN:A90389	HRS	0			TAC 0				
	ENC	0							
PROC. REF: EMM 73-10-08									
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:25607-1	MOS/MSC	06-Apr-99	O/C						
SN:798	HRS	6853			TSO 0				
	ENC								
PROC. REF: EMM 73-10-04									
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:25607-2	MOS/MSC	30-Oct-08	O/C						
SN:1681	HRS	8150			TSO 1186				
	ENC								
PROC. REF: EMM 73-10-04									
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service	ATA:73
PN:25607-1	MOS/MSC		A/R						
SN:798	HRS	0			TAC 0				
	ENC	0							
PROC. REF: GENERIC NO REF									
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service	ATA:73
PN:25607-2	MOS/MSC		A/R						
SN:1681	HRS	0			TAC 0				
	ENC	0							
PROC. REF: GENERIC NO REF									
732002	ENGINE SYNCHRONIZER CONTROL							Component	ATA:73
PN:213723	MOS/MSC	16-Sep-08	O/C						
SN:1290836	HRS	8248			TSO 0				
WC#: 76.020	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732003	ENGINE SYNCHRONIZER ACTUATOR							Component	ATA:73
PN:5485-066	MOS/MSC	30-Jan-81	O/C						
SN:20442A	HRS	0		TSN 0					
WC#: 76.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
732010	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	06-Apr-99	O/C						
SN:A60315	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 73-20-01									
732010	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	30-Oct-08	O/C						
SN:A60171WN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 73-20-01									
733002	FUEL FLOW INDICATOR							Component	ATA:73
PN:VSDL-OC408D	MOS/MSC	20-Jan-03	O/C						
SN:140	HRS	7457		TSO 7457					
WC#: 73.020	AFL								
PROC. REF: AMM 73-30-01									
733003	NO. 1 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	14-Feb-03	O/C						
SN:003673	HRS	7457		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REF									
733003	NO. 2 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	14-Feb-03	O/C						
SN:402076	HRS	7457		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REF									
73FO-01C	ENGINE SYNCHRONIZING INSTRUMENT W/TH REV FACTORY OPTION							Component	ATA:73
PN:76C	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-22	MOS/MSC	06-Apr-99	O/C						
SN:99409776	HRS	6853							
	ENC								
PROC. REF: EMM 74-10-01									
741010	NO. 2 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-22	MOS/MSC	14-Jan-13	O/C	TSN 0					
SN:NNA09480024	HRS	8669.8		TSN 0					
	ENC			TSN 0					
PROC. REF: EMM 74-10-01									
741030	NO. 1 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-22	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
SN:99409776	HRS	9680.4	300 (+30)		(9980.4) 9673.9	10010.4	253.1 (+30)		
	ENC	7148							
PROC. REF: GENERIC NO REF									
741030	NO. 2 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-22	MOS	14-Sep-21	24 (+2m)		30-Sep-23	14-Nov-23	OVD		
SN:NNA09480024	HRS	9329.3	300 (+30)		(9629.3) 9773.4	9659.3	253.6 (+30)		
	ENC	6516							
PROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9661.1		TSN 0					
	ENC	7136		TSN 0					
PROC. REF: EMM 74-20-02									
742010	NO. 2 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9309.5		TSN 0					
	ENC	6504		TSN 0					
PROC. REF: EMM 74-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742020	NO. 1 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9661.1		TSN 0					
	ENC	7136		TSN 0					
PROC. REF: EMM 74-20-02									
742020	NO. 2 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C						
SN:-NSN-	HRS	9309.5							
	ENC	6504							
PROC. REF: EMM 74-20-02									
742030	NO. 1 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:3107371-01	MOS/MSC	19-Feb-12	O/C	TSN 0					
SN:-NSN-	HRS	8874.5		TSN 0					
	ENC	6690							
PROC. REF: EMM 74-20-01									
742030	NO. 2 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:10-395428-2	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 74-20-01									
742040	NO. 1 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-395428-1	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 74-20-01									
742040	NO. 2 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-395428-1	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 74-20-01									
B742001 ^S	INSPECT ENGINE IGNITERS: PHASE 2 INSPECTION							Service	ATA:74
	MOS	14-Sep-21							
	HRS	9474.4	150 (+30)						
	AFL	6592							
PROC. REF: AMM 74-30-01									

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750001	LEFT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
750001	LEFT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
750001	RIGHT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
750001	RIGHT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
750010	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632	MOS/MSC	17-May-11	O/C						
SN:5024	HRS	8782.1							
	ENC	6627							
PROC. REF: EMM 75-00-02									
750010	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632	MOS/MSC	05-Apr-13	O/C						
SN:4052	HRS	8708.3							
	ENC	6169							
PROC. REF: EMM 75-00-02									
751002 ^U	NO. 1 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	07-Jan-19	O/C						
SN:4052	HRS	9512.2							
	ENC	7067							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751002 ^U	NO. 2 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	07-Jan-19	O/C						
SN:1198	HRS	9190.4							
	ENC	6436							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761001	ENGINE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:5565810-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.060	AFL	0			TSN 0				
PROC. REF: AMM 76-10-01									
761002	NO. 1 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.040	AFL	0			TSN 0				
PROC. REF: AMM 76-10-02									
761002	NO. 2 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.040	AFL	0			TSN 0				
PROC. REF: AMM 76-10-02									
761003	NO. 1 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.030	AFL	0			TSN 0				
PROC. REF: AMM 76-10-02									
761004	NO. 2 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.030	AFL	0			TSN 0				
PROC. REF: AMM 76-10-02									
761005	DEPLOY INTERLOCK SOLENOID ASSEMBLY							Component	ATA:76
PN:U-183238-001	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 76.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
B761002^S	INSPECT/CHECK THRUST REVERSER LOAD LIMIT PRE-LOAD: PHASE 5 INSPECTION							Service	ATA:76
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
PROC. REF: AMM 78-30-00									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
770010	NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS		24 (+2m)		30-Sep-23 (M)	30-Nov-23	OVD		
	HRS	0	300 (+30)		(9980.8) 9774.3 (M)	10010.8	253.5 (+30)		
	ENC	0							
PROC. REF: GENERIC NO REF									
770010	NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS		24 (+2m)		30-Sep-23 (M)	30-Nov-23	OVD		
	HRS	0	300 (+30)		(9629.3) 9774.4 (M)	9659.3	253.6 (+30)		
	ENC	0							
PROC. REF: GENERIC NO REF									
771001	LEFT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	30-Jan-81	O/C						
SN:2630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 77-11-01									
771001	LEFT TOP N1 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	30-Jan-81	O/C						
SN:2757	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 77-11-01									
771001	RIGHT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:AG34	MOS/MSC	26-Nov-97	O/C						
SN:72651	HRS	6168		TSN 0					
	AFL								
PROC. REF: AMM 77-11-01									
771001	RIGHT TOP N1 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	30-Jan-81	O/C						
SN:2535	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 77-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771002		N2 (TURBINE) INDICATOR						Component	ATA:77
PN:VSDL-OC410B	MOS/MSC	23-Mar-10	O/C						
SN:92ADE	HRS	8448		TSO 0					
WC#: 77.050	AFL								
PROC. REF: AMM 77-12-01									
771003		N1 (FAN) INDICATOR						Component	ATA:77
PN:VSDL-OC410L	MOS/MSC	30-Jan-81	O/C						
SN:44A	HRS	0		TSN 0					
WC#: 77.050	AFL	0		TSN 0					
PROC. REF: AMM 77-11-01									
772001		ITT INDICATOR						Component	ATA:77
PN:VSDL-OC419A	MOS/MSC	30-Jan-81	O/C						
SN:238J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 77-21-01									
ATA 78 - EXHAUST									
781001		NO. 1 ENGINE EXHAUST NOZZLE CONE						Component	ATA:78
PN:5555025-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-00-00									
781001		NO. 2 ENGINE EXHAUST NOZZLE CONE						Component	ATA:78
PN:5555025-19-AA	MOS/MSC	14-Sep-08	O/C						
SN:NSN	HRS	8248		TSN 0					
WC#: 78.050	AFL								
PROC. REF: AMM 78-00-00									
783001		LEFT THRUST REVERSER ASSEMBLY						Component	ATA:78
PN:202-0000-1	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0		TSN 0					
WC#: 78.030	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783001	RIGHT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:202-0000-3	MOS/MSC	06-Oct-99	O/C						
SN:RC0368	HRS	6766							
WC#: 78.030	AFL	4792			TSO 4792				
					PROC. REF: AMM 78-30-00				
783002	LEFT THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:AV14K1200	MOS/MSC	30-Jan-81	O/C						
SN:169	HRS	0			TSN 0				
WC#: 78.130	AFL	0			TSN 0				
					PROC. REF: AMM 78-30-01				
783002	RIGHT THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:65680	MOS/MSC	24-Aug-10	O/C		TSO 4				
SN:4174	HRS	8507.2			TSO 0				
WC#: 78.130	AFL	6036			TSO 0				
					PROC. REF: AMM 78-30-01				
783003	LEFT THREE-WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	30-Jan-81	O/C						
SN:780	HRS	0			TSN 0				
WC#: 78.140	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
783003	RIGHT THREE-WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	30-Jan-81	O/C						
SN:618	HRS	0			TSN 0				
WC#: 78.140	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
783005	LEFT UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-1	MOS/MSC	30-Jan-81	O/C						
SN:0363	HRS	0			TSN 0				
WC#: 78.090	AFL	0			TSN 0				
					PROC. REF: AMM 78-30-00				
783005	RIGHT UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-2	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0			TSN 0				
WC#: 78.090	AFL	0			TSN 0				
					PROC. REF: AMM 78-30-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783006	LEFT LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-1	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783006	RIGHT LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-2	MOS/MSC	30-Jan-81	O/C						
SN:0366	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783007	LEFT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	30-Jan-81	O/C						
SN:0741	HRS	0		TSN 0					
WC#: 78.110	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783007	RIGHT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	30-Jan-81	O/C						
SN:0740	HRS	0		TSN 0					
WC#: 78.120	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783008	LEFT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-3	MOS/MSC	30-Jan-81	O/C						
SN:0695	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783008	RIGHT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-5	MOS/MSC	30-Jan-81	O/C						
SN:0696	HRS	0		TSN 0					
WC#: 78.120	AFL	0		TSN 0					
				PROC. REF: AMM 78-30-00					
783009	LEFT THRUST REVERSER FAN DUCT							Component	ATA:78
PN:202-0012-1	MOS/MSC	30-Jan-81	O/C						
SN:0739	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783009	RIGHT THRUST REVERSER FAN DUCT							Component	ATA:78
PN:202-0012-1	MOS/MSC	30-Jan-81	O/C						
SN:0738	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783010	LEFT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:70	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01									
783010	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:26	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01									
783010	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:41	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01									
783010	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:37	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01									
78FO-01	THRUST REVERSERS FACTORY OPTION							Component	ATA:78
PN:193	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 78-30-00									
A783002 ^S	INSPECT THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
PROC. REF: AMM 78-30-00									

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
A783003 ^S	INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:78
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 78-30-00				PKG:6	
B783002 ^S	OPERATIONAL TEST THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 78-30-00				PKG:5	
C783001 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (WC 393 NON-AEROSOL SPRAY LUBRICATION): PHASE 4 INSPECTION							Service	ATA:78
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 78-30-00				PKG:5	
C783002 ^S	LUBRICATE THRUST REVERSER GUIDE RODS (D5100NS AEROSOL SPRAY LUBRICATION METHOD): PHASE 2 INSPECTION							Service	ATA:78
	MOS	14-Sep-21	24						
	HRS	9474.4	300						
	AFL	6592							
				PROC. REF: AMM 78-30-00				PKG:3	
C783003 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (C5-A ANTISIEZE COMPOUND LUBRICATION METHOD): PHASE 55 INSPECTION							Service	ATA:78
	MOS	24-Nov-19							
	HRS	9415.1	600						
	AFL	6559							
				PROC. REF: AMM 78-30-00				PKG:53	
ATA 79 - OIL									
792003	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3036376	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
				PROC. REF: EMM 79-20-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792003	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:3015330	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
				PROC. REF: EMM 79-20-01					
792010	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	24-Aug-10	O/C						
	HRS	8702.3							
	ENC	6591							
				PROC. REF: EMM 72-00-00					
792010	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	24-Aug-10	O/C						
	HRS	8369							
	ENC	5959							
				PROC. REF: EMM 72-00-00					
793001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:VSDL-OC219A	MOS/MSC	19-Oct-95	O/C						
SN:88AB	HRS	5328		TSO 55					
WC#: 79.060	AFL								
				PROC. REF: AMM 79-30-03					
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	05-Mar-82	O/C						
SN:67109	HRS	234		TSO 0					
WC#: 79.050	AFL								
				PROC. REF: AMM 79-30-04					
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	05-Mar-82	O/C						
SN:98582	HRS	234		TSO 234					
WC#: 79.050	AFL								
				PROC. REF: AMM 79-30-04					
793003	OIL PRESSURE INDICATOR							Component	ATA:79
PN:VSDL-OC204G	MOS/MSC	09-Jun-05	O/C						
SN:38	HRS	7910		TSO 0					
WC#: 79.060	AFL								
				PROC. REF: AMM 79-30-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793004	LEFT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	10-Jun-05	O/C						
SN:50148	HRS	7910		TSO 0					
	AFL								
				PROC. REF: AMM 79-30-02					
793004	RIGHT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	10-Jun-05	O/C						
SN:50094	HRS	7910		TSO 0					
	AFL								
				PROC. REF: AMM 79-30-02					
793006	LEFT ENGINE LOW OIL PRESSURE SWITCH							Component	ATA:79
PN:1103P89-1	MOS/MSC	23-Mar-10	O/C						
SN:2160	HRS	8448		TSN 0					
	AFL								
				PROC. REF: AMM 79-30-05					
ATA 80 - STARTING									
B801001 ^S	INSPECT LUCAS AEROSPACE STARTER GENERATOR(P/N 9912038-3,4,5) BRUSH: PHASE 4 INSPECTION							Service	ATA:80
	MOS	14-Sep-21	24 (+2m)						
	HRS	9474.4	300 (+30)						
	AFL	6592							
				PROC. REF: AMM 80-10-01				PKG:5	
B801002 ^S	OPERATIONAL TEST STARTER DISENGAGE: PHASE 5 INSPECTION							Service	ATA:80
	MOS	07-Aug-20	36 (+2m)						
	HRS	9454.6	1200 (+100)						
	AFL	6580							
				PROC. REF: AMM 80-10-01				PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 18-Sep-2023

27-Dec-2023 03:47 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 83 - ACCESSORY GEAR-BOXES									
832001	NO. 1 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
				PROC. REF: EMM 72-60-01					
832001	NO. 2 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
				PROC. REF: EMM 72-60-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task