

N178DA

1984 Citation SII

Status Report

MSN: S550-0004



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

S550 - CITATION SII

S/N S550-0004 N178DA

OWNER: RIDGEAIRE INC ADDRESS: HWY 69 SOUTH, CHEROKEE COUNTY AIRPORT JACKSONVILLE TX 75766 OFFICE: FAX:	OPERATOR: RIDGEAIRE INC ADDRESS: HWY 69 SOUTH, CHEROKEE COUNTY AIRPORT JACKSONVILLE TX 75766 OFFICE: FAX:	OPERATOR: EAST TEXAS TURBINES INC ADDRESS: 335 AIRPORT DRIVE TYLER TX 75704 OFFICE: FAX:	ANALYST: SCOTT WHITE EMAIL: SWHITE@CAMPSYSTEMS.COM	+1-316-462-2477 (DIRECT) +1-631-588-3200 (MAIN) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).
---	--	--	---	---	--	---

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: S550-0004/N178DA	MODEL: S550 - CITATION SII	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 27-SEP-1984	LAST ACTUALS:	
		8032.6 A/C HRS as of 15-AUG-2024	
		8208 AFL as of 15-AUG-2024	
		0 ACH as of 28-AUG-2019	

ENGINE NO. 1	SERIAL/PART: PCE-102064/JT15D-4B	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 12-SEP-2012	LAST ACTUALS:	
	6827.5 ENG. HRS 0 A/C HRS	7948.6 ENG. HRS as of 15-AUG-2024	
	7297 ENC	7935 ENC as of 15-AUG-2024	

ENGINE NO. 2	SERIAL/PART: PCE-102056/JT15D-4B	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 12-SEP-2012	LAST ACTUALS:	
	6827.5 ENG. HRS 0 A/C HRS	7948.6 ENG. HRS as of 15-AUG-2024	
	7297 ENC	7935 ENC as of 15-AUG-2024	



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051220 ^U	INSPECT 12 MONTH RVSM INSP REQUIREMENTS							
	MOS	15-Aug-24	12		31-Aug-25		348 d	Service ATA:05
	HRS	8032.6						
	AFL	8208						
051220 ^U	INSPECT 24 MONTH RVSM INSP REQUIREMENTS							
	MOS	15-Aug-24	24		31-Aug-26		713 d	Service ATA:05
	HRS	8032.6						
	AFL	8208						
051220 ^U	INSPECT LEFT LEFT ADDU CAL							
	MOS	15-Aug-24	12		31-Aug-25		348 d	Service ATA:05
	HRS	8032.6						
	AFL	8208						
051220 ^U	INSPECT RIGHT RIGHT ADDU CAL							
	MOS	15-Aug-24	12		31-Aug-25		348 d	Service ATA:05
	HRS	8032.6						
	AFL	8208						
051220 ^U	INSPECT RVSM SKIN WAVINESS INSPECTION							
	MOS	15-Aug-24	12		31-Aug-25		348 d	Service ATA:05
	HRS	8032.6						
	AFL	8208						
051228E ^U	INSPECT BATTERY GILL BATT CAP INSPECT							
PN:7638-44	MOS	15-Aug-24	9		31-May-25		256 d	Service ATA:05
SN:G03209295	HRS	8032.6	900		8932.6		900	
	AFL	8208						
051938A ^U	INSPECT RIGHT COCKPIT SIDE WINDOW							
	MOS	26-Apr-23	24		30-Apr-25		225 d	Service ATA:05
	HRS	7957.8	300		8257.8		225.2	
	AFL	8160						
052010B ^U	INSPECT RIGHT WINDSHIELD INSPECTION							
	MOS	26-Apr-23	24		30-Apr-25		225 d	Service ATA:05
	HRS	7957.8	300		8257.8		225.2	
	AFL	8160						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055009	INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS								
	AFL								
PROC. REF: TLMC 5-50-00									
055010	EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED							Service	ATA:05
	MOS/MSC		A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS								
	AFL								
PROC. REF: TLMC 5-50-00									
055601 ^U	INSPECT LEFT COCKPIT SIDE WINDOW INSPECTION							Service	ATA:05
	MOS	26-Apr-23	24		30-Apr-25		225 d		
	HRS	7957.8	300		8257.8		225.2		
	AFL	8160							
057110	NO. 1 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: EMM 72-00-00									
057110	NO. 2 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: EMM 72-00-00									
5-12-01	PHASE 1							Package	ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
	HRS	8032.6	300 (+30)		8332.6	8362.6	300 (+30)		
WC#: 05.010	AFL	8208							
PROC. REF: TLMC 5-12-01									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-02	PHASE 2							Package ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)	
	HRS	8032.6	300 (+30)		8332.6	8362.6	300 (+30)	
WC#: 05.015	AFL	8208						
				PROC. REF: TLMC 5-12-02				PKG:3
5-12-03	PHASE 3							Package ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)	
	HRS	8032.6	300 (+30)		8332.6	8362.6	300 (+30)	
WC#: 05.020	AFL	8208						
				PROC. REF: TLMC 5-12-03				PKG:4
5-12-04	PHASE 4							Package ATA:05
	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)	
	HRS	8032.6	300 (+30)		8332.6	8362.6	300 (+30)	
WC#: 05.025	AFL	8208						
				PROC. REF: TLMC 5-12-04				PKG:5
5-12-05	PHASE 5							Package ATA:05
	MOS	15-Aug-24	36 (+2m)		31-Aug-27	31-Oct-27	1078 d (+61)	
	HRS	8032.6	1200 (+100)		9232.6	9332.6	1200 (+100)	
WC#: 05.040	AFL	8208						
				PROC. REF: TLMC 5-12-05				PKG:8
5-12-0B	PHASE B							Package ATA:05
	MOS	15-Aug-24						
	HRS	8032.6	150 (+30)		8182.6	8212.6	150 (+30)	
WC#: 05.005	AFL	8208						
				PROC. REF: TLMC 5-12-0B				PKG:1
5-12-12	PHASE 12							Package ATA:05
	MOS	EFF						
	HRS	EFF	3600 (+30)		10297.05 *	10327.05	2264.5 (+30)	
	AFL							
				PROC. REF: TLMC 5-12-12				PKG:91

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-13	PHASE 13							Package ATA:05
	MOS	03-Oct-02						
	HRS	5040	5000 (+30)		10040	10070	2007.4 (+30)	
WC#: 05.070	AFL							
				PROC. REF: TLMC 5-12-13				PKG:14
5-12-14	PHASE 14							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:10000 (+30)		10000 (M)	10030	1967.4 (+30)	
WC#: 05.075	AFL	0						
				PROC. REF: TLMC 5-12-14				PKG:15
5-12-15	PHASE 15							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:10000 (+30)		10000 (M)	10030	1967.4 (+30)	
WC#: 05.080	AFL	0						
				PROC. REF: TLMC 5-12-15				PKG:16
5-12-16	PHASE 16							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:10000 (+30)		10000 (M)	10030	1967.4 (+30)	
WC#: 05.085	AFL	0						
				PROC. REF: TLMC 5-12-16				PKG:17
5-12-17	PHASE 17							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	10000 (+30)	Adj -415	10000 (M)	10030	1967.4 (+30)	
WC#: 05.090	AFL	0						
				PROC. REF: TLMC 5-12-17				PKG:18
5-12-18	PHASE 18							Package ATA:05
	MOS	15-Aug-24	12 (+1m)		31-Aug-25	30-Sep-25	348 d (+30)	
	HRS	8032.6						
WC#: 05.095	AFL	8208						
				PROC. REF: TLMC 5-12-18				PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-20 ^S	PHASE 20 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	25-Feb-22	24 (+1m)						
	HRS	7824.7							
WC#: 05.110	AFL								
				PROC. REF: TLMC 5-12-20				PKG:20	
5-12-21 ^S	PHASE 21 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	25-Feb-22	24 (+1m)						
	HRS	7824.7							
WC#: 05.140	AFL								
				PROC. REF: TLMC 5-12-21				PKG:28	
5-12-22 ^S	PHASE 22 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	22-Feb-18	36 (+1m)						
	HRS	7526.3							
WC#: 05.155	AFL	7820							
				PROC. REF: TLMC 5-12-22				PKG:30	
5-12-23 ^S	PHASE 23 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	25-Apr-14	60 (+1m)						
	HRS	0							
WC#: 05.160	AFL	0							
				PROC. REF: TLMC 5-12-23				PKG:32	
5-12-26	PHASE 26							Package	ATA:05
	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)		
	HRS	8032.6	3000 (+30)		11032.6	11062.6	3000 (+30)		
WC#: 05.180	AFL	8208							
				PROC. REF: TLMC 5-12-26				PKG:36	
5-12-30	PHASE 30							Package	ATA:05
	MOS	19-Mar-21							
	HRS	7730.8	600 (+30)		8330.8	8360.8	298.2 (+30)		
WC#: 05.190	AFL	7955							
				PROC. REF: TLMC 5-12-30				PKG:38	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-32	PHASE 32							Package	ATA:05
	MOS	27-Sep-84							
	HRS								
WC#: 05.195	AFL	0	T:15000		15000		6792		
				PROC. REF: TLMC 5-12-32				PKG:39	
5-12-33	PHASE 33							Package	ATA:05
	MOS	27-Sep-84							
	HRS								
WC#: 05.200	AFL	0	T:15000		15000		6792		
				PROC. REF: TLMC 5-12-33				PKG:40	
5-12-40	PHASE 40 NOT USED							Package	ATA:05
	MOS/MSC	27-Sep-84	A/R						
	HRS	0							
WC#: 05.205	AFL	0							
				PROC. REF: GENERIC NO REF				PKG:41	
5-12-43	PHASE 43 NOT USED							Package	ATA:05
	MOS/MSC	29-Jul-96	A/R						
	HRS	3065							
WC#: 05.210	AFL	4049		Adj 9000					
				PROC. REF: GENERIC NO REF				PKG:42	
5-12-47 ^S	PHASE 47 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	27-Sep-84	144 (+1m)						
	HRS	0							
WC#: 05.215	AFL	0							
				PROC. REF: TLMC 5-12-47				PKG:43	
5-12-48 ^S	PHASE 48 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	05-Dec-14	72 (+1m)						
	HRS	7207.2							
WC#: 05.225	AFL	7689							
				PROC. REF: TLMC 5-12-48				PKG:45	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-49	PHASE 49							Package ATA:05
	MOS	10-Jan-22	36 (+2m)		31-Jan-25	31-Mar-25	136 d (+59)	
	HRS	7810.3	1200 (+100)		9010.3	9110.3	977.7 (+100)	
WC#: 05.235	AFL	8022						
PROC. REF: TLMC 5-12-49								PKG:47
5-12-52	PHASE 52							Package ATA:05
	MOS	15-Aug-24	12 (+1m)		31-Aug-25	30-Sep-25	348 d (+30)	
	HRS	8032.6						
WC#: 05.250	AFL	8208						
PROC. REF: TLMC 5-12-52								PKG:50
5-12-53	PHASE 53							Package ATA:05
	MOS	15-Aug-24	72 (+1m)		31-Aug-30	30-Sep-30	2174 d (+30)	
	HRS	8032.6	2400 (+30)		10432.6	10462.6	2400 (+30)	
WC#: 05.255	AFL	8208						
PROC. REF: TLMC 5-12-53								PKG:51
5-12-54	PHASE 54							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:13200 (+30)		13200	13230	5167.4 (+30)	
	AFL	0						
PROC. REF: TLMC 5-12-54								PKG:92
5-12-55	PHASE 55							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:15600 (+30)		15600	15630	7567.4 (+30)	
	AFL	0						
PROC. REF: TLMC 5-12-55								PKG:93
5-12-56	PHASE 56							Package ATA:05
	MOS	27-Sep-84						
	HRS	0	T:15600 (+30)		15600	15630	7567.4 (+30)	
	AFL	0						
PROC. REF: TLMC 5-12-56								PKG:94

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-57	PHASE 57							Package ATA:05
	MOS	EFF						
	HRS	EFF	T:10000 (+30)		10000 * (M)	10030	1967.4 (+30)	
	AFL							
				PROC. REF: TLMC 5-12-57				PKG:501
5-12-58	PHASE 58							Package ATA:05
	MOS/MSC	22-Feb-18	N/A					N/A BY PART NUMBER
	HRS	7526.3						
	AFL	7820						
				PROC. REF: TLMC 5-12-58				PKG:502
5-12-59	PHASE 59							Package ATA:05
	MOS	EFF						
	HRS							
	AFL							
	ACH	EFF	500		479.28 *		479.3	
				PROC. REF: TLMC 5-12-59				PKG:503
5-12-60	INSPECTION PHASE 60							Package ATA:05
	MOS	15-Aug-24	6 (+1m)		28-Feb-25	31-Mar-25	164 d (+31)	
	HRS	8032.6						
	AFL	8208						
				PROC. REF: TLMC 5-12-60				PKG:504
5-12-MA	PHASE MA							Package ATA:05
	MOS/MSC	15-May-15	N/A					N/A BY PART NUMBER
	HRS	7247.6						
	AFL	7707						
				PROC. REF: TLMC 5-12-MA				PKG:95
5-12-MB	PHASE MB							Package ATA:05
	MOS	27-Sep-84						
	HRS	0						
	AFL	0	T:10000		10000		1792	
				PROC. REF: TLMC 5-12-MB				PKG:96

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 11 - PLACARDS AND MARKINGS									
A112001 ^S	INSPECT GOVERNMENT REQUIRED INTERIOR AND EXTERIOR PLACARDS, DECALS AND MARKINGS FOR SECURITY OF INSTALLATION AND LEGIBILITY: PHASE 5							Service	ATA:11
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 11.005	AFL	8208							
PROC. REF: AMM 11-00-00								PKG:8,69	
ATA 12 - SERVICING									
12-22-01-601	15 DAY HIGH EXPOSURE AREA WASH							Service	ATA:12
	MOS/MSC		A/R					DISCRETIONARY	
	HRS								
	AFL								
12-22-01-602	45 DAY MEDIUM EXPOSURE AREA WASH							Service	ATA:12
	MOS/MSC		A/R					DISCRETIONARY	
	HRS								
	AFL								
12-22-01-603	90 DAY LOW EXPOSURE AREA WASH							Service	ATA:12
	MOS/MSC		A/R					DISCRETIONARY	
	HRS								
	AFL								
129999 ^U	INSPECT AIRCRAFT SURVEY							Service	ATA:12
	MOS/MSC	18-Nov-91	O/C						
	HRS	1716		TAC 0					
	AFL								
ATA 21 - AIR CONDITIONING									
211000 ^U	LEFT SWITCH-PRESSURE							Component	ATA:21
PN:1103P240-1	MOS/MSC	15-Sep-93	O/C						
SN:674	HRS	2165		TSN 0					
	AFL								
211002	EMERGENCY PRESSURIZATION VALVE							Component	ATA:21
PN:228455	MOS/MSC	28-Jul-95	O/C						
SN:898	HRS	2767		TSO 1106					
WC#: 21.005	AFL								
PROC. REF: AMM 21-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212003	BLOWER							Component	ATA:21
PN:19A2338	MOS/MSC	15-Aug-24	O/C						
SN:N/A	HRS	8032.6							
WC#: 21.010	AFL	8208							
PROC. REF: AMM 21-21-01, AMM 21-21-01									
212004	CABIN OVERHEAD FAN							Component	ATA:21
PN:BC61A-901-2	MOS	04-Dec-15						REPLACE	
SN:1289A	HRS	7311.7	1000 (+30)	TSO 0	8511.7 (M)	8541.7	479.1 (+30)		
WC#: 21.015	AFL	7727							
PROC. REF: AMM 21-21-04									
212005	LEFT CABIN DIVIDER BLOWER							Component	ATA:21
PN:WS2107F30	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.020	AFL	0		TSN 0					
PROC. REF: AMM 21-21-07									
212005	RIGHT CABIN DIVIDER BLOWER							Component	ATA:21
PN:WS2107F30	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.025	AFL	0		TSN 0					
PROC. REF: AMM 21-21-07									
212009	CABIN UNDERFLOOR ACTUATOR							Component	ATA:21
PN:NYLC50466	MOS/MSC	27-Sep-84	O/C						
SN:551	HRS	0		TSN 0					
WC#: 21.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212010	DOOR ACTUATOR MOTOR ASSY							Component	ATA:21
PN:5A3032	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212027	DEFOG FAN							Component	ATA:21
PN:5703-4	MOS	18-Mar-16						OVERHAUL	
SN:1642	HRS	7344.1	3500 (+30)	TSO 0	10844.1	10874.1	2811.5 (+30)		
WC#: 21.045	AFL	7741							
PROC. REF: AMM 21-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213001	CABIN PRESS INDICATOR							Component	ATA:21
PN:C668511-0102	MOS/MSC	18-Nov-91	O/C						
SN:13317	HRS	1716		TSO 0					
WC#: 21.050	AFL								
PROC. REF: GENERIC NO REF									
213002	OUTFLOW VALVE CONTROLLER							Component	ATA:21
PN:130356-16	MOS/MSC	15-Dec-05	O/C						
SN:981079	HRS	5931		TSO 0					
WC#: 21.055	AFL								
PROC. REF: AMM 21-31-03									
213003	CABIN RATE OF CLIMB INDICATOR							Component	ATA:21
PN:C668513-0101	MOS/MSC	27-Sep-84	O/C						
SN:W6856H	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03									
213007	LEFT OUTFLOW VALVE							Component	ATA:21
PN:103576-36	MOS/MSC	03-Apr-93	O/C						
SN:851738	HRS	2014		TSO 0					
WC#: 21.065	AFL								
PROC. REF: AMM 21-31-01									
213007	RIGHT OUTFLOW VALVE							Component	ATA:21
PN:103576-36	MOS/MSC	18-Aug-96	O/C						
SN:851731	HRS	3089		TSO 0					
WC#: 21.070	AFL								
PROC. REF: AMM 21-31-01									
213009	LEFT BLEED AIR FLOW CONTROL VALVE							Component	ATA:21
PN:1988-00-1	MOS/MSC	13-May-99	O/C						
SN:1052A	HRS	4037		TSO 0					
WC#: 21.075	AFL								
PROC. REF: GENERIC NO REF									
213009	RIGHT BLEED AIR FLOW CONTROL VALVE							Component	ATA:21
PN:228465	MOS/MSC	27-Sep-84	O/C						
SN:68	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213013	PNEUMATIC RELAY							Component	ATA:21
PN:130358-1	MOS/MSC	27-Sep-84	O/C						
SN:531377	HRS	0		TSN 0					
WC#: 21.085	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02									
215001	REFRIGERATION PACKAGE							Component	ATA:21
PN:782343-1	MOS/MSC	03-Oct-02	O/C						
SN:840417	HRS	5040		TSO 0					
WC#: 21.090	AFL								
PROC. REF: AMM 21-51-00									
215004	ENVIRONMENT CONTROL UNIT (HAMILTON STANDARD)							Component	ATA:21
PN:738384-26P1	MOS	28-Jun-02						OVERHAUL	
SN:841264	HRS	5005	5000 (+30)	TSO 0	10005	10035	1972.4 (+30)		
WC#: 21.095	AFL								
PROC. REF: GENERIC NO REF									
215005	BYPASS VALVE							Component	ATA:21
PN:754751-2	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: AMM 21-51-00									
215012	REPLACE COMPRESSOR DRIVE MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1, -5 ORFWA1134104-1, -5 ONLY)							Service	ATA:21
	MOS/MSC	30-Jul-13	N/A						
	HRS	7038.8							
	AFL	7614							
	ACH	0							
PROC. REF: GENERIC NO REF									
215015	COMPRESSOR DRIVE MOTOR							Component	ATA:21
PN:PN	MOS/MSC	27-Sep-84	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216002 TEMP CONTROL UNIT Component ATA:21								
PN:754661-5	MOS/MSC	03-Oct-02	O/C					
SN:83091215	HRS	5040		TSO 0				
WC#: 21.105	AFL							
PROC. REF: AMM 21-60-00								
216003 DUCT TEMP SENSOR Component ATA:21								
PN:754691-1	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: AMM 21-60-00								
216004 CABIN TEMP SENSOR Component ATA:21								
PN:754681-1	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.115	AFL	0		TSN 0				
PROC. REF: AMM 21-60-00								
216005 CENTRIFUGAL BLOWER Component ATA:21								
PN:3A1003-10	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-25-00								
21FO-03D FLOOD COOLING FACTORY OPTION Component ATA:21								
PN:21D	MOS/MSC	27-Sep-84	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
21FO-04A COCKPIT AIR SUPPLEMENTAL FACTORY OPTION Component ATA:21								
PN:179A	MOS/MSC	27-Sep-84	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
A215001^S CHECK REFRIGERATION UNIT (ACM) OIL LEVEL: PHASE 2 Service ATA:21								
	MOS	15-Aug-24						
	HRS	8032.6	150 (+30)					
WC#: 21.120	AFL	8208						
PROC. REF: AMM 21-51-00								

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A216003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOURMETER (COMPRESSOR MOTORS 1134104-1, - 5 OR FWA1134104-1, -5 ONLY): PHASE MA							Service	ATA:21
	MOS	15-May-15							
	HRS	7247.6	300						
	AFL	7707							
	PROC. REF: AMM 21-51-03							PKG:95	
A216004 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 1134104-1, -5 OR FWA1134104-1, -5) : PHASE 58							Service	ATA:21
	MOS/MSC	22-Feb-18	N/A					N/A BY PART NUMBER	
	HRS	7526.3							
	AFL	7820							
	PROC. REF: AMM 21-51-03							PKG:502	
A216005 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE : PHASE 59							Service	ATA:21
	MOS	27-Sep-84		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	ACH		500						
	PROC. REF: AMM 21-51-03							PKG:503	
A216006 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE : PHASE 18							Service	ATA:21
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							
	PROC. REF: AMM 21-51-03							PKG:19	
A217001 ^S	INSPECT HUMIDITY REGULATOR (WATER SEPARATOR): PHASE 2							Service	ATA:21
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 21.135	AFL	8208							
	PROC. REF: AMM 21-70-00							PKG:3	
B210000 ^S	OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.140	AFL	8208							
	PROC. REF: AMM 21-00-00							PKG:8,69	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B211001 ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: PHASE 4							Service	ATA:21
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 21.145	AFL	8208							
	PROC. REF: AMM 21-11-00								PKG:5
B211002 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF VALVES AND CHECK VALVES (PARKER HANNIFIN/JANITROL CHECK VALVES THAT HAVE A SERIAL NUMBER SUFFIX B OR THAT HAVE A SERIAL NUMBER HIGHER THAN 4AD39) AND DUKES VALVES: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.150	AFL	8208							
	PROC. REF: AMM 21-11-00								PKG:8,73
B211003 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF VALVES AND CHECK VALVES (PARKER HANNIFIN/JANITROL CHECK VALVES THAT DO NOT HAVE A SERIAL NUMBER SUFFIX B OR THAT HAVE A SERIAL NUMBER LOWER THAN 4AD39): PHASE 2							Service	ATA:21
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 21.155	AFL	8208							
	PROC. REF: AMM 21-11-00								PKG:1,3,5
B212001 ^S	LEAK CHECK TAILCONE BLEED AIR LINES: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.165	AFL	8208							
	PROC. REF: AMM 21-11-00								PKG:8,77
B212002 ^S	OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.160	AFL	8208							
	PROC. REF: AMM 21-24-00								PKG:8,81
B212003 ^S	OPERATIONAL CHECK AVIONICS BAY COOLING FANS: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.170	AFL	8208							
	PROC. REF: AMM 21-25-00								PKG:8,69

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B213000 ^S	OPERATIONAL CHECK PRESSURIZATION CONTROL SYSTEM: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.175	AFL	8208							
				PROC. REF: AMM 21-31-00				PKG:8,69	
B213001 ^S	FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.180	AFL	8208							
				PROC. REF: AMM 21-31-05				PKG:8,69	
C215001 ^S	CHANGE HAMILTON STANDARD AIR CYCLE MACHINE OIL: PHASE 30							Service	ATA:21
	MOS	19-Mar-21							
	HRS	7730.8	600 (+30)						
WC#: 21.185	AFL	7955							
				PROC. REF: AMM 21-51-00				PKG:38	
D213001 ^S	CLEAN/REPLACE PRESSURIZATION CONTROLLER FILTER: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.190	AFL	8208							
				PROC. REF: AMM 21-31-00				PKG:8,69	
D213003 ^S	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.195	AFL	8208							
				PROC. REF: AMM 21-31-00				PKG:8,85	
D213004 ^S	CLEAN/REPLACE DISABLE SOLENOID VALVE FILTER (BREATHING PLUG): PHASE 5							Service	ATA:21
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 21.200	AFL	8208							
				PROC. REF: AMM 21-31-00				PKG:8,85	
ATA 22 - AUTO FLIGHT									
221008	AUTOPILOT COMPUTER							Component	ATA:22
PN:4008519-945	MOS/MS	08-Apr-92	O/C						
SN:85053945	HRS	1739		TSO 0					
WC#: 22.005	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PROC. REF: AMM 22-11-02									
221009	AUTOPILOT CONTROLLER							Component	ATA:22
PN:4018639-909	MOS/MSC	18-Nov-91	O/C						
SN:84052365	HRS	1716		TSO 0					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-02									
221010	AFT AILERON AUTOPILOT SERVO							Component	ATA:22
PN:4006719-906	MOS/MSC	27-Sep-84	O/C						
SN:84039783	HRS	0		TSN 0					
WC#: 22.015	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
221010	FORWARD ELEVATOR AUTOPILOT SERVO							Component	ATA:22
PN:4006719-914	MOS/MSC	03-Jul-00	O/C						
SN:89084602	HRS	4394		TSO 3296					
WC#: 22.020	AFL								
PROC. REF: AMM 22-11-01, AMM 22-11-01									
221010	MID RUDDER AUTOPILOT SERVO							Component	ATA:22
PN:4006719-906	MOS/MSC	27-Sep-84	O/C						
SN:84039795	HRS	0		TSN 0					
WC#: 22.025	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
A221001 ^S	INSPECT AILERON SERVO ACTUATOR AND MOUNT: PHASE 5							Service	ATA:22
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 22.030	AFL	8208							
PROC. REF: AMM 22-11-01									
A222001 ^S	INSPECT RUDDER SERVO ACTUATOR AND MOUNT: PHASE 5							Service	ATA:22
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 22.035	AFL	8208							
PROC. REF: AMM 22-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
A223001 ^S	INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: PHASE 5							Service	ATA:22
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 22.040	AFL	8208							
	PROC. REF: AMM 22-11-01								PKG:8,85
B221002 ^S	TEST AUTOPILOT DISENGAGEMENT AND WARNING: PHASE 5							Service	ATA:22
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 22.045	AFL	8208							
	PROC. REF: AMM 22-11-03								PKG:8,69
ATA 23 - COMMUNICATIONS									
230010	COCKPIT VOICE RECORDER							Component	ATA:23
PN:GA100-0000	MOS/MSC	15-Aug-24	O/C						
SN:01632	HRS	8032.6							
	AFL	8208							
	PROC. REF: AMM 23-71-01								
230017	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component	ATA:23
PN:DK120/90	MOS	11-Sep-19	72	TSN 0	01-Jun-26 (M)		622 d	OVERHAUL	
SN:AT139039	HRS	7620.8							
	AFL	7858							
	PROC. REF: GENERIC NO REF								
232002	NO. 2 COMM ANTENNA							Component	ATA:23
PN:VFS10-108-1	MOS/MSC	27-Sep-84	O/C						
SN:1281	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
	PROC. REF: AMM 23-12-00, AMM 23-13-01								
232003	NO. 1 COMM ANTENNA							Component	ATA:23
PN:VFS10-90-7	MOS/MSC	14-Mar-02	O/C						
SN:0830	HRS	4915		TSN 0					
WC#: 23.025	AFL								
	PROC. REF: AMM 23-12-00, AMM 23-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232004	AIRBIRNE COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:400-0115	MOS/MSC	07-Feb-86	O/C						
SN:935	HRS	361		TSO 0					
	AFL								
				PROC. REF: GENERIC NO REF					
232005	CABIN CONTROL PHONE							Component	ATA:23
PN:400-0116	MOS/MSC	14-May-87	O/C						
SN:1005	HRS	723		TSO 0					
	AFL								
				PROC. REF: GENERIC NO REF					
232006	COCKPIT CONTROL							Component	ATA:23
PN:400-0117	MOS/MSC	05-Nov-87	O/C						
SN:435	HRS	832		TSO 0					
	AFL								
				PROC. REF: GENERIC NO REF					
232010	BOTTOM NO.2 COMM TRANSCEIVER							Component	ATA:23
PN:622-6152-001	MOS/MSC	02-May-02	O/C						
SN:20020	HRS	4960		TSO 4717					
WC#: 23.030	AFL								
				PROC. REF: AMM 23-12-00, AMM 23-13-01					
232010	TOP NO.1 COMM TRANSCEIVER							Component	ATA:23
PN:622-6152-001	MOS/MSC	02-May-02	O/C						
SN:20132	HRS	4960		TSO 4915					
WC#: 23.035	AFL								
				PROC. REF: AMM 23-12-00, AMM 23-13-01					
232011	LEFT COMM CONTROL							Component	ATA:23
PN:622-6520-005	MOS/MSC	25-Aug-99	O/C						
SN:9755	HRS	4118		TSO 2450					
	AFL								
				PROC. REF: GENERIC NO REF					
232011	RIGHT COMM CONTROL							Component	ATA:23
PN:622-6520-005	MOS/MSC	08-Jan-98	O/C						
SN:1332	HRS	3582		TSO 1834					
	AFL								
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235001	LEFT AUDIO AMPLIFIER							Component	ATA:23
PN:5630-1	MOS/MSC	13-May-99	O/C						
SN:340	HRS	4037		TSO 1135					
WC#: 23.045	AFL								
PROC. REF: GENERIC NO REF									
235001	RIGHT AUDIO AMPLIFIER							Component	ATA:23
PN:5640-1	MOS/MSC	29-May-85	O/C						
SN:429	HRS	198		TSO 0					
WC#: 23.050	AFL								
PROC. REF: GENERIC NO REF									
237006 ^U	REMOTE MIKE							Component	ATA:23
PN:93-A055-95	MOS/MSC	04-Aug-90	O/C						
SN:1062	HRS	1422		TSN 0					
	AFL								
237008 ^U	CVR SHOCK MOUNT							Component	ATA:23
PN:9300-343	MOS/MSC	04-Aug-90	O/C						
SN:3946	HRS	1422		TSN 0					
	AFL								
23FO-06D	FLITEFONE IV WULFSBERG FACTORY OPTION							Component	ATA:23
PN:674D	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A231001 ^S	INSPECT HIGH FREQUENCY (HF) ANTENNA AND TENSION UNIT: PHASE 5							Service	ATA:23
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 23.060	AFL	8208							
PROC. REF: AMM 23-10-00									
A236002 ^S	CONTROL SURFACE BONDING JUMPER INSPECTION TASK 27-00-00-280							Service	ATA:23
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 23.065	AFL	8208							
PROC. REF: AMM 27-00-00									

PKG:8,79

PKG:8,85

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
A237001 ^S	INSPECT COCKPIT VOICE RECORDER: PHASE 5							Service	ATA:23
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 23.070	AFL	8208							
	PROC. REF: AMM 23-70-00							PKG:8,77	
A237003	INSPECT COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON : PHASE 21							Service	ATA:23
PN:DK120/90	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)		
SN:AT139039	HRS	8032.6							
WC#: 23.075	AFL	8208							
	PROC. REF: AMM 23-70-00							PKG:28	
B236001 ^S	INSPECT STATIC DISCHARGE WICKS: PHASE 5							Service	ATA:23
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 23.080	AFL	8208							
	PROC. REF: AMM 23-61-00							PKG:8,81	
B237002 ^S	OPERATIONAL CHECK COCKPIT VOICE RECORDER: PHASE 1							Service	ATA:23
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 23.085	AFL	8208							
	PROC. REF: AMM 23-70-00							PKG:2	
B237004	OPERATIONAL TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON : PHASE 21							Service	ATA:23
PN:DK120/90	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)		
SN:AT139039	HRS	8032.6							
WC#: 23.090	AFL	8208							
	PROC. REF: AMM 23-70-00							PKG:28	
ATA 24 - ELECTRICAL POWER									
242001	BOTTOM NO.2 AC INVERTER							Component	ATA:24
PN:PC-350-4A	MOS/MSC	19-Mar-21	O/C						
SN:2161	HRS	7730.8							
WC#: 24.005	AFL	7955							
	PROC. REF: AMM 24-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242001	TOP NO.1 AC INVERTER							Component	ATA:24
PN:PC-350	MOS/MSC	01-Jan-93	O/C						
SN:1754	HRS	1950		TSO 0					
WC#: 24.010	AFL								
PROC. REF: AMM 24-20-01									
243001	LEFT STARTER/GENERATOR							Component	ATA:24
PN:23085-004	MOS	25-Apr-14						OVERHAUL	
SN:98067	HRS	7127.2	1000 (+30)	TSO 0	8127.2	8157.2	94.6 (+30)		
WC#: 24.015	AFL	7657							
PROC. REF: AMM 80-11-01									
243001	RIGHT STARTER/GENERATOR							Component	ATA:24
PN:23085-004	MOS	25-Apr-14						OVERHAUL	
SN:92252	HRS	7127.2	1000 (+30)	TSO 0	8127.2	8157.2	94.6 (+30)		
WC#: 24.020	AFL	7657							
PROC. REF: AMM 80-11-01									
243003	LEFT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006F	MOS/MSC	12-May-89	O/C						
SN:1762A	HRS	1106		TSO 0					
WC#: 24.025	AFL								
PROC. REF: AMM 24-31-00									
243003	RIGHT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006F	MOS/MSC	27-Sep-84	O/C						
SN:1764	HRS	0		TSN 0					
WC#: 24.030	AFL	0		TSN 0					
PROC. REF: AMM 24-31-00									
243004	LEFT AMMETER							Component	ATA:24
PN:C662501-0104	MOS/MSC	14-Dec-84	O/C						
SN:83	HRS	74		TSN 0					
WC#: 24.035	AFL								
PROC. REF: GENERIC NO REF									
243004	RIGHT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	27-Sep-84	O/C						
SN:6	HRS	0		TSN 0					
WC#: 24.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243005 VOLTMETER Component ATA:24								
PN:C662502-0101	MOS/MSC	27-Sep-84	O/C					
SN:1263	HRS	0		TSN 0				
WC#: 24.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
243007 BATTERY Component ATA:24								
PN:7638-44	MOS/MSC	03-Nov-23	O/C		TSN 0			
SN:G03209295	HRS	8004.7			TSN 0			
WC#: 24.050	AFL	8185						
PROC. REF: AMM 24-32-00								
243008 BATTERY TEMPERATURE MODULE Component ATA:24								
PN:1529-1	MOS/MSC	27-Sep-84	O/C					
SN:1251	HRS	0			TSN 0			
WC#: 24.055	AFL	0			TSN 0			
PROC. REF: AMM 24-32-02								
243009 BATTERY TEMPERATURE GAGE Component ATA:24								
PN:1229-1	MOS/MSC	27-Sep-84	O/C					
SN:1236	HRS	0			TSN 0			
WC#: 24.060	AFL	0			TSN 0			
PROC. REF: AMM 24-32-03								
243011 CURRENT VOLTAGE CONTROLLER Component ATA:24								
PN:1301-1	MOS/MSC	07-Feb-96	O/C					
SN:955A	HRS	2926			TSO 0			
WC#: 24.075	AFL							
PROC. REF: GENERIC NO REF								
243012 CURRENT SENSOR Component ATA:24								
PN:1302-1	MOS/MSC	27-Sep-84	O/C					
SN:1157A	HRS	0			TSN 0			
WC#: 24.080	AFL	0			TSN 0			
PROC. REF: AMM 24-41-01								
243013 BATT DISCONNECT K69 RELAY Component ATA:24								
PN:A876K	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0			TSO 1165			
WC#: 24.090	AFL	0			TSN 0			
PROC. REF: AMM 24-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243014	BATTERY TEMPERATURE SENSOR							Component	ATA:24
PN:1166-1	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.065	AFL	0		TSN 0					
PROC. REF: AMM 24-32-02									
245001	CENTER 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	12-May-89	O/C						
SN:3843	HRS	1106		TSO 0					
WC#: 24.085	AFL								
PROC. REF: GENERIC NO REF									
245001	LEFT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	08-Dec-93	O/C						
SN:2453	HRS	2247		TSN 0					
WC#: 24.095	AFL								
PROC. REF: GENERIC NO REF									
245001	RIGHT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	08-Jan-98	O/C						
SN:4967	HRS	3582		TSN 0					
WC#: 24.100	AFL								
PROC. REF: GENERIC NO REF									
245003	LEFT START K7 RELAY							Component	ATA:24
PN:A703C	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1165					
WC#: 24.105	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245003	RIGHT START K8 RELAY							Component	ATA:24
PN:A703C	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1165					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245004	LEFT POWER K13 RELAY							Component	ATA:24
PN:A703P	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1165					
WC#: 24.115	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245004	RIGHT POWER K12 RELAY							Component	ATA:24
PN:A703P	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1165					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
24FO-01B	BATTERY & MONITOR FOR 20 CELL FACTORY OPTION							Component	ATA:24
PN:12B	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A242001 ^S	INSPECT NOSE AREA GENERAL ELECTRICAL COMPONENTS: PHASE 5							Service	ATA:24
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 24.125	AFL	8208							
PROC. REF: AMM 24-00-00									
A245001 ^S	INSPECT CIRCUIT BREAKER PANELS: PHASE 5							Service	ATA:24
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 24.130	AFL	8208							
PROC. REF: AMM 24-50-02									
A245002 ^S	INSPECT COCKPIT SIDE CONSOLE: PHASE 5							Service	ATA:24
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 24.135	AFL	8208							
PROC. REF: AMM 24-50-01									
A245003 ^S	INSPECT AVIONICS RELAY JUNCTION BOX: PHASE 5							Service	ATA:24
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 24.140	AFL	8208							
PROC. REF: AMM 24-50-05									
A245004 ^S	INSPECT AFT POWER JUNCTION BOX: PHASE 5							Service	ATA:24
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 24.145	AFL	8208							
PROC. REF: AMM 24-50-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
A245006 ^S	INSPECT RIGHT PYLON STARTER GENERATOR CABLES AND WIRE BUNDLE: PHASE 4							Service	ATA:24
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 24.150	AFL	8208							
				PROC. REF: AMM 24-33-01				PKG:5	
B243001 ^S	OPERATIONAL TEST DC GENERATOR SYSTEM: PHASE 4							Service	ATA:24
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 24.155	AFL	8208							
				PROC. REF: AMM 24-31-00				PKG:5	
B244001 ^S	FUNCTIONAL TEST OVERVOLTAGE SYSTEM: PHASE 1							Service	ATA:24
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 24.160	AFL	8208							
				PROC. REF: AMM 24-41-01				PKG:2	
ATA 25 - EQUIPMENT/FURNISHINGS									
252001 ^U	PASSENGER SEAT BASE							Component	ATA:25
PN:6519397-1	MOS/MSC	13-Jan-11	O/C		TSR 0				
SN:48985	HRS	6709.6			TSR 0				
	AFL	7467			TSR 0				
252003 ^U	OAT-PROBE							Component	ATA:25
PN:2504-600	MOS/MSC	12-May-89	O/C						
SN:77093	HRS	1106			TSN 0				
	AFL								
252005 ^U	CABIN DISPLAY							Component	ATA:25
PN:2504-0121	MOS/MSC	02-Oct-84	O/C						
SN:57486	HRS	17			TSN 0				
	AFL								
252010 ^U	CLOCK/SIGN ASSEMBLY							Component	ATA:25
PN:1207-0049	MOS/MSC	27-Jan-87	O/C						
SN:60017	HRS	640			TSO 0				
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256002	LOCATOR BEACON TRANSMITTER							Component	ATA:25
PN:3000-1	MOS/MSC	02-Sep-92	O/C						
SN:322434	HRS	1873		TSN 0					
WC#: 25.005	AFL								
PROC. REF: AMM 25-61-02									
256003	REPLACE LOCATOR BEACON TRANSMITTER BATTERY							Component	ATA:25
PN:2020	MOS	03-Nov-23	36	TSN 13	31-Oct-25		409 d	REPLACE	
SN:NA	HRS	8004.7							
WC#: 25.010	AFL	8185							
PROC. REF: GENERIC NO REF									
256004	LEFT LOCATOR BEACON ANTENNA							Component	ATA:25
PN:ELT10-177-1	MOS/MSC	27-Sep-84	O/C						
SN:581	HRS	0		TSN 0					
WC#: 25.015	AFL	0		TSN 0					
PROC. REF: AMM 25-61-02									
256004	RIGHT LOCATOR BEACON ANTENNA							Component	ATA:25
PN:ELT10-177-2	MOS/MSC	27-Sep-84	O/C						
SN:598	HRS	0		TSN 0					
WC#: 25.020	AFL	0		TSN 0					
PROC. REF: AMM 25-61-02									
256010	NO. 1 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120221	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 2 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120222	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256010	NO. 3 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120223	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 4 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120224	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 5 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120225	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 6 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120226	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 7 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	19-Mar-21	120	TSN 0	31-Mar-31		2386 d		
SN:21020120227	HRS	7730.8							
	AFL	7955							
PROC. REF: GENERIC NO REF, GENERIC CMM									
256010	NO. 8 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	30-Jun-22	60	TSN 0	30-Jun-27		1016 d		
SN:2205020048	HRS	7874							
	AFL	8085							
PROC. REF: GENERIC NO REF, GENERIC CMM									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256010	NO. 9 LIFE PRESERVER							Component	ATA:25
PN:PO1074-207	MOS	30-Jun-22	60	TSN 0	30-Jun-27		1016 d		
SN:22050260047	HRS	7874							
	AFL	8085							
PROC. REF: GENERIC NO REF, GENERIC CMM									
25FO-05J	STRGE DRAWER #3 AFT FCG SEAT LATERL TRACK FACTORY OPTION							Component	ATA:25
PN:104J	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-05L	STRGE DRAWER #4 AFT FCG SEAT LATERL TRACK FACTORY OPTION							Component	ATA:25
PN:104L	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-05M	STRGE DRAWER #5 FWD FCG SEAT LATERL TRACK FACTORY OPTION							Component	ATA:25
PN:104M	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-05W	STORAGE DRAWER #10 SEAT LATERAL TRACK FACTORY OPTION							Component	ATA:25
PN:104W	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-10B	CENTER CLUB SEATING FACTORY OPTION							Component	ATA:25
PN:112B	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-20U	EXECUTIVE TABLE LH USED W/CENTER CLUB FACTORY OPTION							Component	ATA:25
PN:124U	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25FO-20V		EXECUTIVE TABLE RH USED W/CENTER CLUB FACTORY OPTION						Component	ATA:25
PN:124V	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-26W		STEREO-CASSETTE UNDER SEAT #5 FACTORY OPTION						Component	ATA:25
PN:138W	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
25FO-37		CHIMES UNIT FACTORY OPTION						Component	ATA:25
PN:166	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A251001^S		INSPECT PILOT'S AND COPILOT'S SEAT: PHASE 5						Service	ATA:25
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 25.025	AFL	8208							
PROC. REF: AMM 25-11-01									
PKG:8,85									
A251002^S		INSPECT PILOT AND COPILOT SEAT TRACK STOPS: PHASE 5						Service	ATA:25
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 25.030	AFL	8208							
PROC. REF: AMM 25-11-01									
PKG:8,85									
A251004^S		INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: PHASE 5						Service	ATA:25
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 25.035	AFL	8208							
PROC. REF: AMM 31-10-00									
PKG:8,81									
A252001^S		INSPECT PASSENGER SEAT: PHASE 5						Service	ATA:25
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 25.040	AFL	8208							
PROC. REF: AMM 25-21-01									
PKG:8,85									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A252002 ^S	INSPECT PASSENGER SEAT TRACK STOPS: PHASE 5							Service	ATA:25
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 25.045	AFL	8208							
				PROC. REF: AMM 25-21-01				PKG:8,85	
A256001 ^S	INSPECT EMERGENCY EQUIPMENT: PHASE 18							Service	ATA:25
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
WC#: 25.050	AFL	8208							
				PROC. REF: AMM 25-60-00				PKG:19	
A256003 ^S	INSPECT LIFE PRESERVER(S): PHASE 18							Service	ATA:25
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
WC#: 25.055	AFL	8208							
				PROC. REF: AMM 25-60-00				PKG:19	
B256001 ^S	VISUALLY EXAMINE/OPERATIONAL CHECK EMERGENCY LOCATOR BEACON TRANSMITTER - REQUIRED BY 14 CFR 91.207: PHASE 52							Service	ATA:25
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
WC#: 25.060	AFL	8208							
				PROC. REF: AMM 25-60-00				PKG:50	
ATA 26 - FIRE PROTECTION									
261001	LEFT ENGINE FIRE DETECTOR SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.005	AFL	0		TSN 0					
				PROC. REF: AMM 26-11-01					
261001	RIGHT ENGINE FIRE DETECTOR SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.010	AFL	0		TSN 0					
				PROC. REF: AMM 26-11-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261002		LEFT FIRE DETECTION CONTROL UNIT						Component	ATA:26
PN:377-02808	MOS/MSC	27-Sep-84	O/C						
SN:8412057	HRS	0		TSN 0					
WC#: 26.015	AFL	0		TSN 0					
PROC. REF: AMM 26-11-02									
261002		RIGHT FIRE DETECTION CONTROL UNIT						Component	ATA:26
PN:377-02808	MOS/MSC	27-Sep-84	O/C						
SN:8412063	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 26-11-02									
262001		AFT ENGINE FIRE EXTINGUISHER						Component	ATA:26
PN:32700015	MOS/MSC	04-Oct-96	O/C	TSO 0					
SN:13120C1	HRS	3130							
WC#: 26.025	AFL								
PROC. REF: AMM 26-21-01									
262001		FORWARD ENGINE FIRE EXTINGUISHER						Component	ATA:26
PN:898066-2	MOS/MSC	16-Jan-98	O/C	TSO 0					
SN:92419EJ	HRS	3585							
WC#: 26.030	AFL								
PROC. REF: AMM 26-21-01									
262002		AFT PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	19-Mar-21	O/C	TSN 0					
SN:G-18291746	HRS			TSN 0					
WC#: 26.035	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
262002		FORWARD PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C352TS	MOS/MSC	19-Mar-21	O/C	TSN 0					
SN:G-18291748	HRS			TSN 0					
WC#: 26.040	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
262003		REPLACE AFT LEFT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)						Service	ATA:26
PN:M13083-5	MOS	17-Nov-15	120 (+1m)	Adj -7	30-Apr-25	31-May-25	225 d (+31)	SERVICE LIFE LIMIT	
SN:32693	HRS	7304.6							
WC#: 26.050	AFL	7721							
Installation Date: : 17-Nov-15 PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262003	REPLACE AFT RIGHT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	17-Nov-15	120 (+1m)	Adj -7	30-Apr-25	31-May-25	225 d (+31)	SERVICE LIFE LIMIT	
SN:32668	HRS	7304.6							
WC#: 26.045	AFL	7721							
		Installation Date: : 17-Nov-15		PROC. REF: GENERIC NO REF					
262003	REPLACE FORWARD LEFT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M873364-1	MOS	17-Nov-15	144		30-Nov-27		1169 d		
SN:02854	HRS	7304.6							
WC#: 26.055	AFL	7721							
		Installation Date: : 17-Nov-15		PROC. REF: GENERIC NO REF					
262003	REPLACE FORWARD RIGHT FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M873364-1	MOS	17-Nov-15	144		30-Nov-27		1169 d		
SN:02853	HRS	7304.6							
WC#: 26.060	AFL	7721							
		Installation Date: : 17-Nov-15		PROC. REF: GENERIC NO REF					
262101	AFT LEFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	17-Nov-15	120 (+1m)		30-Apr-25	31-May-25	225 d (+31)	LIFE LIMIT	
SN:32693	HRS	7304.6							
WC#: 26.050	AFL	7721							
		Manufacture Date:: 01-Apr-15		PROC. REF: AMM 26-21-01					
262101	AFT RIGHT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	17-Nov-15	120 (+1m)		30-Apr-25	31-May-25	225 d (+31)	LIFE LIMIT	
SN:32668	HRS	7304.6							
WC#: 26.045	AFL	7721							
		Manufacture Date:: 01-Apr-15		PROC. REF: AMM 26-21-01					
262101	FORWARD LEFT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M873364-1	MOS	17-Nov-15	180		31-Jul-30		2143 d	LIFE LIMIT	
SN:02854	HRS	7304.6							
WC#: 26.055	AFL	7721							
		Manufacture Date:: 01-Jul-15		PROC. REF: AMM 26-21-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262101	FORWARD RIGHT FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M873364-1	MOS	17-Nov-15	180		31-Jul-30		2143 d	LIFE LIMIT	
SN:02853	HRS	7304.6							
WC#: 26.060	AFL	7721							
		Manufacture Date:: 01-Jul-15		PROC. REF: AMM 26-21-01					
A262003	AFT PORTABLE HAND FIRE EXTINGUISHER - INSPECT. TASK 26-22-00-783							Service	ATA:26
PN:C352TS	MOS	15-Aug-24	12 (+1m)		31-Aug-25	30-Sep-25	348 d (+30)		
SN:G-18291746	HRS	8032.6							
WC#: 26.065	AFL	8208							
		WeightCheck Date : : 15-Aug-24		PROC. REF: AMM 26-22-00				PKG:19	
A262003	FORWARD PORTABLE HAND FIRE EXTINGUISHER - INSPECT. TASK 26-22-00-783							Service	ATA:26
PN:C352TS	MOS	15-Aug-24	12 (+1m)		31-Aug-25	30-Sep-25	348 d (+30)		
SN:G-18291748	HRS	8032.6							
	AFL	8208							
		WeightCheck Date : : 15-Aug-24		PROC. REF: AMM 26-22-00				PKG:19	
B262002	HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER : PHASE 23							Service	ATA:26
PN:32700015	MOS	06-Sep-19	60 (+1m)		30-Sep-24	31-Oct-24	13 d (+31)		
SN:13120C1	HRS								
WC#: 26.070	AFL								
		HydroCheck Date: : 06-Sep-19		PROC. REF: AMM 26-21-00				PKG:32	
B262002	HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER : PHASE 23							Service	ATA:26
PN:898066-2	MOS	06-Sep-19	60 (+1m)		30-Sep-24	31-Oct-24	13 d (+31)		
SN:92419EJ	HRS								
	AFL								
		HydroCheck Date: : 06-Sep-19		PROC. REF: AMM 26-21-00				PKG:32	
B262003	HYDROSTATIC TEST AFT PORTABLE FIRE EXTINGUISHER : PHASE 47							Service	ATA:26
PN:C352TS	MOS	17-Mar-21	144 (+1m)		31-Mar-33	30-Apr-33	3117 d (+30)	HYDRO CHECK	
SN:G-18291746	HRS								
WC#: 26.075	AFL								
		HydroCheck Date: : 17-Mar-21		PROC. REF: AMM 26-22-00				PKG:43	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
B262003		HYDROSTATIC TEST FORWARD PORTABLE FIRE EXTINGUISHER : PHASE 47						Service	ATA:26
PN:C352TS	MOS	17-Mar-21	144 (+1m)		31-Mar-33	30-Apr-33	3117 d (+30)	HYDRO CHECK	
SN:G-18291748	HRS								
	AFL								
		HydroCheck Date: : 17-Mar-21	PROC. REF: AMM 26-22-00					PKG:43	
B262004		INSPECT AFT PORTABLE FIRE EXTINGUISHER FIRE EXTINGUISHERS-EMPTY, FOR DAMAGE AND RECHARGE: PHASE 48						Service	ATA:26
PN:C352TS	MOS	17-Mar-21	72 (+1m)		31-Mar-27	30-Apr-27	925 d (+30)		
SN:G-18291746	HRS								
WC#: 26.080	AFL								
		Inspection Date: : 17-Mar-21	PROC. REF: AMM 26-22-00					PKG:45	
B262004		INSPECT FORWARD PORTABLE FIRE EXTINGUISHER FIRE EXTINGUISHERS-EMPTY, FOR DAMAGE AND RECHARGE: PHASE 48						Service	ATA:26
PN:C352TS	MOS	17-Mar-21	72 (+1m)		31-Mar-27	30-Apr-27	925 d (+30)		
SN:G-18291748	HRS								
	AFL								
		Inspection Date: : 17-Mar-21	PROC. REF: AMM 26-22-00					PKG:45	
B262005^S		FUNCTIONAL TEST ENGINE FIRE EXTINGUISHER SYSTEM: PHASE 5						Service	ATA:26
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 26.085	AFL	8208							
								PROC. REF: AMM 26-21-00	
								PKG:8,69	
ATA 27 - FLIGHT CONTROLS									
271001		AILERON TRIM TAB ACTUATOR						Component	ATA:27
PN:6660361-30	MOS/MSC	15-Aug-24	O/C						
SN:14465	HRS	8032.6							
WC#: 27.005	AFL	8208							
								PROC. REF: AMM 27-11-07	
272001		RUDDER TRIM TAB ACTUATOR						Component	ATA:27
PN:5565450-102	MOS/MSC	13-Jan-11	O/C	TSO 0					
SN:2647-102	HRS	6709.6		TSO 0					
WC#: 27.010	AFL	7467		TSO 0					
								PROC. REF: AMM 27-21-05	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273002	ELECTRIC ELEVATOR TRIM ACTUATOR							Component	ATA:27
PN:44430-3357	MOS/MSC	01-May-96	O/C						
SN:T215A	HRS	3015		TSO 0					
WC#: 27.015	AFL								
PROC. REF: GENERIC NO REF									
273003	LEFT ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-201	MOS/MSC	22-Feb-18	O/C		TSO 0				
SN:9468-201	HRS	7526.3		TSO 0					
WC#: 27.020	AFL	7820							
PROC. REF: AMM 27-31-05									
273003	RIGHT ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-80	MOS/MSC	21-Apr-20	O/C		TSO 0				
SN:225-80	HRS	7662.2		TSO 0					
WC#: 27.025	AFL	7887							
PROC. REF: AMM 27-31-05									
275001	FLAP CONTROL VALVE							Component	ATA:27
PN:66720	MOS/MSC	06-Jun-13	O/C		TSN 0				
SN:3258	HRS	7017.3		TSN 0					
	AFL	7603		TSN 0					
PROC. REF: AMM 27-61-05									
275003	LEFT FLAP ACTUATOR							Component	ATA:27
PN:55800-1	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275003	RIGHT FLAP ACTUATOR							Component	ATA:27
PN:55800-1	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275004	LEFT WING LEFT INBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18			TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.040	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275004	LEFT WING LEFT OUTBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.045	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									
275004	LEFT WING RIGHT INBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.050	AFL	7820	5000	TSN 3274	9546		1338		
PROC. REF: GENERIC NO REF									
275004	LEFT WING RIGHT OUTBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.290	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									
275004	RIGHT WING LEFT INBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.055	AFL	7820	5000	TSN 3274	9546		1338		
PROC. REF: GENERIC NO REF									
275004	RIGHT WING LEFT OUTBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.060	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									
275004	RIGHT WING RIGHT INBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.065	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275004	RIGHT WING RIGHT OUTBOARD -AFT FLAP ROLLER							Component	ATA:27
PN:CC50380	MOS	22-Feb-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	7526.3		TSN 0					
WC#: 27.070	AFL	7820	5000	TSN 0	12820		4612		
PROC. REF: GENERIC NO REF									
276001	LEFT SPEED BRAKES ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	27-Sep-84	O/C						
SN:S111577	HRS	0		TSN 0					
WC#: 27.085	AFL	0		TSN 0					
PROC. REF: AMM 27-61-04									
276001	RIGHT SPEED BRAKES ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	27-Sep-84	O/C						
SN:S111887	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-61-04									
A271003 ^S	INSPECT AILERON AND AILERON TRIM TAB: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.095	AFL	8208							
PROC. REF: AMM 27-11-00									
A271004 ^S	INSPECT CONTROL WHEEL: PHASE 1							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.100	AFL	8208							
PROC. REF: AMM 27-11-00									
A271005 ^S	INSPECT AILERON, RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: PHASE 1							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.105	AFL	8208							
PROC. REF: AMM 27-11-00									
A271006 ^S	INSPECT AILERON CONTROL CABLES: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.110	AFL	8208							
PROC. REF: AMM 27-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A271007 ^S	INSPECT AILERON TRIM CABLE: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.115	AFL	8208							
	PROC. REF: AMM 27-11-00								PKG:8,87
A271008 ^S	INSPECT AILERON DRIVE BRACKET (PART NUMBER 6524004-10): PHASE 32							Service	ATA:27
	MOS	27-Sep-84		TAC 0					
	HRS			TAC 0					
WC#: 27.120	AFL	0	T:15000	TAC 0					
	PROC. REF: AMM 27-11-00								PKG:39
A271009 ^S	INSPECT AILERON YOKE (PART NUMBERS 6524004-3 AND 6524004-6): PHASE 33							Service	ATA:27
	MOS	27-Sep-84		TAC 0					
	HRS			TAC 0					
WC#: 27.125	AFL	0	T:15000	TAC 0					
	PROC. REF: AMM 27-11-00								PKG:40
A272002 ^S	INSPECT RUDDER AND RUDDER TRIM TAB: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.130	AFL	8208							
	PROC. REF: AMM 27-21-00								PKG:3
A272003 ^S	INSPECT RUDDER PEDALS: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.135	AFL	8208							
	PROC. REF: AMM 27-21-00								PKG:8,87
A272005 ^S	INSPECT RUDDER CABLES: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.140	AFL	8208							
	PROC. REF: AMM 27-21-00								PKG:8,87
A272006 ^S	INSPECT RUDDER TRIM CABLES: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.145	AFL	8208							
	PROC. REF: AMM 27-21-00								PKG:8,87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273002 ^S	INSPECT ELEVATOR EXTERNAL: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.285	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:3	
A273005 ^S	INSPECT CONTROL COLUMN: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.150	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,87	
A273006 ^S	INSPECT ELEVATOR LINKAGE: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.155	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,79	
A273007 ^S	INSPECT FLAP/ELEVATOR ELECTRIC TRIM MIXER ASSEMBLY: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.160	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,75	
A273008 ^S	INSPECT ELEVATOR CABLES: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.280	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,87	
A273009 ^S	INSPECT ELEVATOR TRIM CABLES: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.165	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,87	
A275003 ^S	INSPECT FLAP POSITION PRE-SELECT CABLE: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.170	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A275007 ^S	INSPECT FLAP BELL CRANKS: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.175	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,87	
A275021 ^S	INSPECT FLAP SYSTEM CROSSTIE CABLE SYSTEM: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.180	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,87	
A275022 ^S	INSPECT FLAP/ELEVATOR TRIM MIXER INTERCONNECT CABLE SYSTEM: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.185	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,87	
A276001 ^S	INSPECT SPEED BRAKE SYSTEM: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.190	AFL	8208							
				PROC. REF: AMM 27-61-00				PKG:8,83	
B271001 ^S	CHECK AILERON TRIM TAB FREE PLAY: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.195	AFL	8208							
				PROC. REF: AMM 27-11-00				PKG:3	
B271002 ^S	CHECK AILERON AND AILERON TRIM TABTRAVEL: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.200	AFL	8208							
				PROC. REF: AMM 27-11-00				PKG:8,87	
B272001 ^S	CHECK RUDDER TRIM TAB FREE PLAY: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.205	AFL	8208							
				PROC. REF: AMM 27-21-00				PKG:8,79	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B272004 ^S	CHECK RUDDER-TRAVEL: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.210	AFL	8208							
				PROC. REF: AMM 27-21-00				PKG:8,87	
B273003 ^S	CHECK ELEVATOR AND ELEVATOR TRIM TAB TRAVEL: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.215	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,87	
B273004 ^S	CHECK ELEVATOR TRIM TAB FREE PLAY: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.275	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,79	
B273007 ^S	TEST ELEVATOR ELECTRICAL TRIM MIXER-TEST: PHASE 1							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.220	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:2	
B275004 ^S	OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.225	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,69	
B275006 ^S	CHECK FLAPS TRAVEL: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.230	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,83	
B275009 ^S	CHECK FLAP HYDRAULIC ACTUATOR FOR LEAKS: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.235	AFL	8208							
				PROC. REF: AMM 27-51-00				PKG:8,87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B277001 ^S	OPERATIONAL CHECK CONTROL LOCK SYSTEM: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.240	AFL	8208							
				PROC. REF: AMM 27-71-00				PKG:8,69	
C271100 ^S	LUBRICATE AILERON TRIM TAB ACTUATOR: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.245	AFL	8208							
				PROC. REF: AMM 27-11-00				PKG:3	
C271101 ^S	INSPECT AILERON TRIM TAB ACTUATOR: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.250	AFL	8208							
				PROC. REF: AMM 27-11-00				PKG:8,87	
C272100 ^S	LUBRICATE RUDDER TRIM TAB ACTUATOR: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.255	AFL	8208							
				PROC. REF: AMM 27-21-00				PKG:3	
C272101 ^S	INSPECT RUDDER TRIM TAB ACTUATOR: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.260	AFL	8208							
				PROC. REF: AMM 27-21-00				PKG:8,87	
C273100 ^S	LUBRICATE ELEVATOR TRIM TAB ACTUATOR: PHASE 2							Service	ATA:27
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 27.265	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:3	
C273101 ^S	INSPECT ELEVATOR TRIM TAB ACTUATOR: PHASE 5							Service	ATA:27
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 27.270	AFL	8208							
				PROC. REF: AMM 27-31-00				PKG:8,87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS	15-Aug-24	3		30-Nov-24		74 d	DISCRETIONARY	
	HRS	8032.6							
	AFL	8208							
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC		N/A					DISCRETIONARY	
	HRS								
	AFL								
282001	LEFT MOTOR DRIVEN FUEL PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	27-Sep-84	O/C						
SN:6K58	HRS	0		TSN 0					
WC#: 28.005	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282001	RIGHT MOTOR DRIVEN FUEL PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	27-Sep-84	O/C						
SN:2M11	HRS	0		TSN 0					
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284001	LEFT LOW LEVEL FUEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: AMM 28-42-00									
284001	RIGHT LOW LEVEL FUEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	04-Aug-90	O/C						
SN:3064	HRS	1422		TSN 0					
WC#: 28.030	AFL								
PROC. REF: AMM 28-42-00									
284002	LEFT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:300047-13001	MOS/MSC	27-Sep-84	O/C						
SN:14685P	HRS	0		TSN 0					
WC#: 28.035	AFL	0		TSN 0					
PROC. REF: AMM 28-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284002	RIGHT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:300047-13001	MOS/MSC	27-Sep-84	O/C						
SN:14740P	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-41-02									
284007	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:VSDL-OC403D-1	MOS/MSC	04-Feb-08	O/C						
SN:339	HRS	6246		TSO 0					
WC#: 28.045	AFL								
PROC. REF: AMM 28-41-03									
28FO-01	FUEL CAP LOCKING FACTORY OPTION							Component	ATA:28
PN:36	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A281001 ^S	INSPECT WING FUEL STORAGE AREA: PHASE 5							Service	ATA:28
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 28.050	AFL	8208							
PROC. REF: AMM 28-10-00									
PKG:8,83									
A282002 ^S	INSPECT WING DRY BAY FUEL SYSTEM: PHASE 5							Service	ATA:28
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 28.055	AFL	8208							
PROC. REF: AMM 28-20-00									
PKG:8,83									
B282003 ^S	OPERATIONAL CHECK FUEL SYSTEM: PHASE 5							Service	ATA:28
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 28.060	AFL	8208							
PROC. REF: AMM 28-20-00									
PKG:8,73									
B284001 ^S	OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: PHASE 5							Service	ATA:28
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 28.065	AFL	8208							
PROC. REF: AMM 28-42-00									
PKG:8,73									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
D282002 ^S	CHANGE FUEL FILTER ELEMENT: PHASE 5							Service	ATA:28
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 28.070	AFL	8208							
PROC. REF: AMM 28-20-00								PKG:8,83	
ATA 29 - HYDRAULIC POWER									
291001	HYDRAULIC RESERVOIR ASSEMBLY							Component	ATA:29
PN:7140-4	MOS/MSC	27-Sep-84	O/C						
SN:1854	HRS	0		TSN 0					
WC#: 29.005	AFL	0		TSN 0					
PROC. REF: AMM 29-11-01									
291002	LEFT ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:4120-004000	MOS/MSC	25-Aug-99	O/C						
SN:2267	HRS	4118		TSN 0					
WC#: 29.010	AFL								
PROC. REF: AMM 29-11-03									
291002	RIGHT ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:4120-004000	MOS/MSC	25-Aug-99	O/C						
SN:1338	HRS	4118		TSO 4118					
WC#: 29.015	AFL								
PROC. REF: AMM 29-11-03									
291005	LEFT HYDRAULIC W/FLOW DETECTOR CHECK VALVE							Component	ATA:29
PN:3520020100-4	MOS/MSC	27-Sep-84	O/C						
SN:1862	HRS	0		TSN 0					
WC#: 29.020	AFL	0		TSN 0					
PROC. REF: AMM 29-11-05									
291005	RIGHT HYDRAULIC W/FLOW DETECTOR CHECK VALVE							Component	ATA:29
PN:3520020100-4	MOS/MSC	30-Jul-13	O/C		TSN 0				
SN:07719	HRS	7038.8		TSN 0					
WC#: 29.025	AFL	7614							
PROC. REF: AMM 29-11-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291007		LEFT HYDRAULIC FIREWALL SHUTOFF VALVE					Component	ATA:29	
PN:149145	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1361					
WC#: 29.030	AFL	0		TSN 0					
PROC. REF: AMM 29-11-02									
291007		RIGHT HYDRAULIC FIREWALL SHUTOFF VALVE					Component	ATA:29	
PN:149145	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSO 1361					
WC#: 29.035	AFL	0		TSN 0					
PROC. REF: AMM 29-11-02									
291012		HYDRAULIC BY-PASS VALVE					Component	ATA:29	
PN:61510-1	MOS/MSC	06-Jun-13	O/C	TSO 0					
SN:1311A	HRS	7017.3		TSO 0					
WC#: 29.040	AFL	7603		TSO 0					
PROC. REF: AMM 29-11-06									
A291002^S		INSPECT HYDRAULIC SUB-PANEL: PHASE 1					Service	ATA:29	
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 29.045	AFL	8208							
PROC. REF: AMM 29-11-06									
PKG:1,2,4									
D291001^S		INSPECT/REPLACE HYDRAULIC FILTERS AND FILTER ELEMENTS: PHASE 5					Service	ATA:29	
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 29.050	AFL	8208							
PROC. REF: AMM 29-11-04									
PKG:8,75									
ATA 30 - ICE AND RAIN PROTECTION									
301001		AFT ANTI-ICE PUMP					Component	ATA:30	
PN:XA9511A010	MOS/MSC	16-Aug-06	O/C						
SN:T12178426031	HRS	6045		TSO 0					
WC#: 30.005	AFL								
PROC. REF: AMM 30-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301001 FORWARD ANTI-ICE PUMP Component ATA:30								
PN:XA9511A005	MOS/MSC	07-Feb-01	O/C					
SN:T121584	HRS	4575		TSO 0				
WC#: 30.010	AFL							
PROC. REF: AMM 30-10-00								
301002 LEFT LOW PRESSURE SWITCH Component ATA:30								
PN:PO67B078	MOS/MSC	14-Dec-84	O/C					
SN:T76884	HRS	74		TSN 0				
WC#: 30.015	AFL							
PROC. REF: AMM 30-10-00								
301002 RIGHT LOW PRESSURE SWITCH Component ATA:30								
PN:PO67B078	MOS/MSC	14-Dec-84	O/C					
SN:T49283	HRS	74		TSN 0				
WC#: 30.020	AFL							
PROC. REF: AMM 30-10-00								
301003 ANTI-ICE TANK ASSY Component ATA:30								
PN:6514007-5	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.025	AFL	0		TSN 0				
PROC. REF: AMM 30-10-00								
301004 ANTI-ICE FLUID INDICATOR Component ATA:30								
PN:19-435-02	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301005 LEFT SURF SOLENOID VALVE Component ATA:30								
PN:FV137	MOS/MSC	14-Dec-84	O/C					
SN:UNKNOWN	HRS	74		TSN 0				
WC#: 30.040	AFL							
PROC. REF: AMM 30-10-00, AMM 30-10-00								
301005 RIGHT SURF SOLENOID VALVE Component ATA:30								
PN:FV137	MOS/MSC	14-Dec-84	O/C					
SN:T3184	HRS	74		TSN 0				
WC#: 30.045	AFL							
PROC. REF: AMM 30-10-00, AMM 30-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301005 SOLENOID VALVE Component ATA:30								
PN:FV137	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.035	AFL	0		TSN 0				
PROC. REF: AMM 30-10-00, AMM 30-10-00								
301006 LEFT INBOARD HORIZONTAL STABILIZER PANEL Component ATA:30								
PN:D3717	MOS/MSC	14-Dec-84	O/C					
SN:84R17	HRS	74		TSN 0				
WC#: 30.050	AFL							
PROC. REF: GENERIC NO REF								
301006 LEFT OUTBOARD HORIZONTAL STABILIZER PANEL Component ATA:30								
PN:D3715	MOS/MSC	14-Dec-84	O/C					
SN:84J15	HRS	74		TSN 0				
WC#: 30.055	AFL							
PROC. REF: GENERIC NO REF								
301006 RIGHT INBOARD HORIZONTAL STABILIZER PANEL Component ATA:30								
PN:D3718	MOS/MSC	14-Dec-84	O/C					
SN:84J18	HRS	74		TSN 0				
WC#: 30.060	AFL							
PROC. REF: GENERIC NO REF								
301006 RIGHT OUTBOARD HORIZONTAL STABILIZER PANEL Component ATA:30								
PN:D3716	MOS/MSC	14-Dec-84	O/C					
SN:84L16	HRS	74		TSN 0				
WC#: 30.065	AFL							
PROC. REF: GENERIC NO REF								
301007 LEFT NO.1 WING PANEL Component ATA:30								
PN:D3709	MOS/MSC	14-Dec-84	O/C					
SN:84K9	HRS	74		TSN 0				
WC#: 30.070	AFL							
PROC. REF: GENERIC NO REF								
301007 LEFT NO.2 WING PANEL Component ATA:30								
PN:D3731	MOS/MSC	14-Dec-84	O/C					
SN:84D7	HRS	74		TSN 0				
WC#: 30.075	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301007	LEFT NO.3 WING PANEL							Component	ATA:30
PN:D3729	MOS/MSC	14-Dec-84	O/C						
SN:84E5	HRS	74		TSN 0					
WC#: 30.080	AFL								
PROC. REF: GENERIC NO REF									
301007	LEFT NO.4 WING PANEL							Component	ATA:30
PN:D3703	MOS/MSC	14-Dec-84	O/C						
SN:84J3	HRS	74		TSN 0					
WC#: 30.085	AFL								
PROC. REF: GENERIC NO REF									
301007	LEFT NO.5 WING PANEL							Component	ATA:30
PN:D3701	MOS/MSC	14-Dec-84	O/C						
SN:84D1	HRS	74		TSN 0					
WC#: 30.090	AFL								
PROC. REF: GENERIC NO REF									
301007	RIGHT NO.1 WING PANEL							Component	ATA:30
PN:D3710	MOS/MSC	14-Dec-84	O/C						
SN:84D10	HRS	74		TSN 0					
WC#: 30.095	AFL								
PROC. REF: GENERIC NO REF									
301007	RIGHT NO.2 WING PANEL							Component	ATA:30
PN:D3732	MOS/MSC	14-Dec-84	O/C						
SN:84J8	HRS	74		TSN 0					
WC#: 30.100	AFL								
PROC. REF: GENERIC NO REF									
301007	RIGHT NO.3 WING PANEL							Component	ATA:30
PN:D3730	MOS/MSC	14-Dec-84	O/C						
SN:84J6	HRS	74		TSN 0					
WC#: 30.105	AFL								
PROC. REF: GENERIC NO REF									
301007	RIGHT NO.4 WING PANEL							Component	ATA:30
PN:D3704	MOS/MSC	14-Dec-84	O/C						
SN:84Q4	HRS	74		TSN 0					
WC#: 30.110	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301007	RIGHT NO.5 WING PANEL							Component	ATA:30
PN:D3702	MOS/MSC	14-Dec-84	O/C						
SN:84D2	HRS	74		TSN 0					
WC#: 30.115	AFL								
PROC. REF: GENERIC NO REF									
301008	LEFT FAIRING PANEL							Component	ATA:30
PN:D3714	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301008	RIGHT FAIRING PANEL							Component	ATA:30
PN:D3713	MOS/MSC	14-Dec-84	O/C						
SN:84Q14	HRS	74		TSN 0					
WC#: 30.125	AFL								
PROC. REF: GENERIC NO REF									
301009	LEFT SURF PROPORTIONER							Component	ATA:30
PN:PU306DW38	MOS/MSC	14-Dec-84	O/C						
SN:T30584	HRS	74		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REF									
301009	RIGHT SURF PROPORTIONER							Component	ATA:30
PN:PU306DW38	MOS/MSC	14-Dec-84	O/C						
SN:T5084	HRS	74		TSN 0					
WC#: 30.135	AFL								
PROC. REF: GENERIC NO REF									
301010	ENGINE PROPORTIONER							Component	ATA:30
PN:PU306DC39	MOS/MSC	13-Dec-85	O/C						
SN:D25285	HRS	318		TSN 0					
WC#: 30.150	AFL								
PROC. REF: GENERIC NO REF									
301011	HOR/STB PROPORTIONER							Component	ATA:30
PN:PU306DT41	MOS/MSC	14-Dec-84	O/C						
SN:T124284	HRS	74		TSN 0					
WC#: 30.140	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301012 ICE DETECTOR Component ATA:30								
PN:871DN1	MOS/MSC	12-Jul-88	O/C					
SN:31	HRS	947		TSN 0				
WC#: 30.145	AFL							
PROC. REF: AMM 30-81-00								
301013 SURF PUMP CHECK VALVE Component ATA:30								
PN:FV121	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301014 LEFT FAIRING PANEL PRESSURE SWITCH Component ATA:30								
PN:PO67L025	MOS/MSC	14-Dec-84	O/C					
SN:T13784	HRS	74		TSN 0				
WC#: 30.370	AFL							
PROC. REF: GENERIC NO REF								
301014 LEFT INBOARD FAIRING PANEL PRESSURE SWITCH Component ATA:30								
PN:PO67L015	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.155	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301014 RIGHT FAIRING PANEL PRESSURE SWITCH Component ATA:30								
PN:PO67L025	MOS/MSC	14-Dec-84	O/C					
SN:T16784	HRS	74		TSN 0				
WC#: 30.160	AFL							
PROC. REF: GENERIC NO REF								
301014 RIGHT INBOARD FAIRING PANEL PRESSURE SWITCH Component ATA:30								
PN:PO67L015	MOS/MSC	27-Sep-84	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.165	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301016 LEFT WING PANEL PRESSURE SWITCH Component ATA:30								
PN:PO67LC050	MOS/MSC	14-Dec-84	O/C					
SN:T67984	HRS	74		TSN 0				
WC#: 30.180	AFL							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301016	RIGHT WING PANEL PRESSURE SWITCH							Component	ATA:30
PN:PO67LC050	MOS/MSC	14-Dec-84	O/C						
SN:M6884	HRS	74		TSN 0					
WC#: 30.185	AFL								
PROC. REF: GENERIC NO REF									
301017	LEFT INBOARD HORIZONTAL STABILIZER PRESSURE SWITCH							Component	ATA:30
PN:PO67L015	MOS/MSC	09-Mar-90	O/C						
SN:T29284	HRS	1275		TSN 0					
WC#: 30.190	AFL								
PROC. REF: GENERIC NO REF									
301017	LEFT OUTBOARD HORIZONTAL STABILIZER PRESSURE SWITCH							Component	ATA:30
PN:PO67L025	MOS/MSC	14-Dec-84	O/C						
SN:T15084	HRS	74		TSN 0					
WC#: 30.195	AFL								
PROC. REF: GENERIC NO REF									
301017	RIGHT INBOARD HORIZONTAL STABILIZER PRESSURE SWITCH							Component	ATA:30
PN:PO67L025	MOS/MSC	14-Dec-84	O/C						
SN:T111084	HRS	74		TSN 0					
WC#: 30.200	AFL								
PROC. REF: GENERIC NO REF									
301017	RIGHT OUTBOARD HORIZONTAL STABILIZER PRESSURE SWITCH							Component	ATA:30
PN:PO67L025	MOS/MSC	14-Dec-84	O/C						
SN:T17484	HRS	74		TSN 0					
WC#: 30.205	AFL								
PROC. REF: GENERIC NO REF									
301018	ENGINE PUMP CHECK VALVE							Component	ATA:30
PN:FV147	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301019	RIGHT SURF TEE CHECK VALVE							Component	ATA:30
PN:FV147	MOS/MSC	14-Dec-84	O/C						
SN:T150284	HRS	74		TSN 0					
WC#: 30.215	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301021	SURF TO ENGINE CHECK VALVE							Component	ATA:30
PN:FV147	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
301022	INBOARD SURF CHECK VALVE							Component	ATA:30
PN:FV147	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.225	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
302003	LEFT ENGINE BLEED AIR VALVE							Component	ATA:30
PN:1946-00-16	MOS/MSC	13-Jul-00	O/C						
SN:1248	HRS	4394		TSN 0					
WC#: 30.235	AFL								
PROC. REF: GENERIC NO REF									
302003	RIGHT ENGINE BLEED AIR VALVE							Component	ATA:30
PN:1946-00-16	MOS/MSC	16-Aug-06	O/C						
SN:3413C	HRS	6045		TSO 0					
WC#: 30.240	AFL								
PROC. REF: GENERIC NO REF									
302004	LEFT ANTI ICE TEMP SWITCH							Component	ATA:30
PN:21548-2-19-6	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.375	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
302004	RIGHT ANTI ICE TEMP SWITCH							Component	ATA:30
PN:21548-2-19-6	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.245	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
303001	LEFT PITOT TUBE							Component	ATA:30
PN:PH502	MOS/MSC	14-Dec-17	O/C		TSN 0				
SN:AS10155509	HRS	7512			TSN 0				
WC#: 30.380	AFL	7812			TSN 0				
PROC. REF: AMM 34-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
303001		RIGHT PITOT TUBE					Component		ATA:30
PN:PH502	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.250	AFL	0		TSN 0					
PROC. REF: AMM 34-11-00									
303002		LEFT PILOT STATIC PORT					Component		ATA:30
PN:CM2933-7	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.255	AFL	0		TSN 0					
PROC. REF: AMM 34-11-00									
303002		RIGHT CO-PILOT STATIC PORT					Component		ATA:30
PN:CM2933-7	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.260	AFL	0		TSN 0					
PROC. REF: AMM 34-11-00									
303003		LEFT CO-PILOT STATIC PORT					Component		ATA:30
PN:CM2933-7	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.265	AFL	0		TSN 0					
PROC. REF: AMM 34-11-00									
303003		RIGHT PILOT STATIC PORT					Component		ATA:30
PN:CM2933-7	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.270	AFL	0		TSN 0					
PROC. REF: AMM 34-11-00									
304001		HOT AIR TEMPERATURE MONITOR-					Component		ATA:30
PN:1169-1	MOS/MSC	05-Dec-14	O/C	TSO 0					
SN:1448	HRS	7207.2		TSO 0					
WC#: 30.275	AFL	7689							
PROC. REF: GENERIC NO REF									
304002		HEAT EXCHANGER					Component		ATA:30
PN:10663A	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.280	AFL	0		TSN 0					
PROC. REF: AMM 30-41-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304004	ALCOHOL PUMP							Component	ATA:30
PN:476411	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-42-00									
304005	TEMPERATURE CONTROL VALVE							Component	ATA:30
PN:27241287	MOS/MSC	27-Sep-84	O/C						
SN:7K0048	HRS	0		TSN 0					
WC#: 30.285	AFL	0		TSN 0					
PROC. REF: AMM 30-41-02									
304006	TEMPERATURE CONTROLLER							Component	ATA:30
PN:27231272	MOS/MSC	27-Sep-84	O/C						
SN:6K0111	HRS	0		TSN 0					
WC#: 30.290	AFL	0		TSN 0					
PROC. REF: AMM 30-41-02									
304009	WINDSHIELD BLEED AIR VALVE							Component	ATA:30
PN:226395-1	MOS/MSC	27-Sep-84	O/C						
SN:7	HRS	0		TSN 0					
WC#: 30.295	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A301002 ^S	COMPLETE WING LEADING EDGE: PHASE 53							Service	ATA:30
	MOS	15-Aug-24	72 (+1m)						
	HRS	8032.6	2400 (+30)						
WC#: 30.300	AFL	8208							
PROC. REF: AMM 30-10-00									
A301010 ^S	INSPECT TKS SYSTEM TANK: PHASE 2							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.305	AFL	8208							
PROC. REF: AMM 30-10-00									
A301011 ^S	INSPECT TKS SYSTEM TANK PUMPS: PHASE 2							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.310	AFL	8208							
PROC. REF: AMM 30-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
A301012 ^S	INSPECT TKS SYSTEM FILTERS: PHASE 2							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.315	AFL	8208							
				PROC. REF: AMM 30-10-00				PKG:3	
A301013 ^S	INSPECT TKS SYSTEM SOLENOID VALVES: PHASE 2							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.320	AFL	8208							
				PROC. REF: AMM 30-10-00				PKG:3	
A301016 ^S	INSPECT ICE DETECTION SYSTEM INTERPRETER UNIT AND DETECTOR UNIT: PHASE 2							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.325	AFL	8208							
				PROC. REF: AMM 30-10-00				PKG:3	
A304001 ^S	INSPECT WINDSHIELD BLEED AIR AUGMENTER DOOR AND SHROUD: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.330	AFL	8208							
				PROC. REF: AMM 30-41-00				PKG:8,67	
A304003 ^S	INSPECT WINDSHIELD BLEED AIR CONTROLS: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.335	AFL	8208							
				PROC. REF: AMM 30-41-04				PKG:8,81	
A304004 ^S	INSPECT WINDSHIELD ALCOHOL RESERVOIR AND VENT LINE: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.340	AFL	8208							
				PROC. REF: AMM 30-42-00				PKG:8,65	
B304001 ^S	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.345	AFL	8208							
				PROC. REF: AMM 30-41-00				PKG:8,69	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
B304004 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: PHASE 1							Service	ATA:30
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 30.350	AFL	8208							
				PROC. REF: AMM 30-42-00				PKG:2	
C301010 ^S	REMOVE/CLEAN/REINSTALL TKS TANK STRAINER: PHASE 26							Service	ATA:30
	MOS	15-Aug-24	24 (+1m)						
	HRS	8032.6	3000 (+30)						
WC#: 30.355	AFL	8208							
				PROC. REF: AMM 30-10-00				PKG:36	
C301012 ^S	REPLACE TKS SYSTEM FILTERS: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.360	AFL	8208							
				PROC. REF: AMM 30-10-00				PKG:8,65	
D304004 ^S	INSPECT/CLEAN WINDSHIELD ALCOHOL RESERVOIR FILTER: PHASE 5							Service	ATA:30
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 30.365	AFL	8208							
				PROC. REF: AMM 30-42-00				PKG:8,65	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312003 LEFT DIGITAL CLOCK Component ATA:31								
PN:811B	MOS/MSC	27-Sep-84	O/C					
SN:18548	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: AMM 31-20-02, AMM 31-20-03								
313001 FLIGHT HOURMETER Component ATA:31								
PN:C664503-0104	MOS/MSC	10-Aug-94	O/C					
SN:UNKNOWN	HRS	2467		TSN 0				
WC#: 31.020	AFL							
PROC. REF: AMM 31-21-00								
A313001^S INSPECT FLIGHT DATA RECORDER: PHASE 5 Service ATA:31								
	MOS	15-Aug-24	36 (+2m)					
	HRS	8032.6	1200 (+100)					
WC#: 31.040	AFL	8208						
PROC. REF: AMM 31-30-00								
ATA 32 - LANDING GEAR								
321001 LEFT MAIN LANDING GEAR ASSY Component ATA:32								
PN:6641000-33	MOS	21-Apr-20						LIFE LIMIT
SN:943	HRS	7662.2						
WC#: 32.005	AFL	7887	25800	TSN 8329	25358		17150	
PROC. REF: AMM 32-11-01								
321002 RIGHT MAIN LANDING GEAR ASSY Component ATA:32								
PN:6641000-34	MOS	21-Apr-20						LIFE LIMIT
SN:928	HRS	7662.2						
WC#: 32.010	AFL	7887	25800	TSN 5778	27909		19701	
PROC. REF: AMM 32-11-01								
321003 LEFT MAIN LANDING GEAR TORQUE LINK BOLT Component ATA:32								
PN:5541220-2	MOS	04-Aug-00						
SN:UNKNOWN	HRS	4408						
WC#: 32.015	AFL	4951	21500	TSN 0	26451		18243	
PROC. REF: AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321003	RIGHT MAIN LANDING GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	27-Sep-84							
SN:UNKNOWN	HRS	0							
WC#: 32.020	AFL	0	21500	TSO 1386, Adj 1386	21500		13292		
PROC. REF: AMM 32-11-01									
322001	NOSE LANDING GEAR ASSY							Component	ATA:32
PN:6642000-2	MOS	27-Sep-84						LIFE LIMIT	
SN:8	HRS	0		TSN 0					
WC#: 32.025	AFL	0	23900	TSN 0	23900		15692		
PROC. REF: AMM 32-21-01									
322002	NOSE GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-11	MOS/MSC	20-Dec-03	O/C						
SN:107911	HRS	5420							
WC#: 32.030	AFL	6135		TSO 0					
PROC. REF: AMM 32-21-02									
322004	NOSE LANDING GEAR FORK							Component	ATA:32
PN:6642000-803	MOS	29-Jul-96						LIFE LIMIT	
SN:UNKNOWN	HRS	3065							
WC#: 32.035	AFL	4049	13800	TSN 0	17849		9641		
PROC. REF: AMM 32-21-01									
322005	NOSE GEAR ACTUATOR FITTING							Component	ATA:32
PN:5511169-1	MOS	27-Sep-84						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.040	AFL	0	23900	TSN 0	23900		15692		
PROC. REF: AMM 32-31-03									
322006	LEFT NOSE GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:6613056-1	MOS	27-Sep-84						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.045	AFL	0	11600	TSN 0	11600		3392		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322006	RIGHT NOSE GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:6613056-2	MOS	27-Sep-84						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.050	AFL	0	11600	TSN 0	11600		3392		
PROC. REF: GENERIC NO REF									
322007	NOSE GEAR TRUNNION							Component	ATA:32
PN:5542301-9	MOS	27-Sep-84						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.055	AFL	0	23900	TSN 0	23900		15692		
PROC. REF: GENERIC NO REF									
322008	NOSE LANDING GEAR PISTON WELD ASSEMBLY							Component	ATA:32
PN:6642100-2	MOS	27-Sep-84						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.060	AFL	0	13800	TSN 0	13800		5592		
PROC. REF: GENERIC NO REF									
323001	LEFT MAIN LANDING GEAR SIDE BRACE ACTUATOR							Component	ATA:32
PN:1523100-3	MOS	18-Mar-16						LIFE LIMIT	
SN:DA1086	HRS	7344.1							
WC#: 32.065	AFL	7741	25800	TSN 7553	25988		17780		
	ACH								
PROC. REF: GENERIC NO REF									
323002	RIGHT MAIN LANDING GEAR SIDE BRACE ACTUATOR							Component	ATA:32
PN:2-7442-4	MOS	16-Aug-06						LIFE LIMIT	
SN:DA1162	HRS	6045							
WC#: 32.070	AFL	7097	25800	TSN 996	31901		23693		
PROC. REF: GENERIC NO REF									
323003	NOSE LANDING GEAR ACTUATOR							Component	ATA:32
PN:1523200-5	MOS	17-Aug-23			TSO 0			LIFE LIMIT	
SN:880B	HRS	7989.4			TSO 0				
WC#: 32.075	AFL	8175	23900	TSN 4734, TSO 0	27341		19133		
PROC. REF: AMM 32-31-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323004	LEFT LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	18-Mar-16	O/C	TSO 10					
SN:CE2535	HRS	7344.1		TSO 0					
WC#: 32.080	AFL	7741							
PROC. REF: GENERIC NO REF									
323004	NOSE LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	27-Sep-84	O/C						
SN:347	HRS	0		TSN 0					
WC#: 32.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
323004	RIGHT LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	18-Mar-16	O/C	TSO 10					
SN:WMP1254	HRS	7344.1		TSO 0					
WC#: 32.090	AFL	7741							
PROC. REF: GENERIC NO REF									
323006	EMERGENCY GEAR AIR BOTTLE							Component	ATA:32
PN:212940-2	MOS	19-Mar-21	288 (+1m)	TSN 147, TSR 0	31-Dec-32	31-Jan-33	3027 d (+31)	LIFE LIMIT	
SN:6648	HRS			TSN 0, TSR 0					
WC#: 32.135	AFL			TSN 0, TSO 0, TSR 0					
PROC. REF: AMM 32-31-09									
323007	GEAR CONTROL VALVE							Component	ATA:32
PN:2710969	MOS/MSC	27-Sep-84	O/C						
SN:1500	HRS	0		TSN 0					
WC#: 32.095	AFL	0		TSN 0					
PROC. REF: AMM 32-31-02									
323008	DUMP VALVE							Component	ATA:32
PN:AS19400-1	MOS/MSC	12-Jul-88	O/C						
SN:1431	HRS	947		TSN 0					
WC#: 32.100	AFL								
PROC. REF: AMM 32-31-06									
323019	EMERGENCY AIR BOTTLE GAGE							Component	ATA:32
PN:2341128	MOS/MSC	27-Sep-84	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324001	LEFT MAIN WHEEL ASSEMBLY							Component	ATA:32
PN:500-725-1	MOS/MSC	07-Jul-08	O/C						
SN:0885	HRS	6369							
WC#: 32.115	AFL	7299			TSO 0				
					PROC. REF: AMM 32-41-01				
324001	RIGHT MAIN WHEEL ASSEMBLY							Component	ATA:32
PN:3-1490-1	MOS/MSC	18-Nov-91	O/C						
SN:917	HRS	1716							
WC#: 32.125	AFL	1682			TSN 0				
					PROC. REF: AMM 32-41-01				
324002	NOSE WHEEL ASSEMBLY							Component	ATA:32
PN:9544207	MOS/MSC	29-Jul-96	O/C						
SN:7965	HRS	3065							
WC#: 32.145	AFL	4049			TSN 0				
					PROC. REF: AMM 32-41-02				
324003	LEFT BRAKE ASSEMBLY							Component	ATA:32
PN:2-1529-7	MOS/MSC	21-Apr-20	O/C		TSO 0				
SN:0804R	HRS	7662.2			TSO 0				
WC#: 32.255	AFL	7887							
					PROC. REF: AMM 32-42-01				
324004	RIGHT BRAKE ASSEMBLY							Component	ATA:32
PN:2-1529-7	MOS/MSC	21-Apr-20	O/C		TSO 0				
SN:3216	HRS	7662.2			TSO 0				
WC#: 32.260	AFL	7887							
					PROC. REF: AMM 32-42-01				
324005	LEFT MAIN TIRE							Component	ATA:32
PN:220K28-1	MOS/MSC	10-Oct-16	O/C		TSN 0				
SN:52862738	HRS	7389.9			TSN 0				
WC#: 32.120	AFL	7762			TSN 0				
					PROC. REF: AMM 32-41-01				
324005	RIGHT MAIN TIRE							Component	ATA:32
PN:220K28-1	MOS/MSC	17-Nov-22	O/C		TSN 0				
SN:21930585	HRS	7914.2			TSN 0				
WC#: 32.130	AFL	8117							
					PROC. REF: AMM 32-41-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324006	NOSE TIRE							Component	ATA:32
PN:031-613-8	MOS/MSC	30-Jun-22	O/C	TSN 0					
SN:2033T00391	HRS	7874		TSN 0					
WC#: 32.140	AFL	8085							
PROC. REF: AMM 32-41-02									
324011	LEFT (PILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:12A085-11	MOS/MSC	19-Mar-21	O/C						
SN:1218	HRS	7730.8							
WC#: 32.150	AFL	7955							
PROC. REF: AMM 32-42-02									
324011	RIGHT (PILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:12A085-11	MOS/MSC	19-Mar-21	O/C						
SN:1026	HRS	7730.8							
WC#: 32.155	AFL	7955							
PROC. REF: AMM 32-42-02									
324012	LEFT (COPILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:12A085-12	MOS/MSC	27-Sep-84	O/C						
SN:2748	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
PROC. REF: AMM 32-42-02									
324012	RIGHT (COPILOT SIDE) MASTER BRAKE CYLINDER							Component	ATA:32
PN:12A085-12	MOS/MSC	27-Sep-84	O/C						
SN:2741	HRS	0		TSN 0					
WC#: 32.165	AFL	0		TSN 0					
PROC. REF: AMM 32-42-02									
324014	EMERGENCY AIR BRAKE VALVE							Component	ATA:32
PN:895232-04	MOS/MSC	22-Feb-18	O/C	TSO 0					
SN:V100	HRS	7526.3		TSO 0					
WC#: 32.170	AFL	7820							
PROC. REF: AMM 32-42-09									
324019	BRAKE PRESSURE PUMP ASSY							Component	ATA:32
PN:640931	MOS/MSC	20-Sep-17	O/C	TSN 0					
SN:7467	HRS	7474.5							
WC#: 32.175	AFL	7794							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324020	BRAKE CONTROL BOX							Component	ATA:32
PN:42-707-1	MOS/MSC	18-Nov-91	O/C						
SN:505	HRS	1716		TSO 0					
WC#: 32.180	AFL								
PROC. REF: AMM 32-42-08									
324021	POWER BRAKE ANTI-SKID VALVE							Component	ATA:32
PN:38-707-1	MOS/MSC	27-Sep-84	O/C						
SN:176	HRS	0		TSN 0					
WC#: 32.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324023	ACCUMULATOR							Component	ATA:32
PN:57C57652	MOS/MSC	27-Sep-84	O/C						
SN:72	HRS	0		TSN 0					
WC#: 32.195	AFL	0		TSN 0					
PROC. REF: AMM 32-42-06									
324024	LEFT WHEEL TRANSDUCER							Component	ATA:32
PN:40-955	MOS/MSC	27-Sep-84	O/C						
SN:1414	HRS	0		TSN 0					
WC#: 32.190	AFL	0		TSN 0					
PROC. REF: AMM 32-42-07									
324024	RIGHT WHEEL TRANSDUCER							Component	ATA:32
PN:40-955	MOS/MSC	27-Sep-84	O/C						
SN:1416	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-42-07									
324025	PRESSURE SWITCH							Component	ATA:32
PN:1206P25	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.205	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
324026	POWER BRAKE ASSEMBLY MOTOR							Component	ATA:32
PN:MP50B1	MOS/MSC	23-Aug-13	O/C	TSN 0					
SN:4699	HRS	7043.4		TSN 0					
WC#: 32.210	AFL	7617		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324027 ^U	LEFT TORQUE TUBE							Component	ATA:32
PN:65-153	MOS/MSC	27-Jan-87	O/C						
SN:UNKNOWN	HRS	640							
	AFL	668		TSN 0					
324027 ^U	RIGHT TORQUE TUBE							Component	ATA:32
PN:65-153	MOS/MSC	27-Jan-87	O/C						
SN:UNKNOWN	HRS	640							
	AFL	668		TSN 0					
324028	LEFT SHUTTLE VALVE							Component	ATA:32
PN:195-183	MOS/MSC	22-Aug-08	O/C						
SN:3871	HRS	6405							
	AFL	7319		TSO 0					
	PROC. REF: GENERIC NO REF								
324101	PARKING BRAKE VALVE							Component	ATA:32
PN:AS20800-6	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.215	AFL	0		TSN 0					
	PROC. REF: AMM 32-42-03								
325001	BUNGEE ASSEMBLY							Component	ATA:32
PN:5565624-15	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.220	AFL	0		TSN 0					
	PROC. REF: AMM 32-51-00								
326002	LEFT M/G UP & LOCKED SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	22-Feb-18	O/C		TSN 0				
SN:N/A	HRS	7526.3			TSN 0				
WC#: 32.225	AFL	7820							
	PROC. REF: AMM 32-61-00								
326002	RIGHT M/G UP & LOCKED SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	22-Feb-18	O/C		TSN 0				
SN:N/A	HRS	7526.3			TSN 0				
WC#: 32.230	AFL	7820							
	PROC. REF: AMM 32-61-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326003	LEFT M/G DOWN & LOCK SWITCH							Component	ATA:32
PN:65-430087	MOS/MSC	22-Feb-18	O/C	TSN 0					
SN:N/A	HRS	7526.3		TSN 0					
WC#: 32.235	AFL	7820							
PROC. REF: AMM 32-61-00									
326003	RIGHT M/G DOWN & LOCK SWITCH							Component	ATA:32
PN:602EN16-6B	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.240	AFL	0		TSN 0					
PROC. REF: AMM 32-61-00									
326004	N/G DOWN & LOCK SWITCH							Component	ATA:32
PN:602EN16-6B	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.245	AFL	0		TSN 0					
PROC. REF: AMM 32-61-00									
326005	N/G UP&LOCKED SWITCH							Component	ATA:32
PN:CM3597-1	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.250	AFL	0		TSN 0					
PROC. REF: AMM 32-61-00									
A320100 ^S	LANDING GEAR GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 32-01-00-210							Service	ATA:32
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							
PKG:19									
A320101 ^S	LANDING GEAR GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 32-01-00-210							Service	ATA:32
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208							
PKG:504									
A321001 ^S	INSPECT MAIN LANDING GEAR: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.265	AFL	8208							
PROC. REF: AMM 32-11-01									
PKG:3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A321002 ^S	CHECK MAIN GEAR STRUT EXTENSION: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.270	AFL	8208							
				PROC. REF: AMM 32-11-01				PKG:3	
A322001 ^S	INSPECT SHIMMY DAMPER: PHASE 2							Service	ATA:32
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 32.275	AFL	8208							
				PROC. REF: AMM 32-21-02				PKG:1,3,5	
A322002 ^S	INSPECT NOSE GEAR ASSEMBLY: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.280	AFL	8208							
				PROC. REF: AMM 32-21-01				PKG:3	
A323002 ^S	INSPECT NOSE GEAR UPLOCK: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.285	AFL	8208							
				PROC. REF: AMM 32-31-05				PKG:3	
A323003 ^S	INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.290	AFL	8208							
				PROC. REF: AMM 32-31-05				PKG:8,87	
A323004 ^S	INSPECT MAIN GEAR UPLOCK: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.295	AFL	8208							
				PROC. REF: AMM 32-31-05				PKG:3	
A324001 ^S	INSPECT/SERVICE MAIN WHEEL, TIRE, AND BEARINGS: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.300	AFL	8208							
				PROC. REF: AMM 32-41-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324002 ^S	INSPECT/SERVICE NOSE WHEEL, TIRE, AND BEARING (WITHOUT GRAVEL RUNWAY OPTION): PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.305	AFL	8208							
				PROC. REF: AMM 32-41-00				PKG:3	
A324003 ^S	INSPECT/SERVICE NOSE WHEEL, TIRE, AND BEARINGS (WITH GRAVEL RUNWAY OPTION)-INSPECT AND SERVICE: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.310	AFL	8208							
				PROC. REF: AMM 32-41-00				PKG:3	
A324004 ^S	INSPECT BRAKE MASTER CYLINDER: PHASE 1							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.315	AFL	8208							
				PROC. REF: AMM 32-42-02				PKG:2	
A324005 ^S	INSPECT EMERGENCY BRAKE CONTROL VALVE: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.320	AFL	8208							
				PROC. REF: AMM 32-42-09				PKG:8,67	
A324007 ^S	INSPECT BRAKE RESERVOIR AND ANTI-SKID SYSTEM COMPONENTS: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.325	AFL	8208							
				PROC. REF: AMM 32-42-00				PKG:8,65	
A324012 ^S	INSPECT MAIN LANDING GEAR BRAKE: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.330	AFL	8208							
				PROC. REF: AMM 32-42-01				PKG:3	
A325001 ^S	INSPECT NOSE STEERING ARM SUPPORT BRACKET BUNGEE AND BELL CRANK: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.335	AFL	8208							
				PROC. REF: AMM 32-42-01				PKG:8,71	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A325002 ^S	INSPECT NOSE STEERING SYSTEM CABLES: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.340	AFL	8208							
				PROC. REF: AMM 32-51-00				PKG:8,87	
A325003 ^S	INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN-UP COMPONENTS: PHASE 2							Service	ATA:32
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 32.345	AFL	8208							
				PROC. REF: AMM 32-43-00				PKG:1,3,5	
A325004 ^S	INSPECT NOSE WHEEL SPIN-UP CONTROL: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.350	AFL	8208							
				PROC. REF: AMM 32-43-00				PKG:3	
A325009	INSPECT NOSE LANDING GEAR FORK (PART NUMBER 5542300-2) (CHAPTER 4 ITEM): PHASE MB							Service	ATA:32
	MOS	29-Jul-96		TAC 0				AIRWORTHINESS	
	HRS	3065		TAC 0					
WC#: 32.365	AFL	4049	T:10000	Adj 4049	18098		9890		
				PROC. REF: AMM 32-21-01				PKG:96	
B323001 ^S	CHECK NOSE GEAR ACTUATOR DIAL INDICATOR: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.355	AFL	8208							
				PROC. REF: AMM 32-31-03				PKG:3	
B324006 ^S	WEAR CHECK MAIN GEAR WHEEL BRAKE: PHASE 2							Service	ATA:32
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 32.370	AFL	8208							
				PROC. REF: AMM 32-42-01				PKG:1,3,5	
B324008 ^S	OPERATIONAL CHECK ANTISKID BRAKE SYSTEM: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.375	AFL	8208							
				PROC. REF: AMM 32-42-00				PKG:8,73	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B324009 ^S	OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.380	AFL	8208							
				PROC. REF: AMM 32-42-09				PKG:8,73	
B325001 ^S	FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.385	AFL	8208							
				PROC. REF: AMM 32-43-00				PKG:8,73	
B326001 ^S	ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEM: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.390	AFL	8208							
				PROC. REF: AMM 32-01-00				PKG:3	
B326002 ^S	TEST LANDING GEAR TIMED CYCLE: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.395	AFL	8208							
				PROC. REF: AMM 32-01-00				PKG:3	
B326003	HYDROSTATIC TEST EMERGENCY GEAR AIR BOTTLE : PHASE 22							Service	ATA:32
PN:212940-2	MOS	25-Jun-24	36 (+1m)		30-Jun-27	31-Jul-27	1016 d (+31)		
SN:6648	HRS	8032.6							
WC#: 32.400	AFL	8208							
			HydroCheck Date: : 25-Jun-24	PROC. REF: AMM 32-31-09				PKG:30	
C322001 ^S	LUBRICATE NOSE GEAR TORQUE LINKS: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.425	AFL	8208							
				PROC. REF: AMM 32-21-01				PKG:3	
C325013 ^S	INSPECT NOSE GEAR INNER AXLE: PHASE 2							Service	ATA:32
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 32.405	AFL	8208							
				PROC. REF: AMM 32-41-00				PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324007 ^S	REPLACE ANTISKID SYSTEM MOTOR/PUMP FILTER ELEMENT: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.410	AFL	8208							
				PROC. REF: AMM 32-42-00				PKG:8,65	
D324010 ^S	REPLACE BRAKE RESERVOIR AIR FILTER ELEMENT: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.415	AFL	8208							
				PROC. REF: AMM 32-42-00				PKG:8,65	
D324011 ^S	CLEAN/REPLACE BRAKE RESERVOIR SUPPLY LINE FILTER: PHASE 5							Service	ATA:32
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 32.420	AFL	8208							
				PROC. REF: AMM 32-42-00				PKG:8,65	
ATA 33 - LIGHTS									
331001 ^U	ANNUNCIATOR PANEL							Component	ATA:33
PN:950D-0240-001	MOS/MSC	14-Dec-84	O/C						
SN:4	HRS	74		TSN 0					
	AFL								
331011	EL PANEL-115V INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	27-Sep-84	O/C						
SN:361	HRS	0		TSN 0					
WC#: 33.005	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
332002	AFT INDIRECT LIGHTING INVERTER							Component	ATA:33
PN:18.996	MOS/MSC	27-Sep-84	O/C						
SN:2368	HRS	0		TSN 0					
WC#: 33.050	AFL	0		TSN 0					
				PROC. REF: AMM 33-21-01					
332002	FORWARD INDIRECT LIGHTING INVERTER							Component	ATA:33
PN:18.994	MOS/MSC	27-Sep-84	O/C						
SN:1206	HRS	0		TSN 0					
WC#: 33.055	AFL	0		TSN 0					
				PROC. REF: AMM 33-21-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332003	NO. 1 CAN/AC/12R LIGHTED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72 (+1m)	TSN 0	31-Oct-29 *	30-Nov-29	1870 d (+30)		
SN:UNKNOWN	HRS								
	AFL								
332003	NO. 2 CAN/AC/12R LIGHTED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72 (+1m)	TSN 0	31-Oct-29 *	30-Nov-29	1870 d (+30)		
SN:UNKNOWN	HRS								
	AFL								
332004	NO. 1 CAN/AC/12RGA LIGHTED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72 (+1m)	TSN 0	31-Oct-29 *	30-Nov-29	1870 d (+30)		
SN:UNKNOWN	HRS								
	AFL								
332004	NO. 2 CAN/AC/12RGA LIGHTED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72 (+1m)	TSN 0	31-Oct-29 *	30-Nov-29	1870 d (+30)		
SN:UNKNOWN	HRS								
	AFL								
334002	VERT FIN ANTI-COLLISION LIGHT ASSEMBLY							Component	ATA:33
PN:90033-5	MOS/MSC	16-Mar-95	O/C						
SN:6456	HRS	2653		TSN 0					
WC#: 33.060	AFL								
PROC. REF: GENERIC NO REF									
334003	LEFT STROBE LIGHT POWER SUPPLY							Component	ATA:33
PN:01-0790101-04	MOS/MSC	21-Apr-20	O/C						
SN:00470	HRS	7662.2							
WC#: 33.065	AFL	7887							
PROC. REF: GENERIC NO REF									
334003	RIGHT STROBE LIGHT POWER SUPPLY							Component	ATA:33
PN:01-0790101-04	MOS/MSC	05-Dec-97	O/C						
SN:UNKNOWN	HRS	3551		TSN 0					
WC#: 33.070	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
335001	EMERGENCY BATTERY PACK							Component	ATA:33
PN:6518109-7	MOS/MSC	26-Mar-09	O/C	TSO 0					
SN:UNKNOWN	HRS	6516							
WC#: 33.075	AFL								
PROC. REF: AMM 33-51-03									
33FO-02B	LIGHT-RECOGNITION WING-TIP MOUNTED FACTORY OPTION							Component	ATA:33
PN:49B	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A332001 ^S	INSPECT INDIRECT CABIN FLUORESCENT LIGHTING: PHASE 5							Service	ATA:33
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 33.080	AFL	8208							
PROC. REF: AMM 33-21-02									
A335001 ^S	INSPECT EMERGENCY LIGHTS BATTERY BOXAND BATTERIES: PHASE 5							Service	ATA:33
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 33.085	AFL	8208							
PROC. REF: AMM 33-51-01									
A335002 ^S	INSPECT EMERGENCY EXIT LIGHTS: PHASE 1							Service	ATA:33
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 33.090	AFL	8208							
PROC. REF: AMM 33-51-01									
B335001 ^S	OPERATIONAL CHECK EMERGENCY LIGHTS: PHASE 1							Service	ATA:33
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 33.095	AFL	8208							
PROC. REF: AMM 33-51-01									
ATA 34 - NAVIGATION									
341001	LEFT AIR SPEED INDICATOR							Component	ATA:34
PN:C661063-0104	MOS/MSC	25-Apr-12	O/C	TSO 0					
SN:215ABC	HRS	6917.3		TSO 0					
WC#: 34.005	AFL	7554		TSO 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-11-03									
341001	RIGHT AIR SPEED INDICATOR							Component	ATA:34
PN:C661063-0104	MOS/MSC	25-Apr-12	O/C	TSO 0					
SN:197ABC	HRS	6917.3	TSO 0						
WC#: 34.010	AFL	7554	TSO 0						
PROC. REF: AMM 34-11-03									
341002	STANDBY ALTIMETER							Component	ATA:34
PN:C661072-0101	MOS/MSC	16-Mar-12	O/C						
SN:W10766	HRS	6908.8							
WC#: 34.015	AFL	7551							
PROC. REF: GENERIC NO REF									
341004	RIGHT OAT GAUGE							Component	ATA:34
PN:C668510-0401	MOS/MSC	29-Jul-96	O/C						
SN:595	HRS	3065	TSO 0						
WC#: 34.025	AFL								
PROC. REF: AMM 34-11-05									
341005	OVERSPEED WARNING SWITCH							Component	ATA:34
PN:D2RA45C-24	MOS/MSC	25-Apr-12	O/C	TSO 0					
SN:144	HRS	6917.3	TSO 0						
WC#: 34.030	AFL	7554	TSO 0						
PROC. REF: AMM 34-11-04									
341010	AOA INDICATOR							Component	ATA:34
PN:SLZ9987	MOS/MSC	05-May-86	O/C						
SN:CR1200C	HRS	426	TSO 0						
WC#: 34.035	AFL								
PROC. REF: AMM 34-13-00									
341011	STALL WARNING COMPUTER							Component	ATA:34
PN:SLZ7695	MOS/MSC	22-Feb-18	O/C	TSO 0					
SN:AE1086A	HRS	7526.3	TSO 0						
WC#: 34.040	AFL	7820							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341012	AOA POTENTIOMETER							Component	ATA:34
PN:MOD202-5K	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-13-00									
341013	AOA TRANSMITTER							Component	ATA:34
PN:SLZ7306	MOS/MSC	22-Feb-18	O/C	TSO 0					
SN:LS1230A	HRS	7526.3		TSO 0					
WC#: 34.045	AFL	7820							
PROC. REF: AMM 34-13-00									
341014	AOA TRANSMITTER INDEXER							Component	ATA:34
PN:SLZ9374	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.050	AFL	0		TSN 0					
PROC. REF: AMM 34-13-01									
341019	LEFT ALTIMETER							Component	ATA:34
PN:9D-80130-16	MOS/MSC	16-Mar-12	O/C						
SN:42749	HRS	6908.8							
WC#: 34.055	AFL	7551							
PROC. REF: AMM 34-11-02									
341019	RIGHT ALTIMETER							Component	ATA:34
PN:9D-80130-16	MOS/MSC	16-Mar-12	O/C						
SN:42737	HRS	6908.8							
	AFL	7551							
PROC. REF: AMM 34-11-02									
341020	V-NAV COMPUTER CONTROL							Component	ATA:34
PN:4020571-904	MOS/MSC	29-Sep-05	O/C						
SN:90112373	HRS	5910		TSO 6596					
WC#: 34.060	AFL								
PROC. REF: AMM 34-14-02									
341021	RADIO ALTIMETER INDICATOR							Component	ATA:34
PN:7000839-903	MOS/MSC	27-Sep-84	O/C						
SN:83032488	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01, AMM 34-12-02, AMM 34-12-03, AMM 34-14-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342001	MAGNETIC COMPASS							Component	ATA:34
PN:C660501-0301	MOS/MSC	25-Sep-07	O/C						
SN:NSN	HRS	6143		TSO 0					
WC#: 34.065	AFL								
				PROC. REF: AMM 34-21-01					
342002	TURN AND BANK INDICATOR							Component	ATA:34
PN:C661004-0101	MOS/MSC	03-Apr-93	O/C						
SN:829117	HRS	2014		TSO 0					
	AFL								
				PROC. REF: AMM 34-21-02					
342003	RIGHT HORIZON GYRO							Component	ATA:34
PN:C661056-0202	MOS/MSC	26-Mar-09	O/C						
SN:T42042H	HRS	6516		TSO 0					
	AFL								
				PROC. REF: AMM 34-21-03					
342004	TAS COMPUTER							Component	ATA:34
PN:2504-217	MOS/MSC	10-Oct-84	O/C						
SN:57487	HRS	21		TSO 21					
	AFL								
				PROC. REF: AMM 34-14-08					
342021	LEFT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	04-Aug-90	O/C						
SN:W12428	HRS	1422		TSO 0					
WC#: 34.070	AFL								
				PROC. REF: AMM 34-11-01					
342021	RIGHT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	02-Dec-92	O/C						
SN:W4276E	HRS	1936		TSO 0					
WC#: 34.075	AFL								
				PROC. REF: AMM 34-11-01					
342041	FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	20-Aug-99	O/C						
SN:80112151	HRS	4118		TSO 0					
WC#: 34.080	AFL								
				PROC. REF: AMM 34-23-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342042	RIGHT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-903	MOS/MSC	27-Sep-84	O/C						
SN:84051335	HRS	0		TSN 0					
WC#: 34.095	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342043	LEFT VERTICAL GYRO							Component	ATA:34
PN:7000622-901	MOS/MSC	30-Oct-92	O/C						
SN:91076929	HRS	1900		TSO 0					
WC#: 34.100	AFL								
PROC. REF: AMM 34-22-00									
342044	RIGHT RATE GYRO							Component	ATA:34
PN:7007453-903	MOS/MSC	29-Jul-96	O/C						
SN:96074085	HRS	3065		TSN 0					
WC#: 34.115	AFL								
PROC. REF: AMM 34-22-00									
342047	LEFT ADI INDICATOR							Component	ATA:34
PN:7000466-951	MOS/MSC	02-Nov-97	O/C						
SN:88072774	HRS	3522		TSO 1783					
WC#: 34.120	AFL								
PROC. REF: GENERIC NO REF									
342048	LEFT ADDU INDICATOR							Component	ATA:34
PN:9D-80130-16	MOS/MSC	22-Feb-05	O/C						
SN:42749	HRS	5750		TSN 0					
WC#: 34.130	AFL								
PROC. REF: GENERIC NO REF									
342048	RIGHT ADDU INDICATOR							Component	ATA:34
PN:9D-80130-16	MOS/MSC	22-Feb-05	O/C						
SN:42737	HRS	5750		TSN 0					
WC#: 34.135	AFL								
PROC. REF: GENERIC NO REF									
342049	LEFT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	15-Feb-88	O/C						
SN:83113264	HRS	900		TSO 0					
WC#: 34.140	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342049	RIGHT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	22-Dec-98	O/C						
SN:86053774	HRS	3923		TSO 0					
WC#: 34.145	AFL								
PROC. REF: GENERIC NO REF									
342050	LEFT FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	27-Sep-84	O/C						
SN:83121852	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342050	RIGHT FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	27-Sep-84	O/C						
SN:83091569	HRS	0		TSN 0					
WC#: 34.155	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342052	REMOTE COMPENSATOR							Component	ATA:34
PN:2593379-1	MOS/MSC	27-Sep-84	O/C						
SN:84027588	HRS	0		TSN 0					
WC#: 34.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
342053	LEFT HSI INDICATOR							Component	ATA:34
PN:7000469-905	MOS/MSC	28-Jul-95	O/C						
SN:80080254	HRS	2767		TSO 443					
WC#: 34.165	AFL								
PROC. REF: GENERIC NO REF									
342053	RIGHT HSI INDICATOR							Component	ATA:34
PN:7002493-903	MOS/MSC	27-Sep-84	O/C						
SN:83090281	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
344002	RADAR INDICATOR							Component	ATA:34
PN:MI585343-1	MOS/MSC	10-Aug-94	O/C						
SN:1519	HRS	2467		TSO 1045					
WC#: 34.215	AFL								
PROC. REF: AMM 34-42-01, AMM 34-43-01, AMM 34-44-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344004	RADAR RECEIVER/TRANSMITTER							Component	ATA:34
PN:MI585200	MOS/MSC	02-Nov-97	O/C						
SN:8005	HRS	3522		TSO 1055					
WC#: 34.220	AFL								
PROC. REF: AMM 34-41-01, AMM 34-42-01, AMM 34-43-01, AMM 34-44-01, AMM 34-45-01									
344005	RADAR ANTENNA							Component	ATA:34
PN:MI585202	MOS/MSC	02-Nov-97	O/C						
SN:3294	HRS	3522		TSO 3161					
WC#: 34.245	AFL								
PROC. REF: AMM 34-41-01, AMM 34-42-01, AMM 34-43-01, AMM 34-44-01, AMM 34-45-01									
344021	LEFT TAWS/RMI INDICATOR							Component	ATA:34
PN:622-4938-004	MOS/MSC	30-Oct-92	O/C						
SN:6914	HRS	1900		TSO 0					
WC#: 34.240	AFL								
PROC. REF: AMM 34-52-02									
344021	RIGHT TAWS/RMI INDICATOR							Component	ATA:34
PN:622-4938-004	MOS/MSC	27-Sep-84	O/C						
SN:5787	HRS	0		TSN 0					
WC#: 34.225	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02									
344022	RADIO ALTIMETER TRANSCEIVER							Component	ATA:34
PN:7001840-905	MOS/MSC	23-Aug-99	O/C						
SN:83070950	HRS	4118		TSO 3963					
WC#: 34.230	AFL								
PROC. REF: AMM 34-12-01, AMM 34-12-02									
344023	AFT RADIO ALTM ANTENNA							Component	ATA:34
PN:4010504	MOS/MSC	27-Sep-84	O/C						
SN:83122156	HRS	0		TSN 0					
WC#: 34.235	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01, AMM 34-12-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344023	FORWARD RADIO ALTM ANTENNA							Component	ATA:34
PN:4010504	MOS/MSC	27-Sep-84	O/C						
SN:83082076	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01, AMM 34-12-02									
344037	TAWS COMPUTER							Component	ATA:34
PN:011-00940-01	MOS/MSC	23-Jun-16	O/C						
SN:78403739	HRS	7374.2							
WC#: 34.255	AFL	7752							
PROC. REF: GENERIC NO REF									
344040	STORMSCOPE PROCESSOR							Component	ATA:34
PN:78-8047-0978-6	MOS/MSC	01-Jan-86	O/C						
SN:8500388	HRS	331		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
344041	STORMSCOPE DISPLAY							Component	ATA:34
PN:78-8047-0977-8	MOS/MSC	01-Jan-86	O/C						
SN:8500388	HRS	331		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
344042	STORMSCOPE ANTENNA							Component	ATA:34
PN:78-8041-7950-1	MOS/MSC	01-Jan-86	O/C						
SN:1673	HRS	331		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
345004	LEFT TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	27-Sep-84	O/C						
SN:24559	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-53-03									
345004	RIGHT TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	27-Sep-84	O/C						
SN:24636	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-53-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345007	LEFT DME ANTENNA							Component	ATA:34
PN:DMNI50-2	MOS/MSC	11-Jan-01	O/C						
SN:73470	HRS	4549		TSN 0					
	AFL								
				PROC. REF: AMM 34-53-01, AMM 34-53-04					
345007	RIGHT DME ANTENNA							Component	ATA:34
PN:DMNI50-2	MOS/MSC	11-Jan-01	O/C						
SN:73506	HRS	4549		TSN 0					
WC#: 34.270	AFL								
				PROC. REF: AMM 34-53-01, AMM 34-53-04					
345010	NAV ANTENNA							Component	ATA:34
PN:DMN4-17-1B	MOS/MSC	27-Sep-84	O/C						
SN:23955	HRS	0		TSN 0					
WC#: 34.275	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
345011	LEFT ADF RECEIVER							Component	ATA:34
PN:622-2362-001	MOS/MSC	21-Aug-92	O/C						
SN:12698	HRS	1849		TSO 0					
WC#: 34.280	AFL								
				PROC. REF: AMM 34-51-01, AMM 34-51-02					
345012	ADF CONTROL							Component	ATA:34
PN:622-6522-005	MOS/MSC	18-Nov-91	O/C						
SN:1244	HRS	1716		TSO 0					
	AFL								
				PROC. REF: AMM 34-51-01, AMM 34-51-02					
345014	LEFT ADF LOOP ANTENNA							Component	ATA:34
PN:622-2363-001	MOS/MSC	02-Dec-92	O/C						
SN:26740	HRS	1936		TSN 0					
WC#: 34.295	AFL								
				PROC. REF: AMM 34-51-01, AMM 34-51-02					
345017	MARKER BEACON ANTENNA							Component	ATA:34
PN:16D00400-2	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.305	AFL	0		TSN 0					
				PROC. REF: AMM 34-31-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345018	GLIDESCOPE ANTENNA							Component	ATA:34
PN:RGS1048	MOS/MSC	27-Sep-84	O/C						
SN:8908	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-31-00									
345018 ^U	RIGHT ANTENNA-RNAV							Component	ATA:34
PN:805C0520	MOS/MSC	02-Oct-84	O/C						
SN:660	HRS	8		TSN 8					
	AFL								
345019	RNAV CONTROL DISPLAY							Component	ATA:34
PN:805D0550-22	MOS/MSC	20-Sep-95	O/C						
SN:678	HRS	2823		TSO 809					
	AFL								
PROC. REF: GENERIC NO REF									
345020 ^U	RIGHT R-NAV RECEIVER							Component	ATA:34
PN:805D0500	MOS/MSC	03-Apr-93	O/C						
SN:595	HRS	2014		TSO 0					
	AFL								
345021	NO. 1 RVSM ANALOG INTERFACE UNIT							Component	ATA:34
PN:9B-81040-26	MOS/MSC	22-Feb-05	O/C						
SN:45651	HRS	5750		TSN 0					
WC#: 34.315	AFL								
PROC. REF: GENERIC NO REF									
345024 ^U	PRE-AMP							Component	ATA:34
PN:805D0530	MOS/MSC	18-Oct-85	O/C						
SN:660	HRS	275		TSN 0					
	AFL								
345025 ^U	LORAN ANTENNA							Component	ATA:34
PN:805C0565-01	MOS/MSC	21-Aug-92	O/C						
SN:838	HRS	1849		TSN 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345032	BOTTOM NO.2 NAVIGATION TRANSCEIVER							Component	ATA:34
PN:622-6137-001	MOS/MSC	11-Jul-95	O/C						
SN:190	HRS	2751		TSO 614					
WC#: 34.325	AFL								
				PROC. REF: AMM 34-52-01					
345032	TOP NO.1 NAVIGATION TRANSCEIVER							Component	ATA:34
PN:622-6137-001	MOS/MSC	11-Jul-95	O/C						
SN:1124	HRS	2751		TSO 1329					
WC#: 34.330	AFL								
				PROC. REF: AMM 34-52-01					
345033	BOTTOM NAVIGATION NO. 2 CONTROL UNIT							Component	ATA:34
PN:622-6521-013	MOS/MSC	18-Nov-91	O/C						
SN:1540	HRS	1716		TSO 0					
	AFL								
				PROC. REF: GENERIC NO REF					
345033	TOP NAVIGATION NO. 1 CONTROL UNIT							Component	ATA:34
PN:622-6521-013	MOS/MSC	25-Aug-99	O/C						
SN:866	HRS	4118		TSO 2402					
	AFL								
				PROC. REF: GENERIC NO REF					
345034	LEFT TRANSPONDER							Component	ATA:34
PN:011-03302-40	MOS/MSC	21-Apr-20	O/C						
SN:3EG420712	HRS	7662.2							
WC#: 34.335	AFL	7887							
				PROC. REF: AMM 34-53-02, AMM 34-53-03					
345034	RIGHT TRANSPONDER							Component	ATA:34
PN:011-00455-00	MOS/MSC	21-Apr-20	O/C						
SN:84122208	HRS	7662.2							
WC#: 34.340	AFL	7887							
				PROC. REF: AMM 34-53-02, AMM 34-53-03					
345035	RIGHT DME INDICATOR							Component	ATA:34
PN:622-6524-001	MOS/MSC	28-Jul-95	O/C						
SN:2562	HRS	2767		TSO 268					
	AFL								
				PROC. REF: AMM 34-53-01, AMM 34-53-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345036	LEFT DME INTERROGATOR							Component	ATA:34
PN:622-6263-001	MOS/MSC	08-Jan-98	O/C						
SN:1931	HRS	3582		TSO 1624					
	AFL								
PROC. REF: AMM 34-53-01, AMM 34-53-04									
345036	RIGHT DME INTERROGATOR							Component	ATA:34
PN:622-6263-001	MOS/MSC	02-Nov-97	O/C						
SN:777	HRS	3522		TSO 106					
WC#: 34.350	AFL								
PROC. REF: AMM 34-53-01, AMM 34-53-04									
345040	TRANSPONDER CONTROL							Component	ATA:34
PN:622-6523-005	MOS/MSC	18-Nov-91	O/C						
SN:601	HRS	1716		TSO 0					
	AFL								
PROC. REF: AMM 34-53-02									
345059 ^U	GARMIN GNS 430A UPGRADED SOFTWARE							Component	ATA:34
PN:011-00836-00	MOS/MSC		O/C						
SN:4615015B	HRS								
	AFL								
345068 ^U	DATA-NAV BANK							Component	ATA:34
PN:805D0570-01	MOS/MSC	15-Jan-93	O/C						
SN:807	HRS	1958		TSO 0					
	AFL								
346037 ^U	MOVING MAP DISPLAY UNIT							Component	ATA:34
PN:FD200CPU-7	MOS/MSC	02-Jun-08	O/C						
SN:8019024	HRS	6341		TSN 0					
	AFL								
34FO-04	LOCATOR BEACON EMERGENCY FACTORY OPTION							Component	ATA:34
PN:175	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34FO-07D		2ND TRANSPONDER- COLLINS TDR-90 FACTORY OPTION						Component	ATA:34
PN:623D	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-15B		FLIGHT DIRECTOR LH-5 " SINGLE CUE SPERRY FACTORY OPTION						Component	ATA:34
PN:679B	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-16J		2ND DME COLLINS DME4 0 FACTORY OPTION						Component	ATA:34
PN:681J	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
34FO-94G		RAD ALT-SPERRY AA300 W/SEP PILOT INDICATR FACTORY OPTION						Component	ATA:34
PN:673G	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
A341006		CHECK STATIC PORT HEIGHT AND SLOPE CHECK (AIRPLANES CERTIFIED FOR RVSM): PHASE 20						Service	ATA:34
	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)		
	HRS	8032.6							
WC#: 34.375	AFL	8208							
PROC. REF: AMM 34-11-08									
A342001^S		INSPECT MAGNETIC COMPASS AND COMPASS CARD: PHASE 5						Service	ATA:34
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 34.380	AFL	8208							
PROC. REF: AMM 34-21-01									
B341002^S		OPERATIONAL TEST TELEDYNE ANGLE-OF-ATTACK SYSTEM: PHASE 5						Service	ATA:34
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 34.385	AFL	8208							
PROC. REF: AMM 34-13-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341003	AUTOMATIC PRESSURE ALTITUDE REPORTING SYSTEM, AIR DATA COMPUTER AND ALTIMETER - PERFORM CALIBRATION TEST: PHASE 20							Service	ATA:34
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)		
SN:42749	HRS	8032.6							
	AFL	8208							
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-14-00				PKG:20	
B341003	AUTOMATIC PRESSURE ALTITUDE REPORTING SYSTEM, AIR DATA COMPUTER AND ALTIMETER - PERFORM CALIBRATION TEST: PHASE 20							Service	ATA:34
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)		
SN:42737	HRS	8032.6							
	AFL	8208							
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-14-00				PKG:20	
B341004	BAROMETRIC ALTIMETER - PERFORM CALIBRATION TEST: PHASE 20							Service	ATA:34
PN:C661072-0101	MOS	22-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)		
SN:W10766	HRS	8032.6							
WC#: 34.395	AFL	8208							
		Calibration Date: : 22-Jul-24		PROC. REF: AMM 34-14-00				PKG:20	
B341004	BAROMETRIC ALTIMETER - PERFORM CALIBRATION TEST: PHASE 20							Service	ATA:34
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)		
SN:42749	HRS	8032.6							
	AFL	8208							
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-14-00				PKG:20	
B341004	BAROMETRIC ALTIMETER - PERFORM CALIBRATION TEST: PHASE 20							Service	ATA:34
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)		
SN:42737	HRS	8032.6							
	AFL	8208							
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-14-00				PKG:20	
B341005	LEAK TEST LEFT STATIC SYSTEM: PHASE 20							Service	ATA:34
	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)		
	HRS	8032.6							
WC#: 34.400	AFL	8208							
				PROC. REF: AMM 34-11-00				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
B341005 LEAK TEST RIGHT STATIC SYSTEM: PHASE 20 Service ATA:34								
	MOS	15-Aug-24	24 (+1m)		31-Aug-26	30-Sep-26	713 d (+30)	
	HRS	8032.6						
	AFL	8208						
				PROC. REF: AMM 34-11-00				PKG:20
B341107 CHECK LEFT ALTIMETER (AIRPLANES CERTIFIED FOR RVSM): PHASE 20 Service ATA:34								
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)	
SN:42749	HRS	8032.6						
	AFL	8208						
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-11-08				PKG:20
B341107 CHECK RIGHT ALTIMETER (AIRPLANES CERTIFIED FOR RVSM): PHASE 20 Service ATA:34								
PN:9D-80130-16	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)	
SN:42737	HRS	8032.6						
	AFL	8208						
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-11-08				PKG:20
B342001^S OPERATIONAL TEST COMPASS SYSTEMS AND ADF BEARING: PHASE 5 Service ATA:34								
	MOS	15-Aug-24	36 (+2m)					
	HRS	8032.6	1200 (+100)					
WC#: 34.410	AFL	8208						
				PROC. REF: AMM 34-26-01				PKG:8,75
B345001 CALIBRATION TEST LEFT TRANSPONDER TRANSPONDER SYSTEM: PHASE 21 Service ATA:34								
PN:011-03302-40	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)	
SN:3EG420712	HRS	8032.6						
WC#: 34.430	AFL	8208						
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-53-08				PKG:28
B345001 CALIBRATION TEST RIGHT TRANSPONDER TRANSPONDER SYSTEM: PHASE 21 Service ATA:34								
PN:011-00455-00	MOS	11-Jul-24	24 (+1m)		31-Jul-26	31-Aug-26	682 d (+31)	
SN:84122208	HRS	8032.6						
	AFL	8208						
		Calibration Date: : 11-Jul-24		PROC. REF: AMM 34-53-08				PKG:28
ATA 35 - OXYGEN								
351001 OXYGEN PRESSURE GAUGE Component ATA:35								
PN:C668512-0101	MOS/MSC	27-Sep-84	O/C	TSN 0				
SN:6018	HRS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
WC#: 35.005	AFL	0		TSN 0				
PROC. REF: AMM 35-10-00								
351004 LEFT CREW OXYGEN MASK Component ATA:35								
PN:174045-02	MOS/MSC	09-Nov-84	O/C					
SN:3754	HRS	44		TSN 44				
WC#: 35.010	AFL							
PROC. REF: AMM 35-10-01								
351004 RIGHT CREW OXYGEN MASK Component ATA:35								
PN:174250-92	MOS/MSC	22-Feb-18	O/C	TSO 0				
SN:19425	HRS	7526.3		TSO 0				
WC#: 35.015	AFL	7820						
PROC. REF: AMM 35-10-01								
351005 OXYGEN REGULATOR Component ATA:35								
PN:172170-01	MOS/MSC	03-Apr-93	O/C	TSN 0				
SN:1431	HRS	2014						
WC#: 35.020	AFL							
PROC. REF: AMM 35-10-00								
351006 OXYGEN CYLINDER ASSEMBLY Component ATA:35								
PN:176176-64	MOS	21-Dec-21	288 (+1m)	TSO 117	31-Mar-36	30-Apr-36	4213 d (+30)	LIFE LIMIT
SN:M183199	HRS	7784.3						
WC#: 35.025	AFL	8007						
Manufacture Date:: 31-Mar-12			PROC. REF: AMM 35-10-00					
35FO-01B QUICK DONNING OXYGEN MASKS FACTORY OPTION Component ATA:35								
PN:58B	MOS/MSC	27-Sep-84	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
A351001^S INSPECT OXYGEN SYSTEM: PHASE 5 Service ATA:35								
	MOS	15-Aug-24	36 (+2m)					
	HRS	8032.6	1200 (+100)					
WC#: 35.030	AFL	8208						
PROC. REF: AMM 35-11-00								
PKG:8,81								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
A351007 ^S	INSPECT PASSENGER OXYGEN MASKS: PHASE 18							Service	ATA:35
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
WC#: 35.035	AFL	8208							
	PROC. REF: AMM 35-21-00							PKG:19	
B350004	HYDROSTATIC TEST OXYGEN CYLINDER ASSEMBLY DOT 3HT 1850 OR DOT 3FC1850 OR MANUFACTURED UNDER DOT-SP-8162.							Service	ATA:35
PN:176176-64	MOS	20-Dec-21	36 (+1m)		31-Dec-24	31-Jan-25	105 d (+31)		
SN:M183199	HRS								
WC#: 35.045	AFL								
	HydroCheck Date: : 20-Dec-21 PROC. REF: AMM 35-11-00								
B350006 ^S	FUNCTIONAL TEST OXYGEN SYSTEM FLOW FUSES AND SHUTTLE VALVES (AIRPLANES WITH OXYGEN CYLINDERS INSTALLED IN TAILCONE): PHASE 5							Service	ATA:35
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 35.050	AFL	8208							
	PROC. REF: AMM 35-11-00							PKG:8,81	
B351002 ^S	FUNCTIONAL TEST OXYGEN SYSTEM: PHASE 5							Service	ATA:35
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 35.055	AFL	8208							
	PROC. REF: AMM 35-11-00							PKG:8,81	
B351003 ^S	PERFORM CREW OXYGEN MASK-INSPECTION, FLOW CHECK AND MICROPHONE OPERATIONAL CHECK: PHASE 5							Service	ATA:35
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 35.060	AFL	8208							
	PROC. REF: AMM 35-11-01							PKG:8,79	
ATA 36 - PNEUMATIC									
361003	PNEUMATIC REGULATOR							Component	ATA:36
PN:38E85-5C	MOS/MSC	13-Feb-09	O/C						
SN:B2596	HRS	6506		TSO 0					
WC#: 36.005	AFL								
	PROC. REF: AMM 36-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361005	RIGHT GYRO PRESSURE GAGE							Component	ATA:36
PN:C668515-0101	MOS/MSC	27-Sep-84	O/C						
SN:6018	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361006	BOTTOM FORWARD INST BA PRESS REGULATOR							Component	ATA:36
PN:3H64-7	MOS/MSC	13-Feb-09	O/C						
SN:4BD1	HRS	6506		TSN 0					
WC#: 36.010	AFL								
PROC. REF: AMM 36-11-03									
361006	TOP FORWARD INST BA PRESS REGULATOR							Component	ATA:36
PN:3H64-4	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.015	AFL	0		TSN 0					
PROC. REF: AMM 36-11-03									
361007	PRESSURE DOOR SEAL HOSE							Component	ATA:36
PN:CM2939-4-15	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
361008	LEFT CHECK VALVE							Component	ATA:36
PN:1H95-3	MOS/MSC	13-Feb-09	O/C						
SN:8BB13	HRS	6506		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF									
A361200 ^S	DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: PHASE 4							Service	ATA:36
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 36.025	AFL	8208							
PROC. REF: AMM 36-12-01									
								PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
D361001 ^S	REPLACE BLEED AIR PERI-SEALS CONNECTORS-REPLACE THE PERI-SEALS IN THE CONNECTORS IMMEDIATELY DOWNSTREAM FROM THE ENGINE BLEED AIR PORTS: PHASE 4							Service	ATA:36
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 36.030	AFL	8208							
PROC. REF: AMM 36-12-01								PKG:5	
D361003 ^S	REPLACE INSTRUMENT AIR WATER SEPARATORASSEMBLY FILTER: PHASE 5							Service	ATA:36
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 36.035	AFL	8208							
PROC. REF: AMM 36-11-03								PKG:8,65	
D361005 ^S	SERVICE AIR SYSTEM PERI-SEAL - REPLACE PERI-SEAL TASK 36-12-01-961: PHASE 5							Service	ATA:36
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 36.040	AFL	8208							
PROC. REF: AMM 36-12-01								PKG:8,77	
ATA 37 - VACUUM									
D371001 ^S	CLEAN/REPLACE VACUUM REGULATOR (PRESSURE LINE): PHASE 5							Service	ATA:37
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 37.005	AFL	8208							
PROC. REF: AMM 37-11-00								PKG:8,77	
ATA 38 - WATER/WASTE									
383002	TOILET PUMP							Component	ATA:38
PN:17200-382	MOS/MSC	29-Jul-96	O/C						
SN:1784	HRS	3065		TSN 0					
WC#: 38.005	AFL								
PROC. REF: GENERIC NO REF									
B383001 ^S	OPERATIONAL CHECK REFRESHMENT CENTER AND VANITY DRAINS: PHASE 5							Service	ATA:38
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 38.010	AFL	8208							
PROC. REF: AMM 38-30-00								PKG:8,85	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
A510001 ^S	INSPECT EXTERIOR MOISTURE DRAIN HOLES: PHASE 1							Service	ATA:51
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 51.005	AFL	8208							
PROC. REF: AMM 51-10-00								PKG:1,2,4	
ATA 52 - DOORS									
521001	CABIN DOOR SEAL							Component	ATA:52
PN:S15501-1	MOS/MSC	16-Oct-96	O/C						
SN:UNKNOWN	HRS	3163		TSN 0					
WC#: 52.005	AFL								
PROC. REF: AMM 52-10-01									
A521001 ^S	INSPECT STANDARD CABIN DOOR INFLATABLE SEAL, WEATHER SEAL: PHASE 1							Service	ATA:52
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 52.015	AFL	8208							
PROC. REF: AMM 52-10-01								PKG:2	
A521003 ^S	INSPECT CABIN DOOR (STANDARD): PHASE 5							Service	ATA:52
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 52.020	AFL	8208							
PROC. REF: AMM 52-10-01								PKG:8,67	
A521004 ^S	INSPECT STANDARD CABIN DOOR LOCKING PINS: PHASE 13							Service	ATA:52
	MOS	03-Oct-02		TAC 0					
	HRS	5040	5000 (+30)	TAC 0					
WC#: 52.025	AFL			TAC 0					
PROC. REF: AMM 52-10-02								PKG:14	
A521005 ^S	INSPECT STANDARD CABIN DOOR LOCKING COMPONENTS (BEARING PLATES): PHASE 16							Service	ATA:52
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 52.030	AFL	0		TAC 0					
PROC. REF: AMM 52-10-02								PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A521006 ^S	INSPECT OPTIONAL CARGO CABIN DOOR: PHASE 1							Service	ATA:52
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 52.035	AFL	8208							
				PROC. REF: AMM 52-10-04				PKG:2	
A522001 ^S	INSPECT EMERGENCY EXIT DOOR: PHASE 5							Service	ATA:52
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 52.040	AFL	8208							
				PROC. REF: AMM 52-20-01				PKG:8,67	
A523001 ^S	INSPECT NOSE BAGGAGE DOOR SEAL AND LATCHES: PHASE 5							Service	ATA:52
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 52.045	AFL	8208							
				PROC. REF: AMM 52-30-01				PKG:8,65	
A523002 ^S	INSPECT TAILCONE DOORS: PHASE 5							Service	ATA:52
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 52.050	AFL	8208							
				PROC. REF: AMM 52-30-01				PKG:8,75	
A526001 ^S	INSPECT STANDARD CABIN DOOR STEP: PHASE 1							Service	ATA:52
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 52.055	AFL	8208							
				PROC. REF: AMM 52-60-01				PKG:2	
B527001 ^S	INSPECT/OPERATIONAL CHECK DOOR WARNING SYSTEM: PHASE 1							Service	ATA:52
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 52.060	AFL	8208							
				PROC. REF: AMM 52-70-01				PKG:2	
C521002 ^S	LUBRICATE CABIN DOOR HINGE: PHASE 5							Service	ATA:52
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 52.065	AFL	8208							
				PROC. REF: AMM 52-10-01				PKG:8,67	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531001 ^S	INSPECT NOSE AREA GENERAL STRUCTURE: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.005	AFL	8208							
	PROC. REF: AMM 53-10-00							PKG:8,65	
A531002 ^S	INSPECT UNDERFLOOR: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.010	AFL	8208							
	PROC. REF: AMM 53-20-00							PKG:8,87	
A531003 ^S	INSPECT TAILCONE: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.015	AFL	8208							
	PROC. REF: AMM 53-20-04							PKG:8,75	
A531004 ^S	INSPECT FRONT AND REAR SPAR CARRY-THRU: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.020	AFL	8208							
	PROC. REF: AMM 53-10-09							PKG:8,87	
A531005 ^S	INSPECT CABIN DOOR FRAME: PHASE 13							Service	ATA:53
	MOS	23-Oct-07		TAC 0					
	HRS	6188	5000 (+30)	TAC 0					
WC#: 53.025	AFL			TAC 0					
	PROC. REF: AMM 53-10-09							PKG:14	
A531006 ^S	INSPECT EMERGENCY EXIT DOOR FRAME: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.030	AFL	8208							
	PROC. REF: AMM 53-10-09							PKG:8,71	
A531007 ^S	INSPECT WINDSHIELD, COCKPIT SIDE WIDOW, CABIN WINDOW FRAMES: PHASE 13							Service	ATA:53
	MOS	03-Oct-02		TAC 0					
	HRS	5040	5000 (+30)	TAC 0					
WC#: 53.035	AFL			TAC 0					
	PROC. REF: AMM 53-30-00							PKG:14	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531008 ^S	INSPECT FUSELAGE INTERIOR CABIN STRUCTURE CORROSION: PHASE 1							Service	ATA:53
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 53.040	AFL	8208							
				PROC. REF: AMM 53-10-09				PKG:2	
A531009 ^S	INSPECT CABIN BULKHEADS AND STRINGERS: PHASE 17							Service	ATA:53
	MOS	27-Sep-84		TAC 0					
	HRS	415	10000 (+30)	TAC 0, Adj -415					
WC#: 53.045	AFL	0		TAC 0					
				PROC. REF: AMM 53-10-00				PKG:18	
A531011 ^S	INSPECT FRONT CARRY-THRU TO WING SPAR LUGS: PHASE 57							Service	ATA:53
	MOS	19-Mar-12							
	HRS	6908.8	1200 (+30)						
WC#: 53.055	AFL	7551							
				PROC. REF: AMM 53-10-00				PKG:501	
A531012 ^S	INSPECT CABIN DOOR THRESHOLD: PHASE 1							Service	ATA:53
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 53.060	AFL	8208							
				PROC. REF: AMM 53-10-09				PKG:2	
A531013 ^S	INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE: PHASE 14							Service	ATA:53
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 53.065	AFL	0		TAC 0					
				PROC. REF: AMM 53-10-00				PKG:15	
A531014 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE: PHASE 14							Service	ATA:53
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 53.070	AFL	0		TAC 0					
				PROC. REF: AMM 53-10-00				PKG:15	
A531016 ^S	NOSE LANDING GEAR WHEEL WELL GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 53-10-00-212							Service	ATA:53
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							
								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531017 ^S	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: PHASE 14							Service	ATA:53
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 53.080	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-09							PKG:15	
A531018 ^S	NOSE LANDING GEAR WHEEL WELL GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 53-10-00-212							Service	ATA:53
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208							
	PROC. REF: AMM 53-10-09							PKG:504	
A531019 ^S	INSPECT WING ATTACH BOLTS AND LUGS: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.085	AFL	8208							
	PROC. REF: AMM 53-10-09							PKG:8,83	
A531020 ^S	INSPECT CABIN DOOR FUSELAGE FRAME (AIRPLANES -0001 THRU -0160): PHASE 13							Service	ATA:53
	MOS	27-Sep-84		TAC 0					
	HRS	0	5000 (+30)	TAC 0					
WC#: 53.090	AFL	0		TAC 0					
	PROC. REF: AMM 53-10-09							PKG:14	
A531037 ^S	INSPECT STUB WING SHEAR TIE FITTING BOLT FOR SECURITY OF INSTALLATION: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.100	AFL	8208							
	PROC. REF: AMM 53-10-02							PKG:8,83	
A532001 ^S	INSPECT CONTROL PEDESTAL AREA: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.105	AFL	8208							
	PROC. REF: AMM 53-20-02							PKG:8,69	
A532002 ^S	INSPECT NOSE GEAR WHEEL WELL: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.110	AFL	8208							
	PROC. REF: AMM 53-10-09							PKG:8,71	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A532003 ^S	INSPECT AFT CABIN UNDERFLOOR: PHASE 18							Service	ATA:53
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
WC#: 53.115	AFL	8208							
				PROC. REF: AMM 53-20-00				PKG:19	
A533001 ^S	INSPECT FUSELAGE EXTERIOR SKIN: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.120	AFL	8208							
				PROC. REF: AMM 53-30-01				PKG:8,67	
A533010 ^S	COMPLETE FUSELAGE SKIN JOINT EDDY CURRENT: PHASE 49							Service	ATA:53
	MOS	10-Jan-22	36 (+2m)						
	HRS	7810.3	1200 (+100)						
WC#: 53.125	AFL	8022							
				PROC. REF: AMM 53-30-01				PKG:47	
A535001 ^S	INSPECT NOSE CAP (RADOME): PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.130	AFL	8208							
				PROC. REF: AMM 53-50-01				PKG:8,65	
A535002 ^S	INSPECT STINGER ASSEMBLY: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.135	AFL	8208							
				PROC. REF: AMM 53-50-02				PKG:8,79	
B535001 ^S	CHECK RADOME ELECTRICAL BOND: PHASE 1							Service	ATA:53
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 53.140	AFL	8208							
				PROC. REF: AMM 53-50-01				PKG:2	
B535003 ^S	INSPECT FUSELAGE TO STUB WING FAIRING FOR CRACKS, FAILED FASTENERS AND EVIDENCE OF STRUCTURAL DAMAGE: PHASE 5							Service	ATA:53
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 53.145	AFL	8208							
				PROC. REF: AMM 53-50-03				PKG:8,85	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
A541001 ^S	INSPECT ENGINE NACELLE, PYLON AND FIREWALL: PHASE 5							Service	ATA:54
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 54.005	AFL	8208							
				PROC. REF: AMM 54-10-01				PKG:8,79	
A541002 ^S	INSPECT ENGINE SUPPORT STRUCTURES: PHASE 16							Service	ATA:54
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000	TAC 0					
WC#: 54.010	AFL	0		TAC 0					
				PROC. REF: AMM 54-40-01				PKG:17	
ATA 55 - STABILIZERS									
A551001 ^S	INSPECT HORIZONTAL STABILIZER - EXTERNALLY: PHASE 2							Service	ATA:55
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 55.005	AFL	8208							
				PROC. REF: AMM 55-10-01				PKG:3	
A551002 ^S	HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 55-10-01-214							Service	ATA:55
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							
								PKG:19	
A551003 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: PHASE 15							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000	TAC 0					
WC#: 55.010	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-01				PKG:16	
A551004 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR AND FORWARD AUXILIARY SPAR SPLICE: PHASE 15							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000	TAC 0					
WC#: 55.015	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-01				PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551005 ^S	HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 55-10-01-214							Service	ATA:55
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208							
								PKG:504	
A551006 ^S	INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: PHASE 13							Service	ATA:55
	MOS	03-Oct-02		TAC 0					
	HRS	5040	5000 (+30)	TAC 0					
WC#: 55.020	AFL			TAC 0					
				PROC. REF: AMM 55-10-01				PKG:14	
A553001 ^S	INSPECT VERTICAL STABILIZER - EXTERNALLY: PHASE 2							Service	ATA:55
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 55.025	AFL	8208							
				PROC. REF: AMM 55-30-01				PKG:3	
A553002 ^S	INSPECT VERTICAL STABILIZER AFT SPAR: PHASE 15							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 55.030	AFL	0		TAC 0					
				PROC. REF: AMM 55-30-01				PKG:16	
A553003 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: PHASE 15							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000	TAC 0					
WC#: 55.035	AFL	0		TAC 0					
				PROC. REF: AMM 55-30-01				PKG:16	
A553004 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR FLANGE: PHASE 15							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 55.040	AFL	0		TAC 0					
				PROC. REF: AMM 55-30-01				PKG:16	
A553005 ^S	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: PHASE 17							Service	ATA:55
	MOS	27-Sep-84		TAC 0					
	HRS	415	10000 (+30)	TAC 0, Adj -415					
WC#: 55.045	AFL	0		TAC 0					
				PROC. REF: AMM 55-10-01				PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553006 ^S	INSPECT VERTICAL STABILIZER - INTERNALLY: PHASE 5							Service	ATA:55
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 55.050	AFL	8208							
				PROC. REF: AMM 55-30-01				PKG:8,79	
A553007 ^S	VERTICAL STABILIZER AFT SPAR ASSEMBLY GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 55-30-01-211							Service	ATA:55
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208						PKG:19	
A553008 ^S	VERTICAL STABILIZER AFT SPAR ASSEMBLY GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 55-30-01-211							Service	ATA:55
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208						PKG:504	
A555001 ^S	INSPECT HORIZONTAL STABILIZER - INTERNALLY: PHASE 5							Service	ATA:55
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 55.055	AFL	8208							
				PROC. REF: AMM 55-10-01				PKG:8,79	
A555003 ^S	INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: PHASE 2							Service	ATA:55
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 55.060	AFL	8208							
				PROC. REF: AMM 55-10-01				PKG:3	
ATA 56 - WINDOWS									
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:CES-507-017-0	MOS/MSC	30-Jan-97	O/C						
SN:3831	HRS	3232		TSN 0					
WC#: 56.005	AFL								
				PROC. REF: AMM 56-10-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN: PAS9912064-16	MOS/MSC	30-Oct-06	O/C						
SN: 5196	HRS			TSN 0					
WC#: 56.010	AFL								
PROC. REF: AMM 56-10-01									
561003	FOUL WEATHER WINDOW							Component	ATA:56
PN: 5511275-7	MOS/MSC	10-Dec-07	O/C						
SN: 1397	HRS	6205		TSN 0					
WC#: 56.015	AFL								
PROC. REF: AMM 56-10-03									
561005	LEFT INBOARD FLIGHT COMPARTMENT WINDOW							Component	ATA:56
PN: 5511285-5	MOS/MSC	27-Sep-84	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-10-02									
561005	LEFT OUTBOARD FLIGHT COMPARTMENT WINDOW							Component	ATA:56
PN: 5511285-3	MOS/MSC	27-Sep-84	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 56.025	AFL	0		TSN 0					
PROC. REF: AMM 56-10-02									
561005	RIGHT INBOARD FLIGHT COMPARTMENT WINDOW							Component	ATA:56
PN: 5511285-6	MOS/MSC	27-Sep-84	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-10-02									
561005	RIGHT OUTBOARD FLIGHT COMPARTMENT WINDOW							Component	ATA:56
PN: 5511285-4	MOS/MSC	27-Sep-84	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 56.035	AFL	0		TSN 0					
PROC. REF: AMM 56-10-02									
562001	LEFT NO. 1 CABIN WINDOW							Component	ATA:56
PN: 5591005-6	MOS/MSC	27-Sep-84	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT NO. 2 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.045	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
562001	LEFT NO. 3 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	25-Jan-85	O/C						
SN:479	HRS	101		TSN 0					
WC#: 56.050	AFL								
PROC. REF: AMM 56-20-01									
562001	LEFT NO. 4 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.055	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
562001	LEFT NO. 5 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
562001	LEFT NO. 6 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.065	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
562001	RIGHT NO. 1 CABIN EMERGENCY DOOR WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
562001	RIGHT NO. 2 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	25-May-85	O/C						
SN:9849	HRS	198		TSN 0					
WC#: 56.075	AFL								
PROC. REF: AMM 56-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	RIGHT NO. 3 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
				PROC. REF: AMM 56-20-01					
562001	RIGHT NO. 4 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.085	AFL	0		TSN 0					
				PROC. REF: AMM 56-20-01					
562001	RIGHT NO. 5 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
				PROC. REF: AMM 56-20-01					
562001	RIGHT NO. 6 CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.095	AFL	0		TSN 0					
				PROC. REF: AMM 56-20-01					
A561001 ^S	INSPECT AIRPLANE WINDOWS: PHASE 1							Service	ATA:56
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 56.100	AFL	8208							
				PROC. REF: AMM 56-10-00					PKG:2
A561002 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS PRISM: PHASE 49							Service	ATA:56
	MOS	10-Jan-22	36 (+2m)						
	HRS	7810.3	1200 (+100)						
WC#: 56.105	AFL	8022							
				PROC. REF: AMM 56-10-00					PKG:47
ATA 57 - WINGS									
A570000 ^S	MAIN LANDING GEAR WHEEL WELL GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 57-00-00-212							Service	ATA:57
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PKG:19									
A570001 ^S	MAIN LANDING GEAR WHEEL WELL GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 57-00-00-212							Service	ATA:57
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208							
PKG:504									
A570002 ^S	AFT WING CLOSEOUT AREA GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 57-00-00-213							Service	ATA:57
	MOS	15-Aug-24	12 (+1m)						
	HRS	8032.6							
	AFL	8208							
PKG:19									
A570003 ^S	AFT WING CLOSEOUT AREA GENERAL VISUAL INSPECTION (CORROSION INSPECTION) TASK 57-00-00-213							Service	ATA:57
	MOS	15-Aug-24	6 (+1m)						
	HRS	8032.6							
	AFL	8208							
PKG:504									
A571005 ^S	COMPLETE MAIN SPAR WEEP HOLE AT WS 113: PHASE 14							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 57.005	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
PKG:15									
A571006 ^S	INSPECT INBOARD LOWER MAIN WING SPAR CAP AND STRAP							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	0	T:13200 (+30)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
PKG:92									
A571007 ^S	INSPECT OUTBOARD LOWER MAIN WING SPAR CAP AND STRAP							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	0	T:15600 (+30)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00									
PKG:93									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A571008 ^S	INSPECT INBOARD LOWER REAR WING SPAR CAP							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	0	T:15600 (+30)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:94	
A571009 ^S	INSPECT OUTBOARD LOWER REAR WING SPAR CAP							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	0	T:15600 (+30)	TAC 0					
	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:94	
A573001 ^S	INSPECT WINGS: PHASE 5							Service	ATA:57
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 57.015	AFL	8208							
				PROC. REF: AMM 57-00-00				PKG:8,83	
A573003 ^S	INSPECT JACK PAD: PHASE 14							Service	ATA:57
	MOS	27-Sep-84		TAC 0					
	HRS	415	T:10000 (+30)	TAC 0					
WC#: 57.020	AFL	0		TAC 0					
				PROC. REF: AMM 57-00-00				PKG:15	
A574005 ^S	INSPECT FLAP BELL CRANK ATTACH POINTS: PHASE 2							Service	ATA:57
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 57.025	AFL	8208							
				PROC. REF: AMM 57-20-01				PKG:3	
A575001 ^S	INSPECT FLAP: PHASE 2							Service	ATA:57
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 57.030	AFL	8208							
				PROC. REF: AMM 57-00-00				PKG:3	
ATA 71 - POWER PLANT									
710000	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC	06-Nov-84	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: EMM 71-00-00									
710000	NO. 2 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC	06-Nov-84	A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00									
710010	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	12-Sep-12							
	HRS	6827.5	3500 (+50/-50)		(10327.5) 10446.9	10377.5	2378.9 (+50)		
	ENC	7297							
PROC. REF: EMM 72-00-00									
710010	NO. 2 ENGINE - OVERHAUL							Service	ATA:71
	MOS	12-Sep-12							
	HRS	6827.5	3500 (+50/-50)		(10327.5) 10446.9	10377.5	2378.9 (+50)		
	ENC	7297							
PROC. REF: EMM 72-00-00									
710020	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	12-Sep-12							
	HRS	6827.5	1750 (+50/-50)		(8577.5) 8696.9	8627.5	628.9 (+50)		
	ENC	7297							
PROC. REF: EMM 72-00-00									
710020	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	12-Sep-12							
	HRS	6827.5	1750 (+50/-50)		(8577.5) 8696.9	8627.5	628.9 (+50)		
	ENC	7297							
PROC. REF: EMM 72-00-00									
710030	NO. 1 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R	TAC 0					
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710030	NO. 2 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
	PROC. REF: EMM 72-00-00								
712001	LEFT AFT ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA6-1	MOS	01-May-14						OVERHAUL	
SN:2602	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.005	AFL	7657							
	PROC. REF: AMM 71-21-00								
712001	RIGHT AFT ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA6-1	MOS	01-May-14						OVERHAUL	
SN:2595	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.010	AFL	7657							
	PROC. REF: AMM 71-21-00								
712002	LEFT BOTTOM FWD ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA31	MOS	01-May-14						OVERHAUL	
SN:NSN	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.015	AFL	7657							
	PROC. REF: AMM 71-21-00								
712002	LEFT TOP FWD ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA30	MOS	01-May-14						OVERHAUL	
SN:NSN	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.020	AFL	7657							
	PROC. REF: AMM 71-21-00								
712002	RIGHT BOTTOM FWD ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA31	MOS	01-May-14						OVERHAUL	
SN:NSN	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.025	AFL	7657							
	PROC. REF: AMM 71-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002	RIGHT TOP FWD ENGINE ISOLATOR							Component	ATA:71
PN:LM420SA30	MOS	01-May-14						OVERHAUL	
SN:NSN	HRS	7127.2	3500	TSO 0	10627.2		2594.6		
WC#: 71.030	AFL	7657							
PROC. REF: AMM 71-21-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:JT15D-4B	MOS/MSC	12-Sep-12	E/C						
SN:PCE-102064	HRS	6946.9		TSN 6827.5					
WC#: 71.EN1	AFL	7570							
	ACH								
PROC. REF: AMM 71-01-02									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:JT15D-4B	MOS/MSC	12-Sep-12	E/C						
SN:PCE-102056	HRS	6946.9		TSN 6827.5					
WC#: 71.EN2	AFL	7570							
	ACH								
PROC. REF: AMM 71-01-02									
A711000 ^S	INSPECT ENGINE: PHASE 4							Service	ATA:71
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 71.035	AFL	8208							
PROC. REF: AMM 71-00-00									
PKG:5									
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	06-Nov-84	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00									
720010	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	06-Nov-84	A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3104268-01	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:HT1035	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 72-60-02									
722001	NO. 2 ENGINE - OIL PUMP							Component	ATA:72
PN:PWC3104268-01	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:90D10986	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 72-60-02									
723001 ^U	NO. 1 ENGINE - ENGINE FAN							Component	ATA:72
PN:3018020	MOS/MSC	11-Jan-98	O/C						
SN:UNKNOWN	HRS	3478		TSO 0					
	ENC								
723001 ^U	NO. 2 ENGINE - ENGINE FAN							Component	ATA:72
PN:3018020	MOS/MSC	11-Jan-98	O/C						
SN:UNKNOWN	HRS	3478		TSO 0					
	ENC								
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036625	MOS	24-Aug-12						LIFE LIMIT	
SN:7D677	HRS	6827.5							
	ENC	7297		TSN 5577	(9920) 10193 (M)		1985		
	ACCCYC	0	8200	TSN 5577					
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3033532	MOS	27-Aug-12						LIFE LIMIT	
SN:2C808	HRS	6827.5							
	ENC	7297		TSN 6070	(9427) 9700 (M)		1492		
	ACCCYC	0	8200	TSN 6070					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723020	NO. 1 ENGINE - LOW PRESSURE BOOST COMPRESSOR HUB							Component	ATA:72
PN:3021112	MOS		24-Aug-12					LIFE LIMIT	
SN:8N763	HRS		6827.5	TSN 6827.5					
	ENC		7297	TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: EMM 72-30-03								
723020	NO. 2 ENGINE - LOW PRESSURE BOOST COMPRESSOR HUB							Component	ATA:72
PN:3021112	MOS		27-Aug-12					LIFE LIMIT	
SN:8N726	HRS		6827.5	TSN 6827.5					
	ENC		7297	TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: EMM 72-30-03								
723030	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS		24-Aug-12					LIFE LIMIT	
SN:8N603	HRS		6827.5	TSN 6827.5					
	ENC		7297	TSN 7297	(17398) 17671 (M)		9463		
	ACCCYC	0	27500	TSN 7297			18927		
	PROC. REF: EMM 72-30-03								
723030	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS		27-Aug-12					LIFE LIMIT	
SN:1P053	HRS		6827.5	TSN 6827.5					
	ENC		7297	TSN 7297	(17398) 17671 (M)		9463		
	ACCCYC	0	27500	TSN 7297			18927		
	PROC. REF: EMM 72-30-03								
725010	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS		24-Aug-12					LIFE LIMIT	
SN:1P770	HRS		6827.5						
	ENC		7297	TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: EMM 72-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	27-Aug-12						LIFE LIMIT	
SN:75A714	HRS	6827.5		TSN 6827.5					
	ENC	7297		TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: EMM 72-50-02								
725020	NO. 1 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	24-Aug-12						LIFE LIMIT	
SN:1P861	HRS	6827.5		TSN 6827.5					
	ENC	7297		TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: GENERIC NO REF								
725020	NO. 2 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	27-Aug-12						LIFE LIMIT	
SN:1P870	HRS	6827.5		TSN 6827.5					
	ENC	7297		TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: GENERIC NO REF								
725030	NO. 1 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3021213	MOS	24-Aug-12						LIFE LIMIT	
SN:1P815	HRS	6827.5		TSN 6827.5					
	ENC	7297		TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3021213	MOS	27-Aug-12						LIFE LIMIT	
SN:1P027	HRS	6827.5		TSN 6827.5					
	ENC	7297		TSN 7297	(14000) 14273 (M)		6065		
	ACCCYC	0	14000	TSN 7297					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725071	NO. 1 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3105143-02	MOS/MSC	11-Jan-98	O/C						
SN:7D956	HRS	3478		TSO 0					
	ENC								
				PROC. REF: EMM 72-40-01					
725071	NO. 2 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3030317	MOS/MSC	11-Jan-98	O/C						
SN:UNKNOWN	HRS	3478		TSO 0					
	ENC								
				PROC. REF: EMM 72-40-01					
725101	NO. 1 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	24-Aug-12	O/C						
	HRS	6827.5							
	ENC	7297							
				PROC. REF: GENERIC NO REF					
725101	NO. 2 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	27-Aug-12	O/C						
	HRS	6827.5							
	ENC	7297							
				PROC. REF: GENERIC NO REF					
ATA 73 - ENGINE FUEL AND CONTROL									
731004	LEFT LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P92	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 73-30-02					
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:398601-2	MOS/MSC	21-Apr-20	O/C		TSO 92				
SN:0342	HRS	7578.2			TSO 750.7				
	ENC	7614			TSO 317				
				PROC. REF: EMM 73-10-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:398601-2	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:0420	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-02									
731020	NO. 1 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:3015303	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:2049	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-01									
731020	NO. 2 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:3015303	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:1963	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-01									
731025	NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:3015303	MOS/MSC	12-Sep-12	A/R						
SN:2049	HRS	6827.5							
	ENC	7297							
PROC. REF: EMM 73-10-01									
731025	NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:3015303	MOS/MSC	12-Sep-12	A/R						
SN:1963	HRS	6827.5							
	ENC	7297							
PROC. REF: EMM 73-10-01									
731030	NO. 1 ENGINE - MOTIVE FLOW VALVE							Component	ATA:73
PN:2524995-1	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:A90854	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-08									
731030	NO. 2 ENGINE - MOTIVE FLOW VALVE							Component	ATA:73
PN:2524995-1	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:A90444	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731035	NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service	ATA:73
PN:2524995-1	MOS/MSC	12-Sep-12	A/R						
SN:A90854	HRS	6827.5							
	ENC	7297							
PROC. REF: EMM 73-10-08									
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service	ATA:73
PN:2524995-1	MOS/MSC	12-Sep-12	A/R						
SN:A90444	HRS	6827.5							
	ENC	7297							
PROC. REF: EMM 73-10-08									
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:25607-2	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:3232	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-04									
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component	ATA:73
PN:25607-2	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:3058	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-10-04									
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service	ATA:73
PN:25607-2	MOS/MSC	12-Sep-12	A/R						
SN:3232	HRS	6827.5							
	ENC	7297							
PROC. REF: GENERIC NO REF									
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service	ATA:73
PN:25607-2	MOS/MSC	12-Sep-12	A/R						
SN:3058	HRS	6827.5							
	ENC	7297							
PROC. REF: GENERIC NO REF									
732002	ENGINE SYNC CONTROL							Component	ATA:73
PN:213787	MOS/MSC	26-Sep-00	O/C						
SN:1757952	HRS	4450		TSO 0					
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732003	ENGINE SYNC ACTUATOR							Component	ATA:73
PN:5485-066	MOS/MSC	29-Aug-98	O/C						
SN:2000248	HRS	3818		TSO 0					
	AFL								
PROC. REF: GENERIC NO REF									
732004	NO. 1 ENGINE - SOLENOID FUEL VALVE							Component	ATA:73
PN:3244758-1	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:PWC97A506	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: GENERIC NO REF									
732004	NO. 2 ENGINE - SOLENOID FUEL VALVE							Component	ATA:73
PN:3244758-1	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:C18318	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: GENERIC NO REF									
732010	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244759-4	MOS/MSC	03-Mar-17	O/C						
SN:A58610	HRS	7333.7							
	ENC	7491							
PROC. REF: EMM 73-20-01									
732010	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244759-4	MOS/MSC	27-Aug-12	O/C	TSO 0					
SN:A92581	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 73-20-01									
733002	FUEL FLOW INDICATOR							Component	ATA:73
PN:VSDL-OC208E	MOS/MSC	27-Sep-84	O/C						
SN:235	HRS	0		TSN 0					
WC#: 73.005	AFL	0		TSN 0					
PROC. REF: AMM 73-30-00									
733010	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:3268014-0201	MOS/MSC	27-Sep-84	O/C	TSN 0					
SN:760	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733010	NO. 2 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:3268014-0201	MOS/MSC	12-Jan-01	O/C						
SN:1575D	HRS	4445			TSN 0, TSO 103				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
73FO-01C	ENGINE SYNCHRONIZING INSTRUMENT W/TH REV FACTORY OPTION							Component	ATA:73
PN:76C	MOS/MSC	27-Sep-84	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:9049770-3	MOS/MSC	24-Aug-12	O/C		TSO 0				
SN:97504269	HRS	6827.5			TSO 0				
	ENC	7297			TSO 0				
PROC. REF: EMM 74-10-01									
741010	NO. 2 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:9049770-3	MOS/MSC	27-Aug-12	O/C		TSO 0				
SN:97392347	HRS	6827.5			TSO 0				
	ENC	7297			TSO 0				
PROC. REF: EMM 74-10-01									
741015	NO. 1 ENGINE - UPPER IGNITION EXCITER							Component	ATA:74
PN:9049770-3	MOS/MSC	24-Aug-12	O/C		TSO 0				
SN:97504266	HRS	6827.5			TSO 0				
	ENC	7297			TSO 0				
PROC. REF: EMM 74-10-01									
741015	NO. 2 ENGINE - UPPER IGNITION EXCITER							Component	ATA:74
PN:9049770-3B	MOS/MSC	21-Apr-20	O/C						
SN:97341554	HRS	7578.2							
	ENC	7614							
PROC. REF: EMM 74-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741030	NO. 1 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:9049770-3	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
SN:97504269	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									
741030	NO. 1 ENGINE - VISUAL INSPECT UPPER IGNITION EXCITER							Service	ATA:74
PN:9049770-3	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
SN:97504266	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									
741030	NO. 2 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:9049770-3	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
SN:97392347	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									
741030	NO. 2 ENGINE - VISUAL INSPECT UPPER IGNITION EXCITER							Service	ATA:74
PN:9049770-3B	MOS	15-Aug-24	24 (+2m)		31-Aug-26	31-Oct-26	713 d (+61)		
SN:97341554	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	22-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	7423.4		TSN 0					
	ENC	7547		TSN 0					
PROC. REF: EMM 74-20-02									
742010	NO. 2 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	22-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	7423.4		TSN 0					
	ENC	7547		TSN 0					
PROC. REF: EMM 74-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742020	NO. 1 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	22-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	7423.4		TSN 0					
	ENC	7547		TSN 0					
PROC. REF: EMM 74-20-02									
742020	NO. 2 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	22-Feb-18	O/C	TSN 0					
SN:UNKNOWN	HRS	7423.4		TSN 0					
	ENC	7547		TSN 0					
PROC. REF: EMM 74-20-02									
742030	NO. 1 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:3107371-01	MOS/MSC	06-Jul-01	O/C						
SN:UNKNOWN	HRS	4617		TSN 0					
	ENC								
PROC. REF: EMM 74-20-01									
742030	NO. 2 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:53067-38.5	MOS/MSC	15-Aug-24	O/C						
SN:NA	HRS	7948.6							
	ENC	7935							
PROC. REF: EMM 74-20-01									
742040	NO. 1 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:3107371-02	MOS/MSC	17-Apr-13	O/C	TSN 0					
SN:UNKNOWN	HRS	6885.7		TSN 0					
	ENC	7323		TSN 0					
PROC. REF: EMM 74-20-01									
742040	NO. 2 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:3107371-02	MOS/MSC	17-Apr-13	O/C	TSN 0					
SN:UNKNOWN	HRS	6885.7		TSN 0					
	ENC	7323		TSN 0					
PROC. REF: EMM 74-20-01									
B742001 ^S	INSPECT ENGINE IGNITERS: PHASE 2							Service	ATA:74
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 74.005	AFL	8208							
PROC. REF: AMM 74-32-00									

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750010	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632	MOS/MSC	24-Aug-12	O/C	TSO 0					
SN:2289	HRS	6827.5		TSO 0					
	ENC	7297		TSO 0					
PROC. REF: EMM 75-00-02									
750010	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632H	MOS/MSC	10-Nov-21	O/C						
SN:4202	HRS	7690.6							
	ENC	7725							
PROC. REF: EMM 75-00-02									
ATA 76 - ENGINE CONTROLS									
761005	SOLENOID ASSEMBLY							Component	ATA:76
PN:U-183238-001	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
B761001 ^S	FUNCTIONAL TEST ENGINE SYNCHRONIZER SYSTEM: PHASE 5							Service	ATA:76
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 76.005	AFL	8208							
PROC. REF: AMM 76-12-00									
B761002 ^S	CHECK THRUST REVERSER LOAD LIMITER PRE-LOAD: PHASE 5							Service	ATA:76
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 76.010	AFL	8208							
PROC. REF: AMM 78-31-00									
ATA 77 - ENGINE INDICATING									
770010	NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	15-Aug-24	24 (+2m)		15-Aug-26	15-Oct-26	697 d (+61)		
	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
770010	NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	15-Aug-24	24 (+2m)		15-Aug-26	15-Oct-26	697 d (+61)		
	HRS	7948.6	300 (+30)		(8248.6) 8332.6	8278.6	300 (+30)		
	ENC	7935							
PROC. REF: GENERIC NO REF									
771001	RIGHT BOTTOM TACH N2 GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	27-Jan-92	O/C						
SN:46205	HRS	1734		TSO 0					
	AFL								
PROC. REF: AMM 77-11-02									
771001	RIGHT TOP TACH N1 GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	27-Jan-92	O/C						
SN:7028	HRS	1734		TSO 0					
	AFL								
PROC. REF: AMM 77-11-02									
771002	N2 TURBINE RPM INDICATOR							Component	ATA:77
PN:DG-OC110A	MOS/MSC	27-Sep-84	O/C						
SN:8X	HRS	0		TSN 0					
WC#: 77.005	AFL	0		TSN 0					
PROC. REF: AMM 77-12-01									
771003	N1 FAN RPM INDICATOR							Component	ATA:77
PN:VSDL-OC410AD	MOS/MSC	29-Sep-05	O/C						
SN:48BADE	HRS	5910		TSO 0					
WC#: 77.010	AFL								
PROC. REF: AMM 77-11-01									
772003	ITT INDICATOR							Component	ATA:77
PN:VSDL-OC419L	MOS/MSC	04-May-98	O/C						
SN:115	HRS	3696		TSO 2276					
WC#: 77.015	AFL								
PROC. REF: AMM 77-21-01									
ATA 78 - EXHAUST									
781001	LEFT EXHAUST NOZZLE CONE							Component	ATA:78
PN:9912110-6-S6	MOS/MSC	14-Dec-84	O/C						
SN:UNKNOWN	HRS	74		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
AFL									
PROC. REF: AMM 78-11-01, AMM 78-11-01									
781001	RIGHT EXHAUST NOZZLE CONE							Component	ATA:78
PN:9912110-8-S8	MOS/MSC	27-Sep-84	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-11-01, AMM 78-11-01									
783001	LEFT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:202-0000-1	MOS/MSC	27-Sep-84	O/C						
SN:RC1460	HRS	0		TSN 0					
WC#: 78.005	AFL	0		TSN 0					
PROC. REF: AMM 78-31-00									
783001	RIGHT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:202-0000-3	MOS/MSC	27-Sep-84	O/C						
SN:RC1461	HRS	0		TSN 0					
WC#: 78.010	AFL	0		TSN 0					
PROC. REF: AMM 78-31-00									
783002	LEFT CONTROL VALVE							Component	ATA:78
PN:65680	MOS/MSC	27-Sep-84	O/C						
SN:693	HRS	0		TSN 0					
WC#: 78.015	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01									
783002	RIGHT CONTROL VALVE							Component	ATA:78
PN:65680	MOS/MSC	27-Sep-84	O/C						
SN:697	HRS	0		TSN 0					
WC#: 78.020	AFL	0		TSN 0					
PROC. REF: AMM 78-31-01									
783003	LEFT THREE WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	27-Sep-84	O/C						
SN:1425	HRS	0		TSN 0					
WC#: 78.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783003	RIGHT THREE WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	18-Jul-14	O/C	TSO 70					
SN:3587	HRS	7170.3		TSO 0					
WC#: 78.030	AFL	7677							
PROC. REF: GENERIC NO REF									
783005	LEFT THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-1	MOS/MSC	27-Sep-84	O/C						
SN:RC1460	HRS	0		TSN 0					
WC#: 78.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783005	RIGHT THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-2	MOS/MSC	27-Sep-84	O/C						
SN:RC1461	HRS	0		TSN 0					
WC#: 78.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783006	LEFT THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-1	MOS/MSC	27-Sep-84	O/C						
SN:RC1460	HRS	0		TSN 0					
WC#: 78.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783006	RIGHT THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-2	MOS/MSC	27-Sep-84	O/C						
SN:RC1461	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783007	LEFT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	27-Sep-84	O/C						
SN:RC1460	HRS	0		TSN 0					
WC#: 78.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783007	RIGHT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	27-Sep-84	O/C						
SN:RC1461	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
783008 LEFT THRUST REVERSER MECH ASSEMBLY Component ATA:78								
PN:202-0004-3	MOS/MSC	27-Sep-84	O/C					
SN:RC1460	HRS	0		TSN 0				
WC#: 78.065	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
783008 RIGHT THRUST REVERSER MECH ASSEMBLY Component ATA:78								
PN:202-0004-5	MOS/MSC	27-Sep-84	O/C					
SN:RC1461	HRS	0		TSN 0				
WC#: 78.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
783009 LEFT THRUST REVERSER FAN DUCT Component ATA:78								
PN:202-0012-1	MOS/MSC	27-Sep-84	O/C					
SN:RC1460	HRS	0		TSN 0				
WC#: 78.075	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
783010 LEFT INBOARD THRUST REVERSER ACTUATOR Component ATA:78								
PN:7U7555	MOS/MSC	27-Sep-84	O/C					
SN:1427	HRS	0		TSN 0				
WC#: 78.085	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
783010 RIGHT INBOARD THRUST REVERSER ACTUATOR Component ATA:78								
PN:62270	MOS/MSC	27-Sep-84	O/C					
SN:1444	HRS	0		TSN 0				
WC#: 78.095	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
783010 RIGHT OUTBOARD THRUST REVERSER ACTUATOR Component ATA:78								
PN:62270	MOS/MSC	27-Sep-84	O/C					
SN:1446	HRS	0		TSN 0				
WC#: 78.100	AFL	0		TSN 0				
PROC. REF: AMM 78-31-01								
78FO-01 THRUST REVERSERS FACTORY OPTION Component ATA:78								
PN:193	MOS/MSC	27-Sep-84	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
A783002 ^S	INSPECT THRUST REVERSERS: PHASE 4							Service	ATA:78
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 78.105	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:5	
A783003 ^S	INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: PHASE 3							Service	ATA:78
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 78.110	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:4	
B783002 ^S	OPERATIONAL TEST THRUST REVERSERS: PHASE 2							Service	ATA:78
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 78.115	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:1,3	
B783100 ^S	FUNCTIONAL TEST THRUST REVERSER STOW LIMIT SWITCH - COMPLETE: PHASE 4							Service	ATA:78
	MOS	15-Aug-24	24 (+2m)						
	HRS	8032.6	300 (+30)						
WC#: 78.125	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:5	
C783002 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (WC-393 NON-AEROSOL SPRAY LUBRICATION METHOD): PHASE 2							Service	ATA:78
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 78.130	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:1,3,5	
C783003 ^S	LUBRICATE THRUST REVERSER GUIDE RODS (D-5100NS AEROSOL SPRAY LUBRICATION METHOD): PHASE 2							Service	ATA:78
	MOS	15-Aug-24							
	HRS	8032.6	150 (+30)						
WC#: 78.135	AFL	8208							
				PROC. REF: AMM 78-31-00				PKG:1,3,5	
C783004 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (C5-A ANTISEIZE COMPOUND LUBRICATION METHOD): PHASE 30							Service	ATA:78
	MOS	19-Mar-21							
	HRS	7730.8	600 (+30)						
WC#: 78.140	AFL	7955							
				PROC. REF: AMM 78-31-00				PKG:38	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792003	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3029315	MOS/MSC	21-Apr-20	O/C	TSO 92					
SN:NSN	HRS	7578.2		TSO 750.7					
	ENC	7614		TSO 317					
	PROC. REF: EMM 79-20-01								
792003	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:3029315	MOS/MSC	21-Apr-20	O/C	TSO 92					
SN:NSN	HRS	7578.2		TSO 750.7					
	ENC	7614		TSO 317					
	PROC. REF: EMM 79-20-01								
792010	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	16-Aug-10	O/C						
	HRS	6564.8							
	ENC								
	PROC. REF: EMM 72-00-00								
792010	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	16-Aug-10	O/C						
	HRS	6564.8							
	ENC								
	PROC. REF: EMM 72-00-00								
793001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:VSDL-OC219F	MOS/MSC	10-Aug-07	O/C						
SN:271A	HRS	6120		TSO 6120					
WC#: 79.005	AFL								
	PROC. REF: AMM 79-31-02								
793002	LEFT OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Sep-84	O/C						
SN:50692	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-31-02								
793002	RIGHT OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	27-Sep-84	O/C						
SN:48809	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: S550 - CITATION SII Serial: S550-0004 RegNo: N178DA HRS: 8032.6 AFL: 8208 As Of: 15-Aug-2024

17-Sep-2024 03:04 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793003	OIL PRESSURE INDICATOR							Component	ATA:79
PN:VSDL-OC204H	MOS/MSC	10-Aug-07	O/C						
SN:161A	HRS	6120		TSO 6120					
WC#: 79.010	AFL								
PROC. REF: AMM 79-31-01									
793004	LEFT OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	15-Jul-85	O/C						
SN:36990	HRS	232		TSN 0					
	AFL								
PROC. REF: AMM 79-31-01									
793004	RIGHT OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	29-May-92	O/C						
SN:34633	HRS	1777		TSO 0					
	AFL								
PROC. REF: AMM 79-31-01									
ATA 80 - STARTING									
B801002 ^S	OPERATIONAL TEST STARTER DISENGAGE SYSTEM: PHASE 5							Service	ATA:80
	MOS	15-Aug-24	36 (+2m)						
	HRS	8032.6	1200 (+100)						
WC#: 80.010	AFL	8208							
PROC. REF: AMM 80-11-01									
PKG:8,77									
ATA 83 - ACCESSORY GEAR-BOXES									
832001 ^U	NO. 1 ENGINE - MAIN GEAR BOX ASSY							Component	ATA:83
PN:3018390	MOS/MSC	11-Jan-98	O/C						
SN:UNKNOWN	HRS	3478		TSO 0					
	ENC								
832001 ^U	NO. 2 ENGINE - MAIN GEAR BOX ASSY							Component	ATA:83
PN:3018390	MOS/MSC	11-Jan-98	O/C						
SN:UNKNOWN	HRS	3478		TSO 0					
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task