

N318DN

1981 Citation I/SP

CAMP Status Report

Aircraft S/N: 501-0184



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

501 - MODEL 501

S/N 501-0184 N318DN

OWNER: DEAN LUMBER CO
ADDRESS: 48 AVIATION DRIVE
GILMER TX 75645
OFFICE: 903-586-1521
FAX:

OPERATOR: RIDGEAIRE INC
ADDRESS: 428 CR 1618 HANGAR #1
RUSK TX 75785
OFFICE: 903-586-1521
FAX:

ANALYST: CLAYTON WAYMAN
EMAIL: CWAYMAN@CAMPSYSTEMS.COM

+1-316-462-2439 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 501-0184/N318DN	MODEL: 501 - MODEL 501	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 30-JAN-1981	LAST ACTUALS:	
		9520.8 A/C HRS	as of 07-FEB-2025
		6625 AFL	as of 07-FEB-2025
		22.9 ACH	as of 07-FEB-2025

ENGINE NO. 1	SERIAL/PART: PCE-76919/3018700	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 06-APR-1999	LAST ACTUALS:	
	0 ENG. HRS 6640 A/C HRS	9727.3 ENG. HRS	as of 07-FEB-2025
	ENC	7181 ENC	as of 07-FEB-2025

ENGINE NO. 2	SERIAL/PART: PCE-77129/3018700	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 30-OCT-2008	LAST ACTUALS:	
	1186 ENG. HRS 8288 A/C HRS	9375.7 ENG. HRS	as of 07-FEB-2025
	ENC	6549 ENC	as of 07-FEB-2025



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052501 ^U	FIRST AID KIT P/N 932-1528-61 (EXPIRATION)							Service	ATA:05
	MOS/MSC	07-Feb-25	DUE		06-Feb-26 (M)		354 d		
	HRS	9520.8							
	AFL	6625							
	Expiry Date: : 06-Feb-26								
<hr/>									
053203 ^U	INSPECT NOSE NDT WHEEL INSPECTION							Service	ATA:05
	MOS/MSC	15-Nov-16	O/C						
	HRS	9119.2							
	AFL	6400							
<hr/>									
053417 ^U	INSPECT RDR 2000 ICA							Service	ATA:05
	MOS	07-Feb-25	12		28-Feb-26		376 d		
	HRS	9520.8							
	AFL	6625							
	ACH								
<hr/>									
053490 ^U	INSPECT RVSM GMU TEST FLIGHT							Service	ATA:05
	MOS/MSC	15-Mar-04	O/C	TAC 0					
	HRS								
	AFL								
<hr/>									
055008	ACCOMPLISH INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055009	ACCOMPLISH EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED CHECK							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00									
057110	NO. 1 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9727.3	300 (+30)		(10027.3) 9820.8	10057.3	300 (+30)		
	ENC	7181							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
057110	NO. 2 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9375.7	300 (+30)		(9675.7) 9820.8	9705.7	300 (+30)		
	ENC	6549							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
5-12-01	PHASE 1 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9520.8	300 (+30)		9820.8	9850.8	300 (+30)		
	AFL	6625							
PROC. REF: TLMC 5-12-01PROC. REF: TLMC 5-12-01									
5-12-02	PHASE 2 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9520.8	300 (+30)		9820.8	9850.8	300 (+30)		
	AFL	6625							
PROC. REF: TLMC 5-12-02PROC. REF: TLMC 5-12-02									

PKG:2

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-03	PHASE 3 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9520.8	300 (+30)		9820.8	9850.8	300 (+30)		
	AFL	6625							
PROC. REF: TLMC 5-12-03PROC. REF: TLMC 5-12-03								PKG:4	
5-12-04	PHASE 4 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9520.8	300 (+30)		9820.8	9850.8	300 (+30)		
	AFL	6625							
PROC. REF: TLMC 5-12-04PROC. REF: TLMC 5-12-04								PKG:5	
5-12-05	PHASE 5 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	36 (+2m)		29-Feb-28	07-Apr-28	1107 d (+38)		
	HRS	9520.8	1200 (+100)		10720.8	10820.8	1200 (+100)		
	AFL	6625							
PROC. REF: TLMC 5-12-05PROC. REF: TLMC 5-12-05								PKG:6	
5-12-0B	PHASE B							Package	ATA:05
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)		9670.8	9700.8	150 (+30)		
	AFL	6625							
PROC. REF: TLMC 5-12-0BPROC. REF: TLMC 5-12-0B								PKG:1	
5-12-12	PHASE 12 INSPECTION							Package	ATA:05
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)		10015.1	10025.1	494.3 (+10)		
	AFL	6559	600		7159		534		
PROC. REF: TLMC 5-12-12PROC. REF: TLMC 5-12-12								PKG:13	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-13	PHASE 13 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	3 (+1m)		31-May-25	07-Jun-25	103 d (+7)		
	HRS	9520.8	100 (+10)		9620.8	9630.8	100 (+10)		
	AFL	6625							
PROC. REF: TLMC 5-12-13PROC. REF: TLMC 5-12-13								PKG:14	
5-12-15	PHASE 15 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-15PROC. REF: TLMC 5-12-15								PKG:16	
5-12-16	PHASE 16 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-16PROC. REF: TLMC 5-12-16								PKG:17	
5-12-17	PHASE 17 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-17PROC. REF: TLMC 5-12-17								PKG:18	
5-12-18	PHASE 18 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	12 (+1m)		28-Feb-26	07-Mar-26	376 d (+7)		
	HRS	9520.8							
	AFL	6625							
PROC. REF: TLMC 5-12-18PROC. REF: TLMC 5-12-18								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-20 ^S	PHASE 20 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	07-Feb-25	24						
	HRS	9520.8							
	AFL	6625							
								PKG:20	
PROC. REF: TLMC 5-12-20PROC. REF: TLMC 5-12-20									
5-12-23 ^S	PHASE 23 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	30-Jan-81	60						
	HRS	0							
	AFL	0							
								PKG:23	
PROC. REF: TLMC 5-12-23PROC. REF: TLMC 5-12-23									
5-12-24	PHASE 24 INSPECTION							Package	ATA:05
	MOS	30-Jan-81							
	HRS	0	T:10000 (+10)		10000	10010	479.2 (+10)		
	AFL	0							
								PKG:24	
PROC. REF: TLMC 5-12-24PROC. REF: TLMC 5-12-24									
5-12-37	PHASE 37 INSPECTION							Package	ATA:05
	MOS	07-Feb-95							
	HRS	5002	5000 (+10)		10002	10012	481.2 (+10)		
	AFL								
								PKG:29	
PROC. REF: TLMC 5-12-37PROC. REF: TLMC 5-12-37									
5-12-40	PHASE 40 INSPECTION (NOT CURRENTLY USED)							Package	ATA:05
	MOS/MSC	30-Jan-81	A/R						
	HRS	0							
	AFL	0							
								PKG:31	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-48 ^S	PHASE 48 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	07-Feb-25	72						
	HRS	9520.8							
	AFL	6625							
								PKG:34	
PROC. REF: TLMC 5-12-48PROC. REF: TLMC 5-12-48									
5-12-49	PHASE 49 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	36 (+2m)		29-Feb-28	07-Apr-28	1107 d (+38)		
	HRS	9520.8	1200 (+100)		10720.8	10820.8	1200 (+100)		
	AFL	6625							
								PKG:35	
PROC. REF: TLMC 5-12-49PROC. REF: TLMC 5-12-49									
5-12-52	PHASE 52 INSPECTION							Package	ATA:05
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)		11454.6	11464.6	1933.8 (+10)		
	AFL	6580							
								PKG:38	
PROC. REF: TLMC 5-12-52PROC. REF: TLMC 5-12-52									
5-12-53	PHASE 53 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	12		28-Feb-26		376 d		
	HRS	9520.8							
	AFL	6625							
								PKG:39	
PROC. REF: TLMC 5-12-53PROC. REF: TLMC 5-12-53									
5-12-54 ^S	PHASE 54 INSPECTION							Package	ATA:05
	MOS	31-Oct-22	3						
	HRS	9497.4	200						
	AFL	6609							
								PKG:52	
PROC. REF: TLMC 5-12-54PROC. REF: TLMC 5-12-54									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-55	PHASE 55 INSPECTION							Package	ATA:05
	MOS	24-Nov-19							
	HRS	9415.1	600		10015.1		494.3		
	AFL	6559							
								PKG:53	
PROC. REF: TLMC 5-12-55PROC. REF: TLMC 5-12-55									
5-12-56	PHASE 56 INSPECTION							Package	ATA:05
	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS								
	AFL								
								PKG:501	
PROC. REF: TLMC 5-12-56PROC. REF: TLMC 5-12-56									
5-12-57	PHASE 57 INSPECTION							Package	ATA:05
	MOS	07-Feb-25	6 (+1m)		31-Aug-25	07-Sep-25	195 d (+7)		
	HRS	9520.8							
	AFL	6625							
								PKG:502	
PROC. REF: TLMC 5-12-57PROC. REF: TLMC 5-12-57									
5-12-58	PHASE 58 INSPECTION							Package	ATA:05
	MOS/MSC		N/A					NOT APPLICABLE	
	HRS								
	AFL								
	ACH	EFF							
								PKG:503	
PROC. REF: TLMC 5-12-58PROC. REF: TLMC 5-12-58									
5-12-59	PHASE 59 INSPECTION							Package	ATA:05
	MOS	EFF							
	HRS	EFF	T:10000 (+10)		10000 * (M)	10010	479.2 (+10)		
	AFL								
								PKG:504	
PROC. REF: TLMC 5-12-59PROC. REF: TLMC 5-12-59									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-MA	PHASE MA INSPECTION							Package	ATA:05
	MOS	06-Jan-03							
	HRS	7457							
	AFL	5195	1000	Adj 11000	17195		10570		
PROC. REF: TLMC 5-12-MAPROC. REF: TLMC 5-12-MA								PKG:40	
5-12-MD ^S	PHASE MD INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	25-May-01							
	HRS	7179							
	AFL	5028	5000						
PROC. REF: TLMC 5-12-MDPROC. REF: TLMC 5-12-MD								PKG:42	
5-12-MF	PHASE MF INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	30-Jan-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
PROC. REF: TLMC 5-12-MFPROC. REF: TLMC 5-12-MF								PKG:50	
5-12-MG	PHASE MG INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	30-Jan-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
PROC. REF: TLMC 5-12-MGPROC. REF: TLMC 5-12-MG								PKG:51	
5-12-MH	PHASE MH INSPECTION							Package	ATA:05
	MOS/MSC	19-May-15	N/A					NOT APPLICABLE	
	HRS	9062.2							
	AFL	6371							
PROC. REF: TLMC 5-12-MHPROC. REF: TLMC 5-12-MH								PKG:54	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 11 - PLACARDS AND MARKINGS									
A113001 ^S	INSPECT GOVERNMENT REQUIRED INTERIOR AND EXTERIOR PLACARDS AND DECALS: PHASE 5 INSPECTION							Service	ATA:11
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 11-00-00PROC. REF: AMM 11-00-00								PKG:6	
ATA 12 - SERVICING									
12-26-00-601	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
12-26-00-602	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
12-26-00-603	90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00									
ATA 21 - AIR CONDITIONING									
211002	EMERGENCY PRESSURIZATION VALVE							Component	ATA:21
PN:224465-2	MOS/MSC	30-Jan-81	O/C						
SN:702	HRS	0		TSN 0					
WC#: 21.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212002 CABIN AFT OVERHEAD BLOWER								Component ATA:21
PN:BC61A901-2	MOS	07-Jun-14						REPLACE
SN:1131A	HRS	8963.2	1000	TSN 0	9963.2		442.4	
WC#: 21.210	AFL	6315						
PROC. REF: AMM 21-20-02PROC. REF: AMM 21-20-02								
212003 AIR INLET DOOR ACTUATOR								Component ATA:21
PN:1H56-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212005 LEFT CABIN COOLING FAN								Component ATA:21
PN:WS2107F30	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212005 RIGHT CABIN COOLING FAN								Component ATA:21
PN:WS2107F30	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
212007 FORWARD BLOWER MOTOR								Component ATA:21
PN:19A827	MOS/MSC	07-Jun-14	O/C	TSN 0				
SN:-NSN-	HRS	8963.2		TSN 0				
WC#: 21.250	AFL	6315						
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00								
212010 DOOR ACTUATOR MOTOR ASSEMBLY								Component ATA:21
PN:5A3032	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213001 CABIN PRESSURE INDICATOR								Component ATA:21
PN:C668511-0102	MOS/MSC	30-Jan-81	O/C					
SN:15714	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03								
213002 PRESSURIZATION CONTROLLER								Component ATA:21
PN:130356-14	MOS/MSC	25-Nov-97	O/C					
SN:5790053	HRS	6163		TSO 0				
	AFL							
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								
213003 CABIN RATE OF CLIMB INDICATOR								Component ATA:21
PN:C668513-0101	MOS/MSC	30-Jan-81	O/C					
SN:11576G	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213005 LEFT CABIN ALTITUDE LIMIT VALVE								Component ATA:21
PN:102466-1	MOS/MSC	30-Jan-81	O/C					
SN:292856	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
213005 RIGHT CABIN ALTITUDE LIMIT VALVE								Component ATA:21
PN:102466-1	MOS/MSC	30-Jan-81	O/C					
SN:302980	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
213006 SAFETY OUTFLOW VALVE								Component ATA:21
PN:103576-13	MOS/MSC	30-Oct-95	O/C					
SN:45817	HRS	5330		TSO 0				
WC#: 21.060	AFL							
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213007 NORMAL OUTFLOW VALVE Component ATA:21								
PN:103576-12	MOS/MSC	30-Oct-95	O/C					
SN:50759	HRS	5330		TSO 0				
WC#: 21.050	AFL							
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01								
213008 MANUAL DUMP VALVE Component ATA:21								
PN:2101701-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03								
213009 LEFT BLEED AIR FLOW CONTROL VALVE Component ATA:21								
PN:225645-2	MOS/MSC	30-Jan-81	O/C					
SN:177	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								
213009 RIGHT BLEED AIR FLOW CONTROL VALVE Component ATA:21								
PN:320595	MOS/MSC	03-Feb-03	O/C					
SN:861	HRS	7457		TSO 0				
WC#: 21.040	AFL							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								
213013 PNEUMATIC RELAY Component ATA:21								
PN:130358-1	MOS/MSC	30-Jan-81	O/C					
SN:109848	HRS	0		TSN 0				
WC#: 21.030	AFL	0		TSN 0				
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02								
215001 REFRIGERATION UNIT Component ATA:21								
PN:738443-13	MOS/MSC	30-Jan-81	O/C					
SN:51865	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215002	ASPIRATOR AND FAN HOUSING							Component	ATA:21
PN:740730-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215004	ENVIRONMENT CONTROL UNIT (HAMILTON STANDARD) (RECOMMENDED ECONOMIC OVERHAUL)							Component	ATA:21
PN:738384-8	MOS	23-Nov-96						OVERHAUL	
SN:LB0996B	HRS	5741	5000	TSO 0	10741	10741	1220.2		
WC#: 21.070	AFL								
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215005	BYPASS VALVE							Component	ATA:21
PN:754751-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215006	OVERHEAT SWITCH							Component	ATA:21
PN:746833-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
215007	GROUND OPERATION VALVE							Component	ATA:21
PN:225655	MOS/MSC	30-Jan-81	O/C						
SN:350	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215012	VAPOR CYCLE COOLING SYSTEM COMPRESSOR DRIVE MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1, -5 OR FWA1134104-1, -5) - REPLACE EVERY 500 COMPRESSOR HOURS.							Service	ATA:21
	MOS/MSC	EFF	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED	
	HRS			TAC 0					
	AFL			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215016	COMPRESSOR							Component	ATA:21
PN:JBS5005-2	MOS/MSC	14-Feb-03	O/C						
SN:K1216	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01									
215020 ^U	LEFT EVAPORATOR BLW MOTOR							Component	ATA:21
PN:JBS13001-1	MOS/MSC	03-Feb-03	O/C						
SN:247	HRS	7457		TSN 0					
	AFL								
215020 ^U	RIGHT EVAPORATOR BLW MOTOR							Component	ATA:21
PN:JBS-275-2	MOS/MSC	14-Feb-03	N/A						
SN:K1182	HRS	7457		TSN 0					
	AFL								
215022	LEFT AFT EVAPORATOR ASSEMBLY							Component	ATA:21
PN:JBS-275-6	MOS/MSC	14-Feb-03	O/C						
SN:254	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01									
215022	RIGHT AFT EVAPORATOR ASSEMBLY							Component	ATA:21
PN:JBS-275-5	MOS/MSC	14-Feb-03	O/C						
SN:K1113	HRS	7457		TSN 0					
	AFL								
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01									
216001	CABIN TEMPERATURE SELECTOR							Component	ATA:21
PN:5518118-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.090	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00								
216002 TEMPERATURE CONTROL UNIT Component ATA:21								
PN:754661-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.330	AFL	0		TSN 0				
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00								
216003 DUCT TEMPERATURE SENSOR Component ATA:21								
PN:754691-1	MOS/MSC	13-Jul-84	O/C					
SN:091507	HRS	1096		TSN 0				
WC#: 21.110	AFL							
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00								
216004 CABIN TEMPERATURE SENSOR Component ATA:21								
PN:754681-1	MOS/MSC	13-Jul-95	O/C					
SN:UNKNOWN	HRS	5214		TSN 0				
WC#: 21.100	AFL							
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00								
216005 CENTRIFUGAL BLOWER Component ATA:21								
PN:19A608	MOS/MSC	07-Aug-20	O/C					
SN:NSN	HRS	9454.6						
WC#: 21.160	AFL	6580						
PROC. REF: AMM 21-23-00PROC. REF: AMM 21-23-00								
21FO-05B LH FAN INSTALLATION FORWARD DIVIDER FACTORY OPTION Component ATA:21								
PN:180B	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM 21-21-00PROC. REF: AMM 21-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A215001 ^S	CHECK AIR CYCLE MACHINE OIL LEVEL: PHASE 1 INSPECTION							Service	ATA:21
	MOS	07-Feb-25							
	HRS	9520.8	150 (+10)						
WC#: 21.335	AFL	6625							
								PKG:1,2,4	
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
A216003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER (COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104- 1, -5): PHASE MH INSPECTION							Service	ATA:21
	MOS	19-May-15							
	HRS	9062.2	300						
	AFL	6371							
								PKG:54	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216004 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104-1, -5): PHASE 56 INSPECTION							Service	ATA:21
	MOS	30-Jan-81		TAC 0					
	HRS	0	300	TAC 0					
	AFL	0		TAC 0					
								PKG:501	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216005 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: PHASE 18 INSPECTION							Service	ATA:21
	MOS/MS	07-Feb-25	N/A						
	HRS	9520.8							
	AFL	6625							
								PKG:19	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216006 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE: PHASE 58 INSPECTION							Service	ATA:21
	MOS	30-Jan-81		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	ACH		500						
								PKG:503	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B210000 ^S	OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-00-00PROC. REF: AMM 21-00-00								PKG:6	
B211001 ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: PHASE 4 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:5	
B211002 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:6	
B211003 ^S	OPERATIONAL TEST FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 2 INSPECTION							Service	ATA:21
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
	AFL	6625							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:1,3,5	
B212001 ^S	LEAK CHECK TAILCONE BLEED AIR LINES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B212002 ^S	OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								PKG:6	
<hr/>									
B212003 ^S	OPERATIONAL CHECK AVIONICS BAY COOLING FANS: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-23-00PROC. REF: AMM 21-23-00								PKG:6	
<hr/>									
B213000 ^S	OPERATIONAL CHECK PRESSURIZATION: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
<hr/>									
B213001 ^S	FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-05PROC. REF: AMM 21-31-05								PKG:6	
<hr/>									
B213003 ^S	OPERATIONAL CHECK PRESSURIZATION (AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
C215001 ^S	CHANGE ACM OIL: PHASE 12 INSPECTION							Service	ATA:21
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)						
	AFL	6559	600 (+10)						
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								PKG:13	
<hr/>									
D213001 ^S	CLEAN/REPLACE PRESSURIZATION CONTROLLER FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
<hr/>									
D213003 ^S	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
<hr/>									
D213004 ^S	CLEAN/REPLACE DISABLE SOLENIOD VALVE BREATHER PLUG: PHASE 5 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
<hr/>									
D217001 ^S	INSPECT HUMIDITY REGULATOR(WATER SEPERATOR): PHASE 3 INSPECTION							Service	ATA:21
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 21-70-00PROC. REF: AMM 21-70-00								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221008	AUTOPILOT COMPUTER							Component	ATA:22
PN:4008519-911	MOS/MSC	31-Aug-04	O/C						
SN:81042447	HRS	7796		TSO 57					
WC#: 22.020	AFL								
PROC. REF: AMM 22-12-02PROC. REF: AMM 22-12-02									
221009	AUTOPILOT CONTROLLER							Component	ATA:22
PN:4018639-901	MOS/MSC	30-Jan-81	O/C						
SN:040200	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-12-03PROC. REF: AMM 22-12-03									
221010	AILERON SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	23-Apr-04	O/C						
SN:96038439	HRS	7728		TSO 877					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	ELEVATOR SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	30-Jan-81	O/C						
SN:009584	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	RUDDER SERVO ACTUATOR							Component	ATA:22
PN:4006719-906	MOS/MSC	30-Jan-81	O/C						
SN:085212	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
A221001 ^S	INSPECT AILERON SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
A222001 ^S	INSPECT RUDDER SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01									
A223001 ^S	INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01									
B221002 ^S	PERFORMANCE TEST SPERRY AUTOPILOT DISENGAGEMENT AND WARNING: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Feb-25	36						
	HRS	9520.8	1200						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03									
B221003 ^S	PERFORMANCE TEST BENDIX AUTOPILOT DISENGAGEMENT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03									
ATA 23 - COMMUNICATIONS									
232002	NO. 2 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VF10-108-1	MOS/MSC	30-Jan-81	O/C						
SN:838	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232003	NO. 1 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VFS10-90-5	MOS/MSC	30-Jan-81	O/C						
SN:1116	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232004	FLITEFONE TRANSCEIVER							Component	ATA:23
PN:400-0033	MOS/MSC	07-Apr-83	O/C						
SN:7754	HRS	556		TSN 0					
WC#: 23.090	AFL								
PROC. REF: AMM 23-23-01PROC. REF: AMM 23-23-01									
232005	CABIN FLITEFONE CONTROL							Component	ATA:23
PN:400-0030	MOS/MSC	07-Apr-83	O/C						
SN:7573	HRS	556		TSN 0					
WC#: 23.090	AFL								
PROC. REF: AMM 23-23-01PROC. REF: AMM 23-23-01									
232006	COCKPIT FLITEFONE CONTROL							Component	ATA:23
PN:400-0018	MOS/MSC	07-Apr-83	O/C						
SN:1775	HRS	556		TSN 0					
WC#: 23.050	AFL								
PROC. REF: AMM 23-23-01PROC. REF: AMM 23-23-01									
232010	NO. 1 TOP COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:622-1879-002	MOS/MSC	02-Oct-14	O/C						
SN:12589	HRS	9002.9							
	AFL	6339							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232010	NO. 2 BOTTOM COMMUNICATION TRANSCEIVER							Component	ATA:23
PN:622-1879-002	MOS/MSC	31-Aug-04	O/C						
SN:14298	HRS	7796		TSO 6697					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
232011	COMMUNICATION CONTROL							Component	ATA:23
PN:1U434-001	MOS/MSC	12-Dec-96	O/C						
SN:3114	HRS	5765		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
235001	LEFT AUDIO AMPLIFIER							Component	ATA:23
PN:1630-1	MOS/MSC	30-Jan-81	O/C						
SN:781	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
235001	RIGHT AUDIO AMPLIFIER							Component	ATA:23
PN:1630-1	MOS/MSC	23-Apr-08	O/C						
SN:777	HRS	8175		TSO 8175					
WC#: 23.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
235003	CABIN SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	14-Aug-81	O/C						
SN:UNKNOWN	HRS	101		TSN 0					
	AFL								
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
<hr/>									
235003	COCKPIT SPEAKERS							Component	ATA:23
PN:48FU2103	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
<hr/>									
235006	LEFT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235006	RIGHT TELEX HEADSET							Component	ATA:23
PN:62629-00	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A231001 ^S	INSPECT HIGH FREQUENCY ANTENNA AND TENISION UNIT: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625						PKG:6	
PROC. REF: AMM 23-00-05PROC. REF: AMM 23-00-05									
A236002 ^S	CONTROL SURFACE BONDING JUMPER INSPECTION: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625						PKG:6	
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00									
A237001 ^S	INSPECT COCKPIT VOICE RECORDER: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625						PKG:6	
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
B236001 ^S	INSPECT STATIC DISCHARGE WICKS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625						PKG:6	
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
B237002 ^S	OPERATIONAL TEST COCKPIT VOICE RECORDER: PHASE 1 INSPECTION							Service	ATA:23
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								PKG:2	
ATA 24 - ELECTRICAL POWER									
242001	NO. 1 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	10-May-94	O/C						
SN:932	HRS	4632		TSO 0					
WC#: 24.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
242001	NO. 2 AC INVERTER							Component	ATA:24
PN:PC15H	MOS/MSC	30-Jan-81	O/C						
SN:1443	HRS	0		TSN 0					
WC#: 24.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243001	NO. 1 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-001-1CHJ	MOS	06-Mar-13						OVERHAUL	
SN:1524	HRS	8830	1000	TSN 0	9830		309.2		
WC#: 24.060	AFL	6236							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243001	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-001-1	MOS	07-Aug-20						OVERHAUL	
SN:663	HRS	9454.6	1000	TSO 0	10454.6		933.8		
WC#: 24.060	AFL	6580							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243003		LEFT GENERATOR CONTROL UNIT					Component	ATA:24	
PN:51509-006BR	MOS/MSC	31-Oct-22	O/C						
SN:9333	HRS	9497.4							
WC#: 24.090	AFL	6609							
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02									
243003		RIGHT GENERATOR CONTROL UNIT					Component	ATA:24	
PN:51509-006BR	MOS/MSC	31-Oct-22	O/C						
SN:2009A	HRS	9497.4							
WC#: 24.090	AFL	6609							
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02									
243004		LEFT AMMETER					Component	ATA:24	
PN:C662501-0102	MOS/MSC	30-Jan-81	O/C						
SN:3024	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243004		RIGHT AMMETER					Component	ATA:24	
PN:C662501-0102	MOS/MSC	30-Jan-81	O/C						
SN:3037	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243005		VOLTMETER					Component	ATA:24	
PN:C662502-0101	MOS/MSC	28-Aug-89	O/C						
SN:692	HRS	2850		TSN 0					
WC#: 24.150	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243007		BATTERY					Component	ATA:24	
PN:S3597-8	MOS/MSC	19-May-15	O/C		TSN 0				
SN:40717347	HRS	9062.2			TSN 0				
WC#: 24.020	AFL	6371							
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243008 BATTERY TEMPERATURE MODULE								Component ATA:24
PN:1529-1	MOS/MSC	30-Jan-81	O/C					
SN:630	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: AMM 24-30-05PROC. REF: AMM 24-30-05								
243009 BATTERY TEMPERATURE GAUGE								Component ATA:24
PN:1229-1	MOS/MSC	06-Jan-13	O/C					
SN:1890	HRS	8804.7						
WC#: 24.040	AFL	6219						
PROC. REF: AMM 24-30-06PROC. REF: AMM 24-30-06								
243011 CURRENT / VOLT CONTROLLER								Component ATA:24
PN:1301-1	MOS/MSC	08-Jan-19	O/C	TSO 60				
SN:106A	HRS	9335.5						
WC#: 24.140	AFL	6512						
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								
243012 CURRENT SENSOR								Component ATA:24
PN:1302-1	MOS/MSC	30-Jan-81	O/C					
SN:691A	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								
244001 K1 400 AMP RELAY								Component ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
244001 K11 400 AMP RELAY								Component ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
244001	K12 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K13 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K7 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K8 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245001	CENTER 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	18-Sep-91	O/C						
SN:1117	HRS	3591		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245001	LEFT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	30-Jan-81	O/C						
SN:2328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245001	RIGHT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:1505-1	MOS/MSC	05-Sep-95	O/C						
SN:2730	HRS	5260		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
24FO-01B	BATTERY & MONITOR FOR 20 CELL FACTORY OPTION							Component	ATA:24
PN:12B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A242001 ^S	INSPECT NOSE AREA COMPONENTS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00									
<hr/>									
A245001 ^S	INSPECT CIRCUIT BREAKER PANELS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00									
<hr/>									
A245002 ^S	INSPECT COCKPIT SIDE CONSOLE: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00									
<hr/>									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
A245003 ^S	INSPECT AVIONICS RELAY JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 34-02-00PROC. REF: AMM 34-02-00								PKG:6	
A245004 ^S	INSPECT AFT POWER JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00								PKG:6	
A245005 ^S	INSPECT LEFT AND RIGHT WING ANTI-ICE JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								PKG:6	
B243001 ^S	OPERATIONAL TEST DC GENERATOR SYSTEM: PHASE 4 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								PKG:5	
B243003	FUNCTIONAL CHECK BATTERY LEAD ACID BATTERY (CAPACITY CHECK): PHASE 54 INSPECTION							Service	ATA:24
PN:S3597-8	MOS	07-Feb-25	3		31-May-25		103 d		
SN:40717347	HRS	9520.8	200 (+10)		9720.8	9730.8	200 (+10)		
	AFL	6625							
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03								PKG:52	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
B244001 ^S	FUNCTIONAL TEST OVERVOLTAGE SYSTEM: PHASE 1 INSPECTION							Service	ATA:24
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								PKG:2	
ATA 25 - EQUIPMENT/FURNISHINGS									
251001	LEFT INERTIA REEL							Component	ATA:25
PN:CM4033-16	MOS/MSC	25-May-01	O/C						
SN:UNKNOWN	HRS	7179		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
251001	RIGHT INERTIA REEL							Component	ATA:25
PN:CM4033	MOS/MSC	18-Feb-82	O/C						
SN:UNKNOWN	HRS	222		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	LAVATORY LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	24-Nov-19	120	TSN 3	31-Aug-29		1656 d		
SN:19080920335	HRS	9415.1							
	AFL	6559							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 1 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	14-Sep-21	120	TSN 0	30-Sep-31		2416 d		
SN:21040320266	HRS	9474.4		TSN 0					
	AFL	6592		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256001	NO. 2 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100492	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 3 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100493	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 4 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100494	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 5 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100496	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 6 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100700	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256001	NO. 7 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100701	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256001	NO. 8 LIFE JACKET							Component	ATA:25
PN:P01074-207	MOS	02-Feb-18	120	TSN 3	30-Nov-27		1016 d		
SN:17112100779	HRS	9222.3		TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
256007	LEFT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-1	MOS/MSC	16-Jul-99	O/C						
SN:1212	HRS	6697		TSN 0					
WC#: 25.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
256008	RIGHT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-2	MOS/MSC	30-Jan-81	O/C						
SN:376	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
256019	EMERGENCY LOCATER TRANSMITTER							Component	ATA:25
PN:453-6603	MOS/MSC	20-Aug-09	O/C						
SN:06081	HRS	8381		TSN 0					
WC#: 25.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
256025	EMERGENCY LOCATER TRANSMITTER BATTERY							Component	ATA:25
PN:2020	MOS/MSC	07-Feb-25	DUE	TSN 2	05-Dec-26 (M)		656 d		
SN:N/A	HRS	9520.8		TSN 0					
WC#: 25.040	AFL	6625							
Expiry Date: : 05-Dec-26									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
25FO-04	MAP CASE FACTORY OPTION							Component	ATA:25
PN:103	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-12-01PROC. REF: AMM 25-12-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25FO-09 SEATING OPTION A OR 2 FACTORY OPTION Component ATA:25								
PN:111	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-18E SEAT #3 AFT FACING FACTORY OPTION Component ATA:25								
PN:121E	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								
25FO-20G EXECUTIVE TABLE USED W/STD & OPT A FACTORY OPTION Component ATA:25								
PN:124G	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-20H EXECUTIVE TABLE USE W/STD AND A STG FACTORY OPTION Component ATA:25								
PN:124H	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25FO-22B FLUSH TOILET AFT RELIEF TUBE ONLY FACTORY OPTION Component ATA:25								
PN:131B	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM 38-33-01PROC. REF: AMM 38-33-01								
25FO-37 CHIMES UNIT FACTORY OPTION Component ATA:25								
PN:166	MOS/MSC	30-Jan-81	-					
SN:FO	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25FO-38	AFT FOLDING DOOR FACTORY OPTION							Component	ATA:25
PN:184	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-22-07PROC. REF: AMM 25-22-07									
A251001 ^S	INSPECT PILOT AND COPILOT CREW SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01									
A251002 ^S	INSPECT PILOT AND COPILOT SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01									
A251004 ^S	INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 25-10-00PROC. REF: AMM 25-10-00									
A252001 ^S	INSPECT PASSENGER SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 25-20-00PROC. REF: AMM 25-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A252002 ^S	INSPECT PASSENGER SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 25-20-00PROC. REF: AMM 25-20-00								PKG:6	
A256001 ^S	INSPECT EMERGENCY EQUIPMENT: PHASE 18 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	12 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:19	
A256002 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	07-Feb-25	12						
SN:06081	HRS	9520.8							
WC#: 25.040	AFL	6625							
PROC. REF: AMM 34-43-00PROC. REF: AMM 34-43-00								PKG:39	
A256003 ^S	INSPECT LIFE VEST: PHASE 18 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	12 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:19	
A256004 ^S	INSPECT OPTIONAL STRECHER: PHASE 1 INSPECTION							Service	ATA:25
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 25-21-09PROC. REF: AMM 25-21-09								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A256005 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	07-Feb-25	12						
SN:06081	HRS	9520.8							
WC#: 25.040	AFL	6625							
								PKG:39	
PROC. REF: AMM 34-43-06PROC. REF: AMM 34-43-06									
<hr/>									
B256001 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	07-Feb-25	12						
SN:06081	HRS	9520.8							
WC#: 25.040	AFL	6625							
								PKG:39	
PROC. REF: AMM 34-43-00PROC. REF: AMM 34-43-00									
<hr/>									
B256002 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:453-6603	MOS	07-Feb-25	12						
SN:06081	HRS	9520.8							
WC#: 25.040	AFL	6625							
								PKG:39	
PROC. REF: AMM 34-43-06PROC. REF: AMM 34-43-06									
<hr/>									
ATA 26 - FIRE PROTECTION									
261001	NO. 1 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	21-Jan-91	O/C						
SN:UNKNOWN	HRS	3432		TSN 0					
WC#: 26.070	AFL								
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01									
<hr/>									
261001	NO. 2 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.070	AFL	0		TSN 0					
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261002	NO. 1 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02830	MOS/MSC	10-Jun-05	O/C						
SN:UNKNOWN	HRS	7910		TSN 0					
WC#: 26.060	AFL								
PROC. REF: AMM 26-10-02PROC. REF: AMM 26-10-02									
261002	NO. 2 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	30-Jan-81	O/C						
SN:021031	HRS	0		TSN 0					
WC#: 26.060	AFL	0		TSN 0					
PROC. REF: AMM 26-10-02PROC. REF: AMM 26-10-02									
262001	AFT ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	14-Feb-01	O/C	TSO 116					
SN:B6264	HRS	7113							
WC#: 26.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262001	FORWARD ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	14-Feb-01	O/C	TSO 22					
SN:B7343	HRS	7113							
WC#: 26.020	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262002	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	07-Feb-25	O/C	TSN 2					
SN:NA	HRS	9520.8		TSN 0					
WC#: 26.030	AFL	6625							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262002	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:C352TS	MOS/MSC	07-Feb-25	O/C	TSN 2					
SN:NA	HRS	9520.8		TSN 0					
WC#: 26.030	AFL	6625							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262003	AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE13083-5	MOS	01-Jun-17	120		31-Jan-27		713 d	MANDATORY	
SN:AEN 1-203	HRS	9178.7		TSN 0					
WC#: 26.010	AFL			TSN 0					
		Manufacture Date:: 01-Jan-17							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262003	AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	MANDATORY	
SN:NA	HRS	9520.8							
WC#: 26.010	AFL	6625							
		Manufacture Date:: 24-Jan-24							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262003	FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	MANDATORY	
SN:NA	HRS	9520.8							
WC#: 26.020	AFL	6625							
		Manufacture Date:: 24-Jan-24							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262003	FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	MANDATORY	
SN:NA	HRS	9520.8							
WC#: 26.020	AFL	6625							
		Manufacture Date:: 24-Jan-24							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262037	REPLACE AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:AE13083-5	MOS	01-Jun-17	120		31-Jan-27 (M)		713 d		
SN:AEN 1-203	HRS								
WC#: 26.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262038 REPLACE AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26								
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	
SN:NA	HRS	9520.8						
WC#: 26.010	AFL	6625						
Installation Date : 24-Jan-24								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262039 REPLACE FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26								
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	
SN:NA	HRS	9520.8						
WC#: 26.020	AFL	6625						
Installation Date : 24-Jan-24								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262040 REPLACE FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE) Service ATA:26								
PN:AE13083-5	MOS	07-Feb-25	120		31-Jan-34		3270 d	
SN:NA	HRS	9520.8						
WC#: 26.020	AFL	6625						
Installation Date : 24-Jan-24								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A262003 ^S CABIN PORTABLE HAND FIRE EXTINGUISHER - INSPECT. TASK 26-20-01-780 Service ATA:26								
PN:C352TS	MOS	07-Feb-25	12 (+1m)					
SN:NA	HRS	9520.8						
WC#: 26.030	AFL	6625						
WeightCheck Date : 07-Feb-25								
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
A262003 ^S COCKPIT PORTABLE HAND FIRE EXTINGUISHER - INSPECT. TASK 26-20-01-780 Service ATA:26								
PN:C352TS	MOS	07-Feb-25	12 (+1m)					
SN:NA	HRS	9520.8						
WC#: 26.030	AFL	6625						
WeightCheck Date : 07-Feb-25								
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
B262002 HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER Service ATA:26								
PN:30401102	MOS	07-Feb-25	60		31-Oct-29		1717 d	MANDATORY
SN:B6264	HRS	9520.8						
WC#: 26.010	AFL	6625						
HydroCheck Date: : 09-Oct-24								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
B262002 HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER Service ATA:26								
PN:30401102	MOS	07-Feb-25	60		31-Oct-29		1717 d	MANDATORY
SN:B7343	HRS	9520.8						
WC#: 26.020	AFL	6625						
HydroCheck Date: : 09-Oct-24								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
B262003 CABIN MOUNTED HALON-TYPE FIRE EXTINGUISHER HYDROSTATIC TEST Service ATA:26								
PN:C352TS	MOS	07-Feb-25	144		31-Dec-36		4335 d	
SN:NA	HRS	9520.8						
WC#: 26.030	AFL	6625						
HydroCheck Date: : 01-Dec-24								
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
B262003 COCKPIT MOUNTED HALON-TYPE FIRE EXTINGUISHER HYDROSTATIC TEST Service ATA:26								
PN:C352TS	MOS	07-Feb-25	144		31-Dec-36		4335 d	
SN:NA	HRS	9520.8						
WC#: 26.030	AFL	6625						
HydroCheck Date: : 01-Dec-24								
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
B262004 CABIN MOUNTED HALON-TYPE FIRE EXTINGUISHERS - EMPTY, INSPECT FOR DAMAGE AND RECHARGE. TASK 26-20-01-781 Service ATA:26								
PN:C352TS	MOS	07-Feb-25	72	TAC 2	31-Dec-30		2143 d	
SN:NA	HRS	9520.8						
WC#: 26.030	AFL	6625						
PKG:34								
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
B262004	COCKPIT MOUNTED HALON-TYPE FIRE EXTINGUISHERS - EMPTY, INSPECT FOR DAMAGE AND RECHARGE. TASK 26-20-01-781							Service	ATA:26
PN:C352TS	MOS	07-Feb-25	72	TAC 2	31-Dec-30		2143 d		
SN:NA	HRS	9520.8							
WC#: 26.030	AFL	6625							
								PKG:34	
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01									
ATA 26 - FIRE PROTECTION									
B262005 ^S	FUNCTIONAL TEST FIRE EXTINGUISHING SYSTEM: PHASE 5 INSPECTION							Service	ATA:26
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
ATA 27 - FLIGHT CONTROLS									
271001	AILERON TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-51	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-10-06PROC. REF: AMM 27-10-06									
ATA 27 - FLIGHT CONTROLS									
272001	RUDDER TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-53	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-20-04PROC. REF: AMM 27-20-04									
ATA 27 - FLIGHT CONTROLS									
273002	ELEVATOR TRIM ELECTRICAL ACTUATOR							Component	ATA:27
PN:5115231-30	MOS/MSC	02-Oct-14	O/C						
SN:81513X	HRS	9002.9							
WC#: 27.110	AFL	6339							
PROC. REF: AMM 27-30-06PROC. REF: AMM 27-30-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273003	ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-92	MOS/MSC	25-Nov-97	O/C						
SN:UNKNOWN	HRS	6163		TSN 0					
WC#: 27.110	AFL								
PROC. REF: AMM 27-30-05PROC. REF: AMM 27-30-05									
275001	LEFT FLAP MOTOR							Component	ATA:27
PN:FS30-5	MOS/MSC	15-May-02	O/C						
SN:547	HRS	7347		TSO 1813					
WC#: 27.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001	RIGHT FLAP MOTOR							Component	ATA:27
PN:FS30-5	MOS/MSC	15-May-02	O/C						
SN:1249	HRS	7347		TSO 4701					
WC#: 27.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275002	LEFT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	09-Jun-05						OVERHAUL	
SN:0403971	HRS	7910	3000	TSO 0	10910	10910	1389.2		
WC#: 27.070	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275002	RIGHT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	09-Jun-05						OVERHAUL	
SN:1019932	HRS	7910	3000	TSO 0	10910	10910	1389.2		
WC#: 27.070	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276001	LEFT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	11-Aug-89	O/C						
SN:S110236	HRS	2796		TSO 0					
WC#: 27.080	AFL								
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001		RIGHT SPEED BRAKE ACTUATOR							Component ATA:27
PN:5527230-1	MOS/MSC	30-Jan-81	O/C						
SN:110984	HRS	0		TSN 0					
WC#: 27.080	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									
276002		SPEED BRAKE CONTROL VALVE							Component ATA:27
PN:66720	MOS/MSC	26-Jan-08	O/C						
SN:2929	HRS	8115		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276005 ^U		LEFT SPEED BRAKE SWITCH							Component ATA:27
PN:602EN16-6	MOS/MSC	28-Jan-08	O/C						
SN:NSN	HRS	8119		TSN 0					
	AFL								
276005 ^U		RIGHT SPEED BRAKE SWITCH							Component ATA:27
PN:602EN16-6	MOS/MSC	28-Jan-08	O/C						
SN:NSN	HRS	8119		TSN 0					
	AFL								
27FO-01A		ELECTRIC TRIM SWITCH COPILOT FACTORY OPTION							Component ATA:27
PN:33A	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A271003 ^S		INSPECT AILERON AND AILERON TRIM TAB: PHASE 2 INSPECTION							Service ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A271004 ^S	INSPECT CONTROL WHEEL: PHASE 1 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:2	
A271005 ^S	INSPECT AILERON RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: PHASE 1 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:2	
A271006 ^S	INSPECT AILERON CONTROL CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6	
A271007 ^S	INSPECT AILERON TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6	
A272002 ^S	INSPECT RUDDER AND RUDDER TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A272003 ^S	INSPECT RUDDER PEDALS: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
A272005 ^S	INSPECT RUDDER CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
A272006 ^S	INSPECT RUDDER TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
A273002 ^S	INSPECT ELEVATOR EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+1m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:3	
A273005 ^S	INSPECT CONTROL COLUMN: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273006 ^S	INSPECT ELEVATOR LINKAGE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273007 ^S	INSPECT ELECTRIC ELEVATOR TRIM ACTUATOR AND SECTOR: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273008 ^S	INSPECT ELEVATOR CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273009 ^S	INSPECT ELEVATOR TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A275001 ^S	INSPECT FLAP DRIVE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A275003 ^S	INSPECT FLAP PRESELECT CABLE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
A275008 ^S	INSPECT FLAP CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
A276001 ^S	INSPECT SPEED BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6	
B271001 ^S	CHECK AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:3	
B271002 ^S	CHECK AILERON AND AILERON TRIM TAB TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B272001 ^S	CHECK RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
B272004 ^S	CHECK RUDDER AND RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
B273003 ^S	CHECK ELEVATOR AND ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
B273004 ^S	CHECK ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
B275001 ^S	OPERATIONAL CHECK FLAP MOTOR: PHASE 1 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B275002 ^S	OPERATIONAL CHECK FLAP UP LIMIT SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B275004 ^S	OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B275005 ^S	OPERATIONAL TEST FLAP/AUTOPILOT POSITION SWITCH(AIRPLANE-0275 AND ON): PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B275006 ^S	CHECK FLAPS TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B277001 ^S	INSPECT CONTROL LOCK SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-70-00PROC. REF: AMM 27-70-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
C271001 ^S	LUBRICATE/CHECK AILERON TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:3	
C272001 ^S	LUBRICATE/CHECK RUDDER TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:3	
C273001 ^S	LUBRICATE/CHECK ELEVATOR TRIM TAB ACTUATORS: PHASE 2 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:3	
C275007 ^S	CLEAN/LUBRICATE CENTER FLAP TRACK BEARING AIRPLANES 0001 THRU -0684 EXCEPT INCORPORATING SB500-27-11: PHASE 5 INSPECTION							Service	ATA:27
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY
	HRS							
	AFL							
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02								
<hr/>								
281002	LEFT AFT FUEL DRAIN VALVE							Component ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
<hr/>								
281002	LEFT FORWARD FUEL DRAIN VALVE							Component ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
<hr/>								
281002	LEFT MID FUEL DRAIN VALVE							Component ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
<hr/>								
281002	RIGHT AFT FUEL DRAIN VALVE							Component ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
<hr/>								
281002	RIGHT FORWARD FUEL DRAIN VALVE							Component ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281002	RIGHT MID FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06									
<hr/>									
282001	LEFT FUEL BOOST PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	02-Apr-13	O/C						
SN:7F149	HRS	8846.5		TSN 8846.5					
WC#: 28.030	AFL	6247		TSN 6247					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
<hr/>									
282001	RIGHT FUEL BOOST PUMP							Component	ATA:28
PN:1C7-12	MOS/MSC	24-Aug-10	O/C	TSO 4					
SN:2AE3	HRS	8507.2		TSO 0					
WC#: 28.030	AFL	6036		TSO 0					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
<hr/>									
282004	LEFT FUEL SHUTOFF VALVE							Component	ATA:28
PN:9912013-1	MOS/MSC	21-Aug-12	O/C	TSO 0					
SN:1598	HRS	8748.8		TSO 0					
WC#: 28.070	AFL	6187		TSO 0					
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07									
<hr/>									
282004	RIGHT FUEL SHUTOFF VALVE							Component	ATA:28
PN:230125-2	MOS/MSC	17-May-11	O/C	TSN 0					
SN:AA181707	HRS	8569		TSN 0					
WC#: 28.070	AFL	6072		TSN 0					
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07									
<hr/>									
284001	LEFT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	17-May-11	O/C	TSN 0					
SN:7105	HRS	8569		TSN 0					
WC#: 28.130	AFL	6072							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284001	RIGHT LOW FUEL LEVEL SWITCH							Component	ATA:28
PN:L15H-3	MOS/MSC	07-Feb-98	O/C						
SN:5019	HRS	6297		TSN 0					
WC#: 28.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284002	LEFT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:3266004-0101	MOS/MSC	30-Jan-81	O/C						
SN:13224P	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284002	RIGHT FUEL QUANTITY COMPENSATOR							Component	ATA:28
PN:3266004-0101	MOS/MSC	30-Jan-81	O/C						
SN:13143P	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284003	LEFT WING SECTION (61.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-218	MOS/MSC	30-Jan-81	O/C						
SN:1641D	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284003	RIGHT WING SECTION (61.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-218	MOS/MSC	30-Jan-81	O/C						
SN:1682D	HRS	0		TSN 0					
WC#: 28.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
284004	LEFT WING SECTION (129.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-219	MOS/MSC	30-Jan-81	O/C						
SN:1739D	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284004	RIGHT WING SECTION (129.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-219	MOS/MSC	30-Jan-81	O/C						
SN:1767D	HRS	0		TSN 0					
WC#: 28.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284005	LEFT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-220	MOS/MSC	30-Jan-81	O/C						
SN:1700D	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284005	RIGHT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-220	MOS/MSC	30-Jan-81	O/C						
SN:1643D	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284006	LEFT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-221	MOS/MSC	30-Jan-81	O/C						
SN:1827D	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284006	RIGHT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:391046-221	MOS/MSC	30-Jan-81	O/C						
SN:1830D	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284007	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:VSDL-0C203C	MOS/MSC	14-Sep-21	O/C	TSO 0					
SN:86	HRS	9474.4		TSO 0					
WC#: 28.120	AFL	6592		TSO 0					
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28FO-01	FUEL CAP LOCKING FACTORY OPTION							Component	ATA:28
PN:36	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A281001 ^S	INSPECT WING FUEL STORAGE AREA: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
A281008 ^S	INSPECT FOAM(AIRPLANES REGISTERED IN THE UNITED KINGDOM): PHASE 18 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	12 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
A282002 ^S	INSPECT WING DRY BAY FUEL SYSTEM COMPONENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00									
B282003 ^S	OPERATIONAL CHECK FUEL SYSTEMS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
B284001 ^S	OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								PKG:6	
ATA 28 - FUEL									
D282002 ^S	REPLACE FUEL FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:6	
ATA 29 - HYDRAULIC POWER									
291001	HYDRAULIC RESERVOIR							Component	ATA:29
PN:7140-150-2	MOS/MSC	30-Jan-81	O/C						
SN:1053	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
ATA 29 - HYDRAULIC POWER									
291002	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:4120-004000	MOS/MSC	30-Jan-81	O/C						
SN:231	HRS	0		TSN 0					
WC#: 29.060	AFL	0		TSN 0					
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									
ATA 29 - HYDRAULIC POWER									
291002	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:9912062-4	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:5800	HRS	9002.9		TSN 0					
WC#: 29.060	AFL	6339							
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291005	RIGHT HYDRAULIC W/FLW DET CHECK VALVE							Component	ATA:29
PN:3520020100-4	MOS/MSC	26-Feb-98	O/C						
SN:4187	HRS	6329		TSN 0					
	AFL								
PROC. REF: AMM 29-10-05PROC. REF: AMM 29-10-05									
<hr/>									
291010	HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:1106P59	MOS/MSC	10-Jun-05	O/C						
SN:4364	HRS	7910		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A291002 ^S	INSPECT HYDRAULIC SUB PANEL: PHASE 1 INSPECTION							Service	ATA:29
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
WC#: 29.115	AFL	6625							
PROC. REF: AMM 29-10-06PROC. REF: AMM 29-10-06									
<hr/>									
D291001 ^S	INSPECT/REPLACE HYDRAULIC FILTERS AND FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:29
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04									
<hr/>									
ATA 30 - ICE AND RAIN PROTECTION									
301001	LEFT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-07	MOS/MSC	12-Mar-97	O/C						
SN:375BH	HRS	5896		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301002	RIGHT WING DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-08	MOS/MSC	12-Mar-97	O/C						
SN:M207530	HRS	5896		TSN 0					
WC#: 30.140	AFL								
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01									
301003	LEFT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	12-Mar-97	O/C						
SN:M706560	HRS	5896		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301003	RIGHT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-03	MOS/MSC	12-Mar-97	O/C						
SN:M704960	HRS	5896		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301004	VERTICAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:25S-7D5059-05	MOS/MSC	19-Feb-03	O/C						
SN:MU95720	HRS	7457		TSN 0					
WC#: 30.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301005	LEFT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-1	MOS/MSC	30-Jan-81	O/C						
SN:419	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301006	RIGHT ANTI-ICE ELEMENT							Component	ATA:30
PN:2E1469-8	MOS/MSC	30-Jan-81	O/C						
SN:323	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301007 AFT DE-ICE PRESSURE SWITCH Component ATA:30								
PN:1106P55	MOS/MSC	30-Jan-81	O/C					
SN:1019	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05PROC. REF: AMM 30-11-05								
301007 FORWARD DE-ICE PRESSURE SWITCH Component ATA:30								
PN:1106P55	MOS/MSC	30-Jan-81	O/C					
SN:1024	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05PROC. REF: AMM 30-11-05								
301008 LEFT WING DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	25-Mar-96	O/C					
SN:N13220	HRS	5458		TSN 0				
WC#: 30.190	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301008 RIGHT WING DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	15-Nov-16	O/C		TSO 5			
SN:N19969	HRS	9119.2		TSO 0				
WC#: 30.190	AFL	6400						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301008 STABILIZER AND FIN DE-ICE VALVE Component ATA:30								
PN:3D2353-06	MOS/MSC	15-Nov-16	O/C		TSO 5			
SN:N19969	HRS	9119.2		TSO 0				
WC#: 30.190	AFL	6400						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301009 AIRFOIL DE-ICE TIMER Component ATA:30								
PN:76-1A	MOS/MSC	30-Jan-81	O/C					
SN:407	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301010	LEFT WING ANTI-ICE ASSEMBLY							Component	ATA:30
PN:5528007-207	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301010	RIGHT WING ANTI-ICE ASSEMBLY							Component	ATA:30
PN:5528007-208	MOS/MSC	06-Apr-99	O/C						
SN:15278	HRS	6640		TSN 0					
WC#: 30.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
302001	ALCOHOL PUMP							Component	ATA:30
PN:476411	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.070	AFL	0		TSN 0					
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00									
302002	BLEED AIR CHECK VALVE							Component	ATA:30
PN:85300	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
302003	LEFT ANTI-ICE SOLENOID VALVE							Component	ATA:30
PN:320605	MOS/MSC	25-Nov-97	O/C						
SN:801C	HRS	6163		TSO 0					
WC#: 30.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
302003	RIGHT ANTI-ICE SOLENOID VALVE							Component	ATA:30
PN:1946-00-16	MOS/MSC	18-Sep-03	O/C						
SN:3266	HRS	7628		TSN 0					
WC#: 30.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302004 NO. 2 ENGINE ANTI-ICE SWITCH Component ATA:30								
PN:21548-2-68-6	MOS/MSC	17-May-11	O/C	TSN 0				
SN:UNKNOWN	HRS	8569		TSN 0				
WC#: 30.210	AFL	6072		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303001 LEFT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303001 RIGHT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303002 LEFT LOWER PILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303002 RIGHT LOWER COPILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303003 LEFT UPPER COPILOT STATIC PORT Component ATA:30								
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
303003 RIGHT UPPER PILOT STATIC PORT								Component ATA:30
PN:CM2933-5	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304001 HOT AIR TEMPERATURE MONITOR-								Component ATA:30
PN:1169-1	MOS/MSC	30-Jan-81	O/C					
SN:912	HRS	0		TSN 0				
WC#: 30.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304005 TEMPERATURE CONTROL VALVE								Component ATA:30
PN:27241287	MOS/MSC	30-Jan-81	O/C					
SN:5F0110	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-42-06PROC. REF: AMM 30-42-06								
304006 TEMPERATURE CONTROLLER								Component ATA:30
PN:27231272	MOS/MSC	30-Jan-81	O/C					
SN:2F0146	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: AMM 30-42-06PROC. REF: AMM 30-42-06								
304007 LEFT TEMPERATURE SENSOR								Component ATA:30
PN:27221274	MOS/MSC	30-Jan-81	O/C					
SN:9E0081	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
304007 RIGHT TEMPERATURE SENSOR								Component ATA:30
PN:27221274	MOS/MSC	30-Jan-81	O/C					
SN:9F0059	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304008	PRESSURE SWITCH							Component	ATA:30
PN:1115P25	MOS/MSC	30-Jan-81	O/C						
SN:404	HRS	0		TSN 0					
WC#: 30.250	AFL	0		TSN 0					
PROC. REF: AMM 30-42-07PROC. REF: AMM 30-42-07									
304009	WINDSHIELD ANTI-ICE BLEED AIR SOLENOID VALVE							Component	ATA:30
PN:1962-00-3	MOS/MSC	23-Apr-08	O/C						
SN:3611	HRS	8175		TSN 0					
WC#: 30.090	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A301002 ^S	INSPECT WING HEATED LEADING EDGE AND WIRING: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01									
A304001 ^S	INSPECT WINDSHIELD BLEED AIR AUGMENTOR DOOR AND SHROUD: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00									
A304003 ^S	INSPECT WINDSHIELD BLEED AIR CONTROLS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
A304004 ^S	INSPECT WINDSHIELD ALCOHOL RESERVOIR VENT LINE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								PKG:6	
<hr/>									
B301001 ^S	OPERATIONAL TEST ENGINE AND WING LEADING EDGE ANTI-ICE SYSTEMS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								PKG:6	
<hr/>									
B301003 ^S	OPERATIONAL TEST PNEUMATIC DEICE SYSTEM: PHASE 4 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								PKG:5	
<hr/>									
B304001 ^S	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00								PKG:6	
<hr/>									
B304004 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: PHASE 1 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
D304004 ^S	INSPECT WINDSHIELD ALCOHOL PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:30
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								PKG:6	
ATA 31 - INDICATING/RECORDING SYSTEMS									
312001	CENTER DIGITAL CLOCK							Component	ATA:31
PN:811A	MOS/MSC	30-Jan-81	O/C						
SN:12923	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-20-04PROC. REF: AMM 31-20-04									
312002	CLOCK BATTERY							Component	ATA:31
PN:811-BATT-1	MOS	07-Feb-25	36	TSN 0	29-Feb-28		1107 d		
SN:N/A	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 31-20-04PROC. REF: AMM 31-20-04									
313001	FLIGHT HOUR METER							Component	ATA:31
PN:C664503-0104	MOS/MSC	01-Feb-99	O/C						
SN:UNKNOWN	HRS	6574		TSN 0					
WC#: 31.020	AFL								
PROC. REF: AMM 31-30-00PROC. REF: AMM 31-30-00									
313003	ACCELEROMETER							Component	ATA:31
PN:7000992	MOS/MSC	31-Aug-04	O/C						
SN:009151	HRS	7796		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
31FO-02B	CLOCK DIGITAL ELECTRIC 24 HOUR LH FACTORY OPTION							Component	ATA:31
PN:182B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A313001 ^S	INSPECT FLIGHT DATA RECORDER: PHASE 5 INSPECTION							Service	ATA:31
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PKG:6									
PROC. REF: AMM 31-31-05PROC. REF: AMM 31-31-05									
ATA 32 - LANDING GEAR									
321001	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5541000-11	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321002	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:5541000-12	MOS/MSC	31-Jan-81	O/C						
SN:UNKNOWN	HRS	1							
WC#: 32.011	AFL	1		TSN 1					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322001	NOSE GEAR ASSEMBLY							Component	ATA:32
PN:5542000-7	MOS	30-Jan-81						LIFE LIMIT	
SN:0837	HRS	0		TSN 0					
WC#: 32.030	AFL	0	41000	TSN 0	41000	41000	34375		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322002	NOSE LANDING GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-12	MOS/MSC	21-Aug-12	O/C						
SN:623-12X	HRS	8748.8							
WC#: 32.280	AFL	6187							
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322004	NOSE LANDING GEAR FORK							Component	ATA:32
PN:5542300-3	MOS/MSC	06-Jan-03	O/C						
SN:UNKNOWN	HRS	7457							
WC#: 32.020	AFL	5195		TSN 0					
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322005	NOSE LANDING GEAR ACTUATOR FITTING							Component	ATA:32
PN:5511169-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.270	AFL	0		TSN 0					
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04									
322006	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.150	AFL	0	22500	TSN 0	22500	22500	15875		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322006	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.150	AFL	0	22500	TSN 0	22500	22500	15875		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322007	NOSE LANDING GEAR TRUNION							Component	ATA:32
PN:5542301-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.290	AFL	0	22500	TSN 0	22500	22500	15875		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322008	LEFT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.410	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322008	RIGHT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-4	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.410	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322009	LEFT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.420	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322009	RIGHT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.420	AFL	0	41600	TSN 2525, Adj 2525	41600		34975		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322010	LEFT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	16-Mar-96						LIFE LIMIT	
SN:UNKNOWN	HRS	5458							
WC#: 32.430	AFL	4040	28600	TSN 0	32640	32640	26015		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322010	RIGHT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-5	MOS	16-Mar-96						LIFE LIMIT	
SN:UNKNOWN	HRS	5458							
WC#: 32.430	AFL	4040	28600	TSN 0	32640	32640	26015		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322011	LEFT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322011	RIGHT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.450	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
<hr/>									
322012	LEFT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.560	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322012	RIGHT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.560	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322013	LEFT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322013	RIGHT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.460	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322014	LEFT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-9	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322014	RIGHT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-10	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.470	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322015	LEFT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-11	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.480	AFL	0	28600	TSN 2525, Adj 2525	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322015	RIGHT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.480	AFL	0	41600	TSN 2525, Adj 2525	41600	41600	34975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322016	LEFT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.490	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322016	RIGHT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.490	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322017	LEFT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.500	AFL	0	41600	TSN 2564, Adj 2564	41600	41600	34975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322017	RIGHT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.500	AFL	0	41600	TSN 2564, Adj 2564	41600	41600	34975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322018	LEFT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.510	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322018	RIGHT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.510	AFL	0	28600	TSN 2564, Adj 2564	28600	28600	21975		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322019	NOSE GEAR PISTON ASSEMBLY							Component	ATA:32
PN:5542105-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0							
WC#: 32.520	AFL	0		TSN 2564, Adj 2564					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322020	NOSE GEAR CYLINDER BRAZE ASSEMBLY							Component	ATA:32
PN:5542100-3	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.530	AFL	0	22500	TSN 2564, Adj 2564	22500	22500	15875		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322021	NOSE GEAR AXLE SPACER							Component	ATA:32
PN:5542223-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.540	AFL	0	22500	TSN 2564, Adj 2564	22500	22500	15875		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322022	NOSE GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5542208-3	MOS	07-Jun-94						LIFE LIMIT	
SN:UNKNOWN	HRS	4665							
WC#: 32.550	AFL	3519	22500	TSN 0	26019	26019	19394		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
<hr/>									
323001	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-7442-1	MOS	30-Jan-81						LIFE LIMIT	
SN:DA400	HRS	0		TSN 0					
WC#: 32.170	AFL	0	37500	TSN 0	37500	37500	30875		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
<hr/>									
323002	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-7442-2	MOS	30-Jan-81						LIFE LIMIT	
SN:DA428	HRS	0		TSN 0					
WC#: 32.170	AFL	0	37500	TSN 0	37500	37500	30875		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
<hr/>									
323003	NOSE LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:1523200-1	MOS	19-Oct-03						LIFE LIMIT	
SN:266	HRS	7642							
WC#: 32.300	AFL	5386	32600	TSN 0	37986	37986	31361		
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04									
<hr/>									
323004	LEFT MAIN LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	30-Jan-81	O/C						
SN:CE2330	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
<hr/>									
323004	NOSE LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	30-Jan-81	O/C						
SN:CE2362	HRS	0		TSN 0					
WC#: 32.160	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323004	RIGHT MAIN LANDING GEAR UPLOCK ACTUATOR							Component	ATA:32
PN:5527504-2	MOS/MSC	19-Feb-12	O/C	TSN 0					
SN:3756	HRS	8661.4		TSN 0					
WC#: 32.160	AFL	6135							
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
323006	EMERGENCY GEAR AIR BOTTLE							Component	ATA:32
PN:212940-2	MOS	14-Sep-21	288	TSN 171	30-Jun-31		2324 d	LIFE LIMIT	
SN:160	HRS	9474.4							
WC#: 32.040	AFL	6592							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323007	LANDING GEAR CONTROL VALVE							Component	ATA:32
PN:2710969	MOS/MSC	30-Jan-81	O/C						
SN:0867	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02									
323008	RIGHT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541109-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.180	AFL	0	16100	TSN 2525, Adj 2525	16100	16100	9475		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323014	LEFT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541109-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0							
WC#: 32.180	AFL	0	16100	TSN 2525, Adj 2525	16100	16100	9475		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323018	LEFT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-5	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.190	AFL	0	15000	TSN 0	15000	15000	8375		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323018	RIGHT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541108-6	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.190	AFL	0	15000	TSN 0	15000	15000	8375		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
323019	EMERGENCY AIR BOTTLE GAGE							Component	ATA:32
PN:2341128	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
324001	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	21-Apr-00	O/C						
SN:99081178	HRS	6964							
WC#: 32.120	AFL	4901		TSN 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
<hr/>									
324001	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	21-Apr-16	O/C						
SN:AUG99-1166/S-NOV07-227	HRS	9119.2							
WC#: 32.220	AFL	6400							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
<hr/>									
324002	NOSE LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:3-1418	MOS/MSC	20-Nov-05	O/C						
SN:4759	HRS	7930							
WC#: 32.130	AFL	5685		TSO 784					
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00									
<hr/>									
324003	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001445-3	MOS/MSC	08-Jan-19	O/C	TSO 25					
SN:MAR84-692	HRS	9335.5							
WC#: 32.090	AFL	6512							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324004	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001446-4	MOS/MSC	21-May-04	O/C						
SN:75020413	HRS	7750							
WC#: 32.091	AFL	5497		TSO 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324005	LEFT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	02-Oct-14	O/C	TSN 0					
SN:41512027	HRS	9002.9		TSN 0					
WC#: 32.120	AFL	6339							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324005	RIGHT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	21-Apr-16	O/C	TSN 0					
SN:43462849	HRS	9119.2		TSN 0					
WC#: 32.220	AFL	6400							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324006	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:031-613-8	MOS/MSC	15-Nov-16	O/C	TSN 0					
SN:6030S00286	HRS	9119.2		TSN 0					
WC#: 32.130	AFL	6400							
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00									
324011	COPILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-9	MOS/MSC	30-Jan-81	O/C						
SN:1694	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04									
324011	PILOT OUTBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-9	MOS/MSC	30-Jan-81	O/C						
SN:1633	HRS	0		TSN 0					
WC#: 32.200	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324012		COPILOT OUTBOARD BRAKE MASTER CYLINDER					Component	ATA:32	
PN:12A085-10	MOS/MSC	30-Jan-81	O/C						
SN:1757	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04									
324012		PILOT INBOARD BRAKE MASTER CYLINDER					Component	ATA:32	
PN:12A085-10	MOS/MSC	30-Jan-81	O/C						
SN:1760	HRS	0		TSN 0					
WC#: 32.210	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04									
324013		PARKING BRAKE VALVE					Component	ATA:32	
PN:AS20800-1	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:660	HRS	0		TSN 0					
WC#: 32.110	AFL	0		TSN 0					
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01									
324014		EMERGENCY BRAKE VALVE					Component	ATA:32	
PN:53640	MOS/MSC	30-Jan-81	O/C						
SN:296A	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03									
326001		GEAR WARNING HORN					Component	ATA:32	
PN:A2948	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
326002		RIGHT MAIN GEAR UP AND LOCKED SWITCH					Component	ATA:32	
PN:65430087	MOS/MSC	14-Feb-01	O/C						
SN:UNKNOWN	HRS	7113							
WC#: 32.260	AFL	4987		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32FO-02	BRAKES EXTENDED LIFE FACTORY OPTION							Component	ATA:32
PN:93	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A320001 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 57 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	6 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
A320002 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
A321001 ^S	INSPECT MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
A322001 ^S	INSPECT SHIMMY DAMPER: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
	AFL	6625							
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01									

PKG:502

PKG:19

PKG:3

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A322002 ^S	INSPECT NOSE GEAR ASSEMBLY: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:3	
A323002 ^S	INSPECT NOSE GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								PKG:3	
A323003 ^S	INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								PKG:6	
A323004 ^S	INSPECT MAIN GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								PKG:3	
A324001 ^S	INSPECT MAIN WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324002 ^S	INSPECT NOSE WHEEL,TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								PKG:3	
A324003 ^S	INSPECT NOSE WHEEL,TIRE AND BEARINGS(GRAVEL RUNWAY): PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								PKG:3	
A324004 ^S	INSPECT BRAKE MASTER CYLINDERS: PHASE 1 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								PKG:2	
A324005 ^S	INSPECT EMERGENCY BRAKE CONTROL VALVE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								PKG:6	
A324007 ^S	INSPECT MAIN LANDING GEAR BRAKE: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324008	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS:PHASE MF INSPECTION							Service	ATA:32
PN:5001445-3	MOS/MSC	08-Jan-19	N/A					N/A EQUIPMENT NOT INSTALLED	
SN:MAR84-692	HRS	9335.5							
	AFL	6512							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324008	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS							Service	ATA:32
PN:5001446-4	MOS/MSC	30-Jan-81	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED	
SN:75020413	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324009	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS. PHASE MG INSPECTION							Service	ATA:32
PN:5001445-3	MOS/MSC	08-Jan-19	N/A					N/A EQUIPMENT NOT INSTALLED	
SN:MAR84-692	HRS	9335.5							
	AFL	6512							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324009	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS							Service	ATA:32
PN:5001446-4	MOS/MSC	30-Jan-81	N/A	TAC 0				N/A EQUIPMENT NOT INSTALLED	
SN:75020413	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324010 ^S	INSPECT AVIATION BRAKE SYSTEM LIMITED BRAKE RESERIOR AND ANTI-SKID COMPONENTS: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
A324014 ^S	INSPECT BRAKE RESERVIOR AND ANTISKID COMPONENTS(AIRPLANES 0425 AND ON INCORP SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
A325001 ^S	INSPECT NOSE STEERING ARM SUPPORT BRACKET,BUNGEE AND BELLCRANK: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:6	
A325002 ^S	INSPECT NOSE STEERING SYSTEM CABLES: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:6	
A325003 ^S	INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN UP: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
	AFL	6625							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:1,3,5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A325004 ^S	INSPECT NOSE WHEEL SPIN-UP CONTROL: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:3	
A325008 ^S	INSPECT NOSE LANDING GEAR FORK NOSE LANDING GEAR FORK(P/N 5542300-1,-3): PHASE MA INSPECTION							Service	ATA:32
PN:5542300-3	MOS	06-Jan-03		TAC 0					
SN:UNKNOWN	HRS	7457		TAC 0					
	AFL	5195	T:12000	TAC 0, Adj 11000					
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:40	
B322003 ^S	CHECK NOSE GEAR CYLINDER BEARING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:6	
B323001 ^S	DIAL INDICATOR CHECK NOSE GEAR ACTUATOR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								PKG:3	
B324006 ^S	CHECK MAIN GEAR WHEEL BRAKES: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
	AFL	6625							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:1,3,5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B324008 ^S	FUNCTIONAL CHECK SKID WARNING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-41-03PROC. REF: AMM 32-41-03								PKG:6	
B324009 ^S	OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								PKG:6	
B324011 ^S	OPERATIONAL CHECK AVIATION BRAKE SYSTEMS LIMITED ANTISKID BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
B324015 ^S	OPERATIONAL CHECK ANTISKID BRAKE SYSTEM(AIRPLANES 0425 AND ON INCORPATING SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
B325001 ^S	FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B326001 ^S	ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEM: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-01-00PROC. REF: AMM 32-01-00								PKG:3	
B326003	HYDROSTATIC TEST EMERGENCY GEAR AIR BOTTLE							Service	ATA:32
PN:212940-2	MOS	07-Feb-25	36		31-Oct-27		986 d	MANDATORY	
SN:160	HRS	9520.8							
WC#: 32.040	AFL	6625							
HydroCheck Date: : 11-Oct-24									
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07									
C122001 ^S	LUBRICATION NOSE AND MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24						
	HRS	9520.8	300						
	AFL	6625							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								PKG:3	
C321003 ^S	LUBRICATE MAIN GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:3	
C322001 ^S	LUBRICATE NOSE GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324010 ^S	REPLACE AVIATION BRAKE SYSTEM ANTI-SKID SYSTEM MOTOR PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
D324012 ^S	REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR AIR FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
D324013 ^S	CLEAN/REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR SUPPLY LINE FILTER : PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
D324014 ^S	REPLACE ANTI-SKIP MOTOR/PUMP(AIRPLANES 0425 AND ON INCORPORATING SB500-32-28) FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
D324016 ^S	REPLACE BRAKE RESERVOIR AIR FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324017 ^S	CLEAN/REPLACE BRAKE RESERVOIR SUPPLY LINE FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
ATA 33 - LIGHTS									
331001	ANNUNCIATOR PANEL							Component	ATA:33
PN:9912167-11	MOS/MSC	14-Sep-21	O/C	TSR 0					
SN:25	HRS	9474.4		TSR 0					
WC#: 33.070	AFL	6592		TSR 0					
PROC. REF: AMM 33-10-04PROC. REF: AMM 33-10-04									
331011	ELECTRICAL PANEL LIGHT INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	04-Mar-03	O/C						
SN:4011A	HRS	7473		TSO 0					
WC#: 33.080	AFL								
PROC. REF: AMM 33-10-03PROC. REF: AMM 33-10-03									
331012	MASTER WARNING SWITCH							Component	ATA:33
PN:1941-4	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-10-04PROC. REF: AMM 33-10-04									
332004	NO. 1 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		1837 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332004	NO. 2 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		1837 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									
334002 VERTICAL FIN ANTI-COLLISION LIGHT									
PN:40-0100-1	MOS/MSC	30-Jan-81	O/C					Component	
SN:4726	HRS	0		TSN 0				ATA:33	
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
334003 LEFT STROBE POWER SUPPLY									
PN:60-1755-5	MOS/MSC	30-Jan-81	O/C					Component	
SN:UNKNOWN	HRS	0		TSN 0				ATA:33	
WC#: 33.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
334003 RIGHT STROBE POWER SUPPLY									
PN:60-1755-5	MOS/MSC	30-Jan-81	O/C					Component	
SN:UNKNOWN	HRS	0		TSN 0				ATA:33	
WC#: 33.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335001 EMERGENCY LIGHTING BATTERY									
PN:CBS28-1	MOS/MSC	14-Sep-21	O/C					Component	
SN:005680	HRS	9474.4						ATA:33	
WC#: 33.090	AFL	6592							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
33FO-02B LIGHT-RECOGNITION WING-TIP MOUNTED FACTORY OPTION									
PN:49B	MOS/MSC	30-Jan-81	-					Component	
SN:FO	HRS	0						ATA:33	
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33FO-03	LIGHT-ROTATING BEACON RUDDER MOUNTED FACTORY OPTION							Component	ATA:33
PN:51	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A335001 ^S	INSPECT EMERGENCY LIGHTS BATTERY BOX: PHASE 5 INSPECTION							Service	ATA:33
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
<hr/>									
A335002 ^S	INSPECT EMERGENCY EXIT LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
<hr/>									
B335001 ^S	OPERATIONAL CHECK EMERGENCY LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
<hr/>									
ATA 34 - NAVIGATION									
341001	LEFT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0103	MOS/MSC	05-Feb-01	O/C						
SN:661ADC	HRS	7111		TSO 537					
WC#: 34.050	AFL								
PROC. REF: AMM 34-10-01PROC. REF: AMM 34-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341001	RIGHT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0103	MOS/MSC	11-Jul-10	O/C	TSO 0					
SN:763	HRS	8492.3		TSO 0					
WC#: 34.050	AFL	6025		TSO 0					
PROC. REF: AMM 34-10-01PROC. REF: AMM 34-10-01									
341002	PILOT ALTIMETER							Component	ATA:34
PN:4016341-905	MOS/MSC	05-Feb-01	O/C						
SN:80061533	HRS	7111		TSO 7111					
WC#: 34.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341002	STANDBY ALTIMETER							Component	ATA:34
PN:C661072-0101	MOS/MSC	30-Nov-18	O/C						
SN:W10060	HRS								
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341004	OUTSIDE AIR TEMPERATURE GAUGE							Component	ATA:34
PN:C668510-0401	MOS/MSC	30-Jan-81	O/C						
SN:1637	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341005	OVERSPEED WARNING SWITCH							Component	ATA:34
PN:DRA45C-39	MOS/MSC	27-May-06	O/C						
SN:161	HRS	7961		TSO 0					
WC#: 34.510	AFL								
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05									
341006	OVERSPEED WARNING HORN							Component	ATA:34
PN:5518108-7	MOS/MSC	14-Sep-21	O/C	TSN 0					
SN:-NSN-	HRS	9474.4		TSN 0					
WC#: 34.040	AFL	6592		TSN 0					
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341010 ANGLE OF ATTACK INDICATOR								Component ATA:34
PN:SLZ9686-1	MOS/MSC	07-Mar-14	O/C					
SN:PC1865	HRS	8952.5						
WC#: 34.460	AFL	6302						
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341012 ANGLE OF ATTACK POTENTIOMETER								Component ATA:34
PN:MOD202-5K	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341013 ANGLE OF ATTACK TRANSMITTER								Component ATA:34
PN:SLZ9386	MOS/MSC	29-Jan-86	O/C					
SN:GU1229C	HRS	1540		TSO 0				
WC#: 34.070	AFL							
PROC. REF: AMM 34-11-03PROC. REF: AMM 34-11-03								
341014 ANGLE OF ATTACK INDEXER								Component ATA:34
PN:SLZ9374	MOS/MSC	30-Jan-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341020 VERTICAL NAVIGATIONAL CONTROLLER/ COMPUTER								Component ATA:34
PN:4020571-901	MOS/MSC	21-Aug-12	O/C					
SN:04011238	HRS	8748.8						
WC#: 34.280	AFL	6187						
PROC. REF: AMM 34-12-04PROC. REF: AMM 34-12-04								
341021 RADIO ALTIMETER INDICATOR								Component ATA:34
PN:7000839-903	MOS/MSC	02-Feb-05	O/C					
SN:81021287	HRS	7864		TSO 39				
WC#: 34.480	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342001	MAGNETIC COMPASS							Component	ATA:34
PN:C660501-0301	MOS/MSC	14-Sep-21	O/C	TSN 0					
SN:-NSN-	HRS	9474.4		TSN 0					
WC#: 34.090	AFL	6592		TSN 0					
PROC. REF: AMM 34-20-01PROC. REF: AMM 34-20-01									
342002	RIGHT TURN & BANK INDICATOR							Component	ATA:34
PN:C661004-0101	MOS/MSC	06-Nov-08	O/C						
SN:459	HRS	8299		TSO 0					
	AFL								
PROC. REF: AMM 34-20-02PROC. REF: AMM 34-20-02									
342003	LEFT HORIZON GYRO							Component	ATA:34
PN:4200-10	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:L18-11829	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 34-20-03, AMM 34-20-06PROC. REF: AMM 34-20-03, AMM 34-20-06									
342003	RIGHT HORIZON GYRO							Component	ATA:34
PN:1U149-002-2	MOS/MSC	28-Dec-15	O/C	TSO 0					
SN:A19658H	HRS	9106		TSO 0					
WC#: 34.600	AFL	6372		TSO 0					
	ACH	22.9		TSO 0					
PROC. REF: AMM 34-20-03, AMM 34-20-06PROC. REF: AMM 34-20-03, AMM 34-20-06									
342021	LEFT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	01-Feb-99	O/C						
SN:W22489G	HRS	6574		TSO 0					
WC#: 34.300	AFL								
PROC. REF: AMM 34-10-03PROC. REF: AMM 34-10-03									
342021	RIGHT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	01-Feb-99	O/C						
SN:W2785H	HRS	6574		TSO 278					
WC#: 34.300	AFL								
PROC. REF: AMM 34-10-03PROC. REF: AMM 34-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342041	NO. 1 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	17-Feb-81	O/C						
SN:122257	HRS	13		TSN 0					
	AFL								
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00									
342041	NO. 2 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	30-Jan-81	O/C						
SN:121504	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00									
342042	LEFT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-901	MOS/MSC	30-Jan-81	O/C						
SN:030770	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-24-03PROC. REF: AMM 34-24-03									
342043	NO. 1 VERTICAL GYRO							Component	ATA:34
PN:7000622-901	MOS/MSC	14-Dec-03	O/C						
SN:79060501	HRS	7665		TSO 4949					
WC#: 34.340	AFL								
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00									
342044	RIGHT RATE GYRO							Component	ATA:34
PN:4020576-901	MOS/MSC	30-Jan-81	O/C						
SN:100753	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-23-00PROC. REF: AMM 34-23-00									
342047 ^U	LEFT ADI							Component	ATA:34
PN:7000466-901	MOS/MSC	20-Oct-97	O/C						
SN:84092171	HRS	6106		TSO 71					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342048	NO. 1 AIR DATA COMPUTER							Component	ATA:34
PN:7024900-30302	MOS/MSC	18-Feb-10	O/C						
SN:02110522	HRS	8420.1							
WC#: 34.030	AFL								
PROC. REF: AMM 34-12-04PROC. REF: AMM 34-12-04									
342048	NO. 2 AIR DATA COMPUTER							Component	ATA:34
PN:70251N02D04	MOS/MSC	30-Jan-81	O/C	TSN 0					
SN:01100538D	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-12-04PROC. REF: AMM 34-12-04									
342048 ^U	RVSM ADC/ALTIMETER							Component	ATA:34
PN:70251N02D04	MOS/MSC	17-Apr-04	O/C						
SN:01100538D	HRS	7722		TSO 0					
	AFL								
342049	LEFT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	16-Jul-99	O/C						
SN:80051683	HRS	6697		TSO 6163					
	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342049	RIGHT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	16-Jul-99	O/C						
SN:87114090	HRS	6697		TSO 534					
	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342050	NO. 1 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	30-Jan-81	O/C						
SN:083778	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342050	NO. 2 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	30-Jan-81	O/C						
SN:083776	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342052	DUAL REMOTE COMPENSATOR							Component	ATA:34
PN:2593379-1	MOS/MSC	30-Jan-81	O/C						
SN:074887	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342053	NO. 1 HSI INDICATOR							Component	ATA:34
PN:7000469-905	MOS/MSC	16-Apr-84	O/C						
SN:090319	HRS	1000		TSO 122					
WC#: 34.360	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342054 ^U	RIGHT HSI							Component	ATA:34
PN:2592920-901	MOS/MSC	29-Jan-86	O/C						
SN:80104076	HRS	1540		TSO 0					
	AFL								
342064	STANDBY GYRO POWER SUPPLY							Component	ATA:34
PN:501-1075-01	MOS/MSC	28-Sep-18	O/C						
SN:1392	HRS	9222.3							
WC#: 34.100	AFL	6434							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342065	STANDBY GYRO							Component	ATA:34
PN:501-1105-04	MOS/MSC	08-Jan-19	O/C	TSO 3					
SN:3774	HRS	9335.5							
	AFL	6512							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342066	MFD DISPLAY							Component ATA:34
PN:010-00890-50	MOS/MSC	08-Aug-19	O/C	TSN 0				
SN:1ZA210971	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
342082 ^U	MODULE-CONFIS TCAS II							Component ATA:34
PN:071-00097-0100	MOS/MSC	12-Mar-04	O/C					
SN:12467	HRS	7695		TSN 0				
	AFL							
<hr/>								
344002	RADAR INDICATOR SCREEN							Component ATA:34
PN:MI585277	MOS/MSC	21-Apr-00	O/C					
SN:2227	HRS	6964		TSO 6588				
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
344004	WEATHER RADAR RECEIVER/TRANSMITTER							Component ATA:34
PN:MI585222-1	MOS/MSC	21-Apr-00	O/C					
SN:3227	HRS	6964		TSO 3064				
WC#: 34.670	AFL							
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
<hr/>								
344005	WEATHER RADAR ANTENNA							Component ATA:34
PN:MI585224	MOS/MSC	21-Apr-00	O/C					
SN:1739	HRS	6964		TSO 187				
WC#: 34.660	AFL							
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
<hr/>								
344019 ^U	RADAR-RCVR/XMTR							Component ATA:34
PN:071-01519-0101	MOS/MSC	18-Oct-04	O/C					
SN:X7859	HRS	7825		TSO 0				
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344020 ^U	RADAR ANTENNA							Component	ATA:34
PN:071-01549-0200	MOS/MSC	12-Mar-04	O/C						
SN:5403	HRS	7695		TSN 0					
	AFL								
<hr/>									
344021	NO. 1 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:622-0555-008	MOS/MSC	20-Aug-09	O/C						
SN:9653	HRS	8381		TSO 8381					
WC#: 34.180	AFL								
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05									
<hr/>									
344021	NO. 2 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:622-0555-008	MOS/MSC	20-Aug-09	O/C						
SN:10873	HRS	8381		TSO 4356					
WC#: 34.180	AFL								
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05									
<hr/>									
344022	RADIO ALTIMETER TRANSCEIVER							Component	ATA:34
PN:4004437-901	MOS/MSC	31-Aug-04	O/C						
SN:80013165	HRS	7796		TSO 0					
WC#: 34.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344023	AFT RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:DMPN3-12/A	MOS/MSC	31-Aug-04	O/C						
SN:6897	HRS	7796		TSN 0					
WC#: 34.260	AFL								
PROC. REF: AMM 34-13-03PROC. REF: AMM 34-13-03									
<hr/>									
344023	FORWARD RADIO ALTITUDE ANTENNA							Component	ATA:34
PN:DMPN3-12/A	MOS/MSC	31-Aug-04	O/C						
SN:6892	HRS	7796		TSN 0					
WC#: 34.260	AFL								
PROC. REF: AMM 34-13-03PROC. REF: AMM 34-13-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344025 ^U	SATELLITE WEATHER RECEIVER							Component	ATA:34
PN:010-01294-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:3NU000888	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
344027	STORMSCOPE PROCESSOR							Component	ATA:34
PN:78-8051-9160-4	MOS/MSC	07-Jun-14	O/C						
SN:JXP04502211	HRS	8963.2							
	AFL	6315							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
344028	STORMSCOPE DISPLAY							Component	ATA:34
PN:78-8051-9170-3	MOS/MSC	09-Jul-03	O/C						
SN:JDXD05901538	HRS	7570		TSO 4774					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
344029	STORMSCOPE ANTENNA							Component	ATA:34
PN:78-8051-9200-8	MOS/MSC	08-Aug-89	O/C						
SN:UNKNOWN	HRS	2796		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345004 ^U	FORWARD BOTTOM ANT-TRANSPONDER							Component	ATA:34
PN:DMN150-2-2	MOS/MSC	12-Mar-04	O/C						
SN:89152	HRS	7695		TSN 0					
	AFL								
345004	NO. 1 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:13078	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345004	NO. 2 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:17251	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
345007	NO. 1 DME ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	30-Jan-81	O/C						
SN:14403	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-09PROC. REF: AMM 34-51-02, AMM 34-51-09									
345008	NO. 1 COURSE DEVIATION INDICATOR							Component	ATA:34
PN:520850	MOS/MSC	30-Jan-81	O/C						
SN:909	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345010	NAV ANTENNA KIT							Component	ATA:34
PN:C1120-200	MOS/MSC	22-Mar-96	O/C						
SN:UNKNOWN	HRS	5458		TSN 0					
	AFL								
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									
345011	NO. 2 ADF RECEIVER							Component	ATA:34
PN:622-2362-001	MOS/MSC	07-Jun-14	O/C	TSO 23					
SN:17839	HRS	8963.2		TSO 0					
WC#: 34.450	AFL	6315							
PROC. REF: AMM 34-50-01PROC. REF: AMM 34-50-01									
345012	NO. 1 ADF CONTROL							Component	ATA:34
PN:156M1	MOS/MSC	24-Aug-10	O/C						
SN:1978B	HRS	8507.2							
WC#: 34.140	AFL	6036							
PROC. REF: AMM 34-50-01PROC. REF: AMM 34-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345014	NO. 2 ADF LOOP ANTENNA							Component	ATA:34
PN:622-2363-001	MOS/MSC	15-Nov-96	O/C						
SN:37646	HRS	5720		TSN 0					
WC#: 34.380	AFL								
PROC. REF: AMM 34-52-05PROC. REF: AMM 34-52-05									
345018	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS1048	MOS/MSC	30-Jan-81	O/C						
SN:7149	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 34-32-00PROC. REF: AMM 34-32-00									
345019	AREA NAVIGATION CONTROL DISPLAY							Component	ATA:34
PN:010-00889-50	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:1Z8210636	HRS			TSN 0					
WC#: 34.160	AFL			TSN 0					
PROC. REF: AMM 34-52-08PROC. REF: AMM 34-52-08									
345030	NO. 1 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-11	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:99613478	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345030	NO. 2 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-11	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:99613480	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345031	LEFT MARKER BEACON RECEIVER							Component	ATA:34
PN:050-023-0101	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:B02075	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345032	BOTTOM NO. 2 NAVIGATION RECEIVER							Component	ATA:34
PN:622-0876-001	MOS/MSC	24-Aug-10	O/C	TSO 0					
SN:12441	HRS	8507.2		TSO 0					
	AFL	6036		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345032	TOP NO. 1 NAVIGATION RECEIVER							Component	ATA:34
PN:622-0876-001	MOS/MSC	30-Jan-81	O/C						
SN:14978	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345034	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:010-01215-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:3EF021246	HRS	9379.1		TSN 0					
WC#: 34.220	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345034	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:010-01217-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:3EH024530	HRS	9379.1		TSN 0					
WC#: 34.220	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345035	NO. 1 DME INDICATOR							Component	ATA:34
PN:622-2012-201	MOS/MSC	30-Jan-81	O/C						
SN:2551	HRS	0		TSN 0					
WC#: 34.430	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-09PROC. REF: AMM 34-51-02, AMM 34-51-09									
345036	NO. 2 DME INTERROGATOR							Component	ATA:34
PN:622-1233-001	MOS/MSC	06-Nov-08	O/C						
SN:1400	HRS	8299		TSO 0					
WC#: 34.440	AFL								
PROC. REF: AMM 34-51-02PROC. REF: AMM 34-51-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345118	GPS ANTENNA							Component	ATA:34
PN:013-00235-00	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:160573	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345118	NO. 2 GPS ANTENNA							Component	ATA:34
PN:013-00235-00	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:160573	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345132	GPS RECEIVER/ SENSOR							Component	ATA:34
PN:066-04031-1421	MOS/MSC	16-Dec-08	O/C						
SN:M23231	HRS	8316		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
346027	GARMIN FLIGHT STREAM 510							Component	ATA:34
PN:010-01322-01	MOS/MSC	08-Aug-19	O/C	TSN 0					
SN:402008412	HRS			TSN 0					
	AFL			TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34FO-02	INDICATOR-ANGLE OF ATTACK FACTORY OPTION							Component	ATA:34
PN:11	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34FO-03	HORIZON GYRO ELECTRIC STANDBY FACTORY OPTION							Component	ATA:34
PN:142	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34FO-04	LOCATOR BEACON EMERGENCY FACTORY OPTION							Component	ATA:34
PN:175	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34FO-06F	9500 LB ZERO FUEL WT FACTORY OPTION							Component	ATA:34
PN:185F	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34FO-07D	2ND TRANSPONDER-COLLINS TDR-90 FACTORY OPTION							Component	ATA:34
PN:623D	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 34-53-03PROC. REF: AMM 34-53-03									
34FO-14	AA215 RAD ALTIMETER W/SEPARATE INDICATOR FACTORY OPTION							Component	ATA:34
PN:672	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 34-13-03PROC. REF: AMM 34-13-03									
34FO-15B	FLIGHT DIRECTOR LH-5" SINGLE CUE SPERRY FACTORY OPTION							Component	ATA:34
PN:679B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34FO-19	MARKER BEACON AUDIO MUTING FACTORY OPTION							Component	ATA:34
PN:692	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
A341007	INSPECT RVSM SKIN WAVINESS: PHASE 20 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
	HRS	9520.8							
	AFL	6625							
								PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
A342001 ^S	INSPECT MAGNETIC COMPASS AND COMPASS CARD: PHASE 5 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 34-20-01PROC. REF: AMM 34-20-01									
B341002 ^S	OPERATIONAL TEST ANGLE OF ATTACK SYSTEM: PHASE 5 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00									
B341005	LEAK TEST LEFT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	24		28-Feb-27		741 d		
	HRS	9520.8							
	AFL	6625							
								PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B341005	LEAK TEST RIGHT STATIC SYSTEM FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	24		28-Feb-27		741 d		
	HRS	9520.8							
	AFL	6625							
								PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341008	CALIBRATION TEST LEFT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:C661063-0103	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:661ADC	HRS	9520.8							
WC#: 34.050	AFL	6625							
				Calibration Date: : 07-Feb-25				PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B341008	CALIBRATION TEST NO. 1 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:7024900-30302	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:02110522	HRS	9520.8							
WC#: 34.030	AFL	6625							
				Calibration Date: : 07-Feb-25				PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B341008	CALIBRATION TEST NO. 2 AIR DATA COMPUTER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:70251N02D04	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:01100538D	HRS	9520.8							
	AFL	6625							
				Calibration Date: : 07-Feb-25				PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B341008	CALIBRATION TEST PILOT ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:4016341-905	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:80061533	HRS	9520.8							
WC#: 34.010	AFL	6625							
				Calibration Date: : 07-Feb-25				PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B341008	CALIBRATION TEST RIGHT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:C661063-0103	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:763	HRS	9520.8							
WC#: 34.050	AFL	6625							
				Calibration Date: : 07-Feb-25				PKG:20	
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341008	CALIBRATION TEST STANDBY ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:C661072-0101	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:W10060	HRS	9520.8							
	AFL	6625							
			Calibration Date: : 07-Feb-25						PKG:20
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									
B342001 ^S	OPERATIONAL CHECK COMPASS SYSTEMS AND ADF BEARINGS: PHASE 5 INSPECTION							Service	ATA:34
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
B342005 ^S	PERIODIC CHECK STANDBY GYRO POWER SUPPLY STANDBY GYRO BATTERY PACK(NICAD PS-823): PHASE 13 INSPECTION							Service	ATA:34
PN:501-1075-01	MOS	07-Feb-25	3 (+1m)						
SN:1392	HRS	9520.8	100 (+100)						
	AFL	6625							
								PKG:14	
PROC. REF: AMM 34-20-05PROC. REF: AMM 34-20-05									
B345001	CALIBRATION TEST NO. 1 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION							Service	ATA:34
PN:010-01215-01	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:3EF021246	HRS	9520.8							
	AFL	6625							
			Calibration Date: : 07-Feb-25						PKG:20
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00									
B345001	CALIBRATION TEST NO. 2 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION							Service	ATA:34
PN:010-01217-01	MOS	07-Feb-25	24		28-Feb-27		741 d		
SN:3EH024530	HRS	9520.8							
	AFL	6625							
			Calibration Date: : 07-Feb-25						PKG:20
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351001	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0101	MOS/MSC	05-Mar-82	O/C	TSN 0					
SN:UNKNOWN	HRS	234							
WC#: 35.060	AFL								
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
351004	COPILOT OXYGEN MASK							Component	ATA:35
PN:174118-01	MOS/MSC	25-May-01	O/C	TSO 0					
SN:6291	HRS	7179							
WC#: 35.050	AFL								
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03									
351004	PILOT OXYGEN MASK							Component	ATA:35
PN:174045-16	MOS/MSC	14-Sep-21	O/C	TSO 0					
SN:7045	HRS	9474.4		TSO 0					
WC#: 35.050	AFL	6592		TSO 0					
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03									
351005	OXYGEN REGULATOR							Component	ATA:35
PN:172070	MOS/MSC	04-Oct-95	O/C	TSO 0					
SN:5031	HRS	5292							
WC#: 35.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
351006	OXYGEN CYLINDER							Component	ATA:35
PN:176176-64	MOS	31-Oct-22	288		30-Nov-45		7591 d	LIFE LIMIT	
SN:R671110	HRS	9497.4							
WC#: 35.010	AFL	6609							
Manufacture Date:: 30-Nov-21									
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
351007	OXYGEN FILLER VALVE							Component	ATA:35
PN:ZV951	MOS/MSC	24-Aug-10	O/C	TSN 0					
SN:5499	HRS	8507.2		TSN 0					
	AFL	6036		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35FO-02B	OXYGEN SYSTEM-64 CUBIC FEET FACTORY OPTION							Component	ATA:35
PN:66B	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
A351001 ^S	INSPECT OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 35-00-00PKG:6									
A351007 ^S	INSPECT PASSENGER OXYGEN MASK: PHASE 18 INSPECTION							Service	ATA:35
	MOS	07-Feb-25	12 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 35-20-00PKG:19									
B350004	HYDROSTATIC TEST OXYGEN CYLINDER (DOT 3HT1850 OR 3FC1850)							Service	ATA:35
PN:176176-64	MOS	07-Feb-25	36		31-Oct-27		986 d		
SN:R671110	HRS	9520.8							
WC#: 35.010	AFL	6625							
HydroCheck Date: : 03-Oct-24									
PROC. REF: AMM 35-00-00									
B351002 ^S	FUNCTIONAL TEST OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 35-00-00PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
B351003 ^S	OPERATIONAL CHECK CREW OXYGEN MASK INSPECTION,AND MICROPHONE: PHASE 5 INSPECTION							Service	ATA:35
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03								PKG:6	
ATA 36 - PNEUMATIC									
361001	DOOR SEAL CONTROL VALVE							Component	ATA:36
PN: MJV3	MOS/MSC	30-Jan-81	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 36.040	AFL	0		TSN 0					
PROC. REF: AMM 36-10-04PROC. REF: AMM 36-10-04									
361002	INSTRUMENT REGULATOR							Component	ATA:36
PN: 38E85-4C	MOS/MSC	24-Mar-05	O/C						
SN: 528-U	HRS	7895		TSO 0					
	AFL								
PROC. REF: AMM 36-10-05PROC. REF: AMM 36-10-05									
361003	DEICE BOOT REGULATOR							Component	ATA:36
PN: 38E85-5C	MOS/MSC	06-Apr-99	O/C						
SN: B2462	HRS	6640		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
361004	PNEUMATIC (BLEED AIR) PRESSURE REGULATOR							Component	ATA:36
PN: 2102702-5	MOS/MSC	30-Jan-81	O/C						
SN: UNKNOWN	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01PROC. REF: AMM 36-10-01									
361005	RIGHT GYRO PRESSURE GAUGE							Component	ATA:36
PN: C668515-0101	MOS/MSC	30-Aug-05	O/C						
SN: 111	HRS	7913		TSO 0					
WC#: 36.060	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
361006	FORWARD INSTRUMENT BLEED AIR PRESSURE REGULATOR							Component	ATA:36
PN:3H64-4	MOS/MSC	07-Dec-16	O/C	TSN 0					
SN:9BM11	HRS	9141.3		TSN 0					
	AFL	6412							
PROC. REF: AMM 36-10-05PROC. REF: AMM 36-10-05									
<hr/>									
361007	PRESSURE DOOR SEAL HOSE							Component	ATA:36
PN:CM2939-4-15	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
361008	LEFT CHECK VALVE							Component	ATA:36
PN:1H95-1	MOS/MSC	08-Jan-19	O/C	TSN 0					
SN:S11BR10	HRS	9335.5		TSN 0					
	AFL	6512							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
361008	RIGHT CHECK VALVE							Component	ATA:36
PN:1H95-1	MOS/MSC	24-Aug-10	O/C	TSN 0					
SN:6BE8	HRS	8507.2		TSN 0					
	AFL	6036		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A361001 ^S	DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: PHASE 4 INSPECTION							Service	ATA:36
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00									
								PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
D361001 ^S	REPLACE BLEED AIR-SEAL CONNECTORS: PHASE 4 INSPECTION							Service	ATA:36
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								PKG:5	
<hr/>									
D361003 ^S	REPLACE INSTRUMENT AIR WATER SEPERATOR FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 36-10-05PROC. REF: AMM 36-10-05								PKG:6	
<hr/>									
D361005 ^S	SERVICE AIR PERI-SEAL REPLACEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								PKG:6	
<hr/>									
ATA 37 - VACUUM									
D371001 ^S	CLEAN/REPLACE VACUM REGULATOR INLINE FILTER SCREEN: PHASE 5 INSPECTION							Service	ATA:37
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 37-00-00PROC. REF: AMM 37-00-00								PKG:6	
<hr/>									
ATA 38 - WATER/WASTE									
B383001 ^S	OPERATIONAL CHECK REFRESHMENT CENTER DRAIN LINE: PHASE 5 INSPECTION							Service	ATA:38
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 38-30-00PROC. REF: AMM 38-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
A510001 ^S	INSPECT EXTERIOR DRAIN HOLES: PHASE 1 INSPECTION							Service	ATA:51
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 51-00-00PROC. REF: AMM 51-00-00								PKG:2	
ATA 52 - DOORS									
521001	CABIN DOOR SEAL							Component	ATA:52
PN:S15501-1	MOS/MSC	18-Oct-95	O/C						
SN:UNKNOWN	HRS	5328		TSN 0					
WC#: 52.050	AFL								
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
526001	CABIN DOOR STEP							Component	ATA:52
PN:6519009-25	MOS/MSC	30-Jan-81	O/C						
SN:434	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A521001 ^S	INSPECT CABIN DOOR INFLATABLE SEAL: PHASE 1 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:2	
A521003 ^S	INSPECT CABIN DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A521004 ^S	INSPECT CABIN DOOR LOCKING PINS: PHASE 37 INSPECTION							Service	ATA:52
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
								PKG:29	
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02									
A521005 ^S	INSPECT CABIN DOOR LOCKING COMPONENTS BEARING PLATES: PHASE 16 INSPECTION							Service	ATA:52
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
								PKG:17	
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02									
A522001 ^S	INSPECT EMERGENCY EXIT DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00									
A523001 ^S	INSPECT NOSE BAGGAGE DOOR AND LATCHES: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									
A523002 ^S	INSPECT TAILCONE DOORS: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
								PKG:6	
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A526001 ^S	INSPECT CABIN DOOR STEP: PHASE 1 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 52-60-00PROC. REF: AMM 52-60-00								PKG:2	
<hr/>									
B527001 ^S	OPERATIONAL CHECK DOOR WARNING SYSTEM: PHASE 1 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 52-70-00PROC. REF: AMM 52-70-00								PKG:2	
<hr/>									
C521002 ^S	LUBRICATE CABIN DOOR HINGE: PHASE 5 INSPECTION							Service	ATA:52
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:6	
<hr/>									
ATA 53 - FUSELAGE									
A530001 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	6						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:502	
<hr/>									
A530002 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531001 ^S	INSPECT NOSE AREA GENERAL STRUCTURE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:6	
<hr/>									
A531002 ^S	INSPECT UNDERFLOOR: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03								PKG:6	
<hr/>									
A531003 ^S	INSPECT TAILCONE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-20-04PROC. REF: AMM 53-20-04								PKG:6	
<hr/>									
A531004 ^S	INSPECT FRONT AND REAR SPAR CARRY-THRU: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6	
<hr/>									
A531005 ^S	INSPECT CABIN DOOR FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	07-Feb-25							
	HRS	9520.8	5000 (+30)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6,29	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531006 ^S	INSPECT EMERGENCY EXIT DOOR FRAME: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6	
<hr/>									
A531007 ^S	INSPECT WINDSHIELD,COCKPIT SIDE WINDOW AND CABIN WINDOW FRAMES: PHASE 37 INSPECTION							Service	ATA:53
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+30)	TAC 0, Adj -2					
	AFL			TAC 0					
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:29	
<hr/>									
A531008 ^S	INSPECT FUSELAGE INTERIOR CABIN STRUCTURE: PHASE 1 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:2	
<hr/>									
A531009 ^S	INSPECT CABIN BULHEADS AND STRINGERS: PHASE 17 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:18	
<hr/>									
A531011 ^S	INSPECT FRONT CARRY-THRU TO WING SPAR LUGS - INSPECT: PHASE 59 INSPECTION							Service	ATA:53
	MOS	08-Jun-12							
	HRS	8699.6	T:10000 (+10)						
	AFL	6158							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:504	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531012 ^S	INSPECT CABIN DOOR THRESHOLD: PHASE 1 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:2	
A531013 ^S	INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:24	
A531014 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:24	
A531017 ^S	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: PHASE 24 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:24	
A531019 ^S	INSPECT WING ATTACH BOLT AND LUG: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531020 ^S	INSPECT CABIN DOOR FUSELAGE FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	30-Jan-81		TAC 0					
	HRS	0	5000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:29	
A531021 ^S	INSPECT TOILET AND GALLEY UNDERFLOOR AREA: PHASE 18 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	12 (+1m)						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:19	
A531031 ^S	INSPECT FOWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU 0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)						
	AFL	6580							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:38	
A531032 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	07-Aug-20							
	HRS	9454.6	2000 (+10)						
	AFL	6580							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:38	
A532001 ^S	INSPECT CONTROL PEDESTAL AREA: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A532002 ^S	INSPECT NOSE GEAR WHEEL WELL: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:6	
<hr/>									
A533001 ^S	INSPECT FUSELAGE EXTERIOR SKIN: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:6	
<hr/>									
A533010 ^S	INSPECT FUSELAGE SKIN SEAM : PHASE 49 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:35	
<hr/>									
A535001 ^S	INSPECT NOSE CAP: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-50-01PROC. REF: AMM 53-50-01								PKG:6	
<hr/>									
A535002 ^S	INSPECT STINGER: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-50-02PROC. REF: AMM 53-50-02								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A536001 ^S	INSPECT DRAG CHUTE CANISTER AND LATCH ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-60-00PROC. REF: AMM 53-60-00								PKG:6	
<hr/>									
A536002 ^S	INSPECT DRAG CHUTE HANDLE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 53-60-00PROC. REF: AMM 53-60-00								PKG:6	
<hr/>									
B535001 ^S	CHECK ELECTRICAL BOND RADOME: PHASE 1 INSPECTION							Service	ATA:53
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 53-50-01PROC. REF: AMM 53-50-01								PKG:2	
<hr/>									
ATA 54 - NACELLES/PYLONS									
A541001 ^S	INSPECT ENGINE NACELLE,PYLON, AND FIREWALL: PHASE 5 INSPECTION							Service	ATA:54
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 54-10-02PROC. REF: AMM 54-10-02								PKG:6	
<hr/>									
A541002 ^S	INSPECT ENGINE SUPPORT STRUCTURES: PHASE 16 INSPECTION							Service	ATA:54
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 54-40-00PROC. REF: AMM 54-40-00								PKG:17	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551001 ^S	INSPECT HORIZONTAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:3	
A551002 ^S	INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: PHASE 2 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:3	
A551003 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:16	
A551004 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR AND FORWARD AUXILIARY SPAR SPLICE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:16	
A551006 ^S	INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: PHASE 37 INSPECTION							Service	ATA:55
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:29	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551007 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	6						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:502	
A551008 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:19	
A553001 ^S	INSPECT VERTICAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:3	
A553002 ^S	INSPECT VERTICAL STABILIZER AFT SPAR: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:16	
A553003 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: PHASE 15 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553005 ^S	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: PHASE 17 INSPECTION							Service	ATA:55
	MOS	30-Jan-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:18	
A553006 ^S	INTERNAL INSPECTION VERTICAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:6	
A553007 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	6						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:502	
A553008 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:19	
A555001 ^S	INTERNAL INSPECTION HORIZONTAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-9	MOS/MSC	03-Dec-93	O/C						
SN:2603	HRS	4429		TSN 0					
WC#: 56.060	AFL								
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:E149000-10	MOS/MSC	03-Dec-93	O/C						
SN:2362	HRS	4429		TSN 0					
WC#: 56.060	AFL								
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									
561003	FOUL WEATHER WINDOW							Component	ATA:56
PN:5511275-17	MOS/MSC	29-Jul-98	O/C						
SN:1596	HRS	6381		TSN 0					
WC#: 56.050	AFL								
PROC. REF: AMM 56-10-03PROC. REF: AMM 56-10-03									
561005	COPILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-6	MOS/MSC	13-Aug-96	O/C						
SN:UNKNOWN	HRS	5586		TSO 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561005	COPILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-48	MOS/MSC	03-Feb-03	O/C						
SN:950130	HRS	7457		TSO 0					
WC#: 56.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561005	PILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-5	MOS/MSC	13-Aug-96	O/C						
SN:UNKNOWN	HRS	5586		TSO 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561005	PILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-47	MOS/MSC	16-Mar-96	O/C						
SN:UNKNOWN	HRS	5458		TSN 0					
WC#: 56.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
562001	LEFT AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7557	HRS	5458		TSN 0					
WC#: 56.080	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7581	HRS	5458		TSN 0					
WC#: 56.090	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7682	HRS	5458		TSN 0					
WC#: 56.100	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT FORWARD CABIN MAIN DOOR WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7560	HRS	5458		TSN 0					
WC#: 56.070	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7726	HRS	5458		TSN 0					
WC#: 56.080	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	RIGHT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7482	HRS	5458		TSN 0					
WC#: 56.090	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7413	HRS	5458		TSN 0					
WC#: 56.100	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT FORWARD CABIN EMERGENCY DOOR WINDOW							Component	ATA:56
PN:9907-001-001-1	MOS/MSC	16-Mar-96	O/C						
SN:7564	HRS	5458		TSN 0					
WC#: 56.070	AFL								
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
A561001 ^S	INSPECT AIRPLANE WINDOWS: PHASE 1 INSPECTION							Service	ATA:56
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
A561002 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS: PHASE 49 INSPECTION							Service	ATA:56
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									

PKG:2

PKG:35

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
A562001 ^S	PRISM CHECK CABIN WINDOWS(AIRPLANES -0001 THRU -0213 NOR INCORPORATING SB500-21-9 OR SB500-56-5): PHASE 49 INSPECTION							Service	ATA:56
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								PKG:35	

ATA 57 - WINGS									
572001	LEFT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.110	AFL	0	20000	TSN 0	20000	20000	13375		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

572002	RIGHT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.110	AFL	0	20000	TSN 0	20000	20000	13375		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

574001	LEFT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-1	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.100	AFL	0	41600	TSN 0	41600	41600	34975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

574002	RIGHT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-2	MOS	30-Jan-81						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.100	AFL	0	41600	TSN 0	41600	41600	34975		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
574003	LEFT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00									
574004	RIGHT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00									
A570001 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	6						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
A570002 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	6						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
A570003 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									

PKG:502

PKG:502

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A570004 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	12						
	HRS	9520.8							
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:19	
A571001 ^S	INSPECT WING MAIN SPAR CAP HORIZONTAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A571002 ^S	INSPECT WING MAIN SPAR CAP VERTICAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A571003 ^S	INSPECT WING AFT SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A571004 ^S	INSPECT WING MAIN SPAR CAPS-AIRPLANES -0001 THRU -0520 NOT INCORPORATING SB500-57-10 OR 500-57-11: PHASE 12 INSPECTION							Service	ATA:57
	MOS	24-Nov-19							
	HRS	9415.1	600 (+10)						
	AFL	6559	600						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:13	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A571008 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING SPAR ATTACHMENT(-0001 THRU -0087,THRU -0092,-0094 THRU -0099 THRU -0114): PHASE 37 INSPECTION							Service	ATA:57
	MOS	07-Feb-95		TAC 0					
	HRS	5002	5000 (+10)	TAC 0, Adj -2					
	AFL			TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:29	
A572004 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING MAIN SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A573001 ^S	INSPECT WINGS: PHASE 5 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:6	
A573003 ^S	INSPECT JACK PADS: PHASE 24 INSPECTION							Service	ATA:57
	MOS	30-Jan-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A574010	INSPECT LEFT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-1	MOS	25-May-01		TAC 0					
SN:UNKNOWN	HRS	7179		TAC 0					
	AFL	5028	5000		10028		3403		
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00								PKG:42	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A574010	INSPECT RIGHT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-2	MOS	25-May-01		TAC 0					
SN:UNKNOWN	HRS	7179		TAC 0					
	AFL	5028	5000		10028		3403		
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00									
ATA 57 - WINGS									
A575001 ^S	INSPECT FLAPS: PHASE 2 INSPECTION							Service	ATA:57
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
ATA 71 - POWER PLANT									
710000	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
ATA 71 - POWER PLANT									
710000	NO. 2 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
ATA 71 - POWER PLANT									
710002	LEFT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710002	RIGHT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710010	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	06-Apr-99							
	HRS	6853	3500 (+50/-50)		(10353) 10140	10403	625.7 (+50)		
	ENC (AFL)			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710010	NO. 2 ENGINE - OVERHAUL							Service	ATA:71
	MOS	16-Jun-00							
	HRS	6964	3500 (+50/-50)		(10464) 10609.1	10514	1088.3 (+50)		
	ENC (AFL)	4901		TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710020	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	23-Mar-10							
	HRS	8661	1750 (+50/-50)		(10411) 10198	10461	683.7 (+50)		
	ENC								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710020	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	26-Sep-08							
	HRS	8149.9	1750 (+50/-50)		(9899.9) 10045	9949.9	524.2 (+50)		
	ENC	5825							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710030	NO. 1 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710030	NO. 2 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
712001	LEFT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6-1	MOS	06-Apr-99						OVERHAUL	
SN:R0083	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712001	RIGHT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6	MOS	07-Jul-00						OVERHAUL	
SN:879	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	06-Apr-99						OVERHAUL	
SN:113	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	06-Apr-99						OVERHAUL	
SN:97	HRS	6640	3500	TSO 0	10140	10140	619.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	07-Jul-00						OVERHAUL	
SN:1914	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	07-Jul-00						OVERHAUL	
SN:2042	HRS	7022	3500	TSN 0	10522	10522	1001.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	06-Apr-99	E/C						
SN:PCE-76919	HRS	6640		TSO 0					
WC#: 71.EN1	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	16-Jun-00	E/C						
SN:PCE-77129	HRS	6964		TSO 0					
WC#: 71.EN2	AFL	4901							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A711000 ^S	INSPECT ENGINE: PHASE 4 INSPECTION							Service	ATA:71
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 71-01-00PROC. REF: AMM 71-01-00									

PKG:5

ATA 72 - ENGINE

720010	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720010	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3029284	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 72-60-02PROC. REF: EMM 72-60-02									
722001	NO. 2 ENGINE - OIL PUMP							Component	ATA:72
PN:3030391	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 72-60-02PROC. REF: EMM 72-60-02									
723001	NO. 1 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723001	NO. 2 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 848					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3020365	MOS	06-Apr-99						LIFE LIMIT	
SN:B0176	HRS	6853							
	ENC	5282		TSN 5282	(8400) 7845 (M)		1219		
	ACCCYC	0	8400	TSN 5282					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010 NO. 2 ENGINE - CENTRIFUGAL IMPELLER									
PN:3032070	MOS	30-Oct-08						LIFE LIMIT	
SN:2B706	HRS	8150							
	ENC	5828		TSN 3491	(10737) 10814 (M)		4188		
	ACCCYC	0	8400	TSN 3491					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723030 NO. 1 ENGINE - LOW PRESSURE COMPRESSOR HUB									
PN:3018018	MOS	06-Apr-99						LIFE LIMIT	
SN:882	HRS	6853							
	ENC	5282		TSN 5282	(16391) 15836 (M)		9210		
	ACCCYC	0	27500	TSN 5282			18420		
PROC. REF: EMM 72-30-03PROC. REF: EMM 72-30-03									
723030 NO. 2 ENGINE - LOW PRESSURE COMPRESSOR HUB									
PN:3018018	MOS	30-Oct-08						LIFE LIMIT	
SN:6C748	HRS	8150							
	ENC	5828		TSN 5826	(16665) 16742 (M)		10116		
	ACCCYC	0	27500	TSN 5826			20232		
PROC. REF: EMM 72-30-03PROC. REF: EMM 72-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	23-Mar-10						LIFE LIMIT	
SN:9E627	HRS	8661							
	ENC	6555		TSN 4146	(16409) 15854 (M)		9228		
	ACCCYC	0	14000	TSN 4146					
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02									
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	30-Oct-08						LIFE LIMIT	
SN:A002ARP6	HRS	8150							
	ENC	5828		TSN 0	(19828) 19905 (M)		13279		
	ACCCYC	0	14000	TSN 0					
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02									
ATA 72 - ENGINE									
725020	NO. 1 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	06-Apr-99						LIFE LIMIT	
SN:3393	HRS	6853							
	ENC	5282		TSN 5282	(14000) 13445 (M)		6819		
	ACCCYC	0	14000	TSN 5282					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725020	NO. 2 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	30-Oct-08						LIFE LIMIT	
SN:7C013	HRS	8150							
	ENC	5828		TSN 5826	(14002) 14079 (M)		7453		
	ACCCYC	0	14000	TSN 5826					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 1 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3021213	MOS	06-Apr-99						LIFE LIMIT	
SN:3322	HRS	6853							
	ENC	5282		TSN 5282	(14000) 13445 (M)		6819		
	ACCCYC	0	14000	TSN 5282					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3036113	MOS	30-Oct-08						LIFE LIMIT	
SN:7C994	HRS	8150							
	ENC	5828		TSN 5826	(14002) 14079 (M)		7453		
	ACCCYC	0	14000	TSN 5826					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725071	NO. 1 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3041219	MOS/MSC	23-Mar-10	O/C						
SN:478	HRS	8661		TSO 0					
	ENC								
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									
ATA 72 - ENGINE									
725071	NO. 2 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3029994	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									
ATA 72 - ENGINE									
725101	NO. 1 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	23-Mar-10	O/C						
	HRS	8661		TAC 0					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725101	NO. 2 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	30-Oct-08	O/C						
	HRS	8150		TAC 0					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 1 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P92	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 73.030	AFL	0		TSN 0					
PROC. REF: AMM 73-30-04PROC. REF: AMM 73-30-04									
731004	NO. 2 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	07-Jul-00	O/C						
SN:4073	HRS	7022		TSN 0					
WC#: 73.030	AFL								
PROC. REF: AMM 73-30-04PROC. REF: AMM 73-30-04									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-05	MOS/MSC	06-Apr-99	O/C						
SN:1236	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731010	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-05	MOS/MSC	30-Oct-08	O/C						
SN:1812	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731020	NO. 1 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:UA530768-4	MOS/MSC	06-Apr-99	O/C						
SN:2420	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731020 NO. 2 ENGINE - FUEL-OIL COOLER Component ATA:73								
PN:UA530768-4	MOS/MSC	30-Oct-08	O/C					
SN:3838	HRS	8150		TSO 4447				
	ENC							
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731025 NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER Service ATA:73								
PN:UA530768-4	MOS/MSC		A/R					
SN:2420	HRS	0						
	ENC	0		TAC 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731025 NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER Service ATA:73								
PN:UA530768-4	MOS/MSC		A/R					
SN:3838	HRS	0						
	ENC	0		TAC 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731030 NO. 1 ENGINE - MOTIVE FLOW VALVE Component ATA:73								
PN:2524995	MOS/MSC	06-Apr-99	O/C					
SN:A40548	HRS	6853		TSO 0				
	ENC							
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731030 NO. 2 ENGINE - MOTIVE FLOW VALVE Component ATA:73								
PN:2524995	MOS/MSC	30-Oct-08	O/C					
SN:A90389	HRS	8150		TSO 1186				
	ENC							
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731035 NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE Service ATA:73								
PN:2524995	MOS/MSC		A/R					
SN:A40548	HRS	0						
	ENC	0		TAC 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service ATA:73
PN:2524995	MOS/MSC		A/R					
SN:A90389	HRS	0						
	ENC	0		TAC 0				
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:25607-1	MOS/MSC	06-Apr-99	O/C					
SN:798	HRS	6853		TSO 0				
	ENC							
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:25607-2	MOS/MSC	30-Oct-08	O/C					
SN:1681	HRS	8150		TSO 1186				
	ENC							
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:25607-1	MOS/MSC		A/R					
SN:798	HRS	0						
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:25607-2	MOS/MSC		A/R					
SN:1681	HRS	0						
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732002	ENGINE SYNCHRONIZER CONTROL							Component	ATA:73
PN:213723	MOS/MSC	16-Sep-08	O/C						
SN:1290836	HRS	8248		TSO 0					
WC#: 76.020	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
732003	ENGINE SYNCHRONIZER ACTUATOR							Component	ATA:73
PN:5485-066	MOS/MSC	30-Jan-81	O/C						
SN:20442A	HRS	0		TSN 0					
WC#: 76.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
732010	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	06-Apr-99	O/C						
SN:A60315	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01									
<hr/>									
732010	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	30-Oct-08	O/C						
SN:A60171WN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01									
<hr/>									
733002	FUEL FLOW INDICATOR							Component	ATA:73
PN:VSDL-OC408D	MOS/MSC	20-Jan-03	O/C						
SN:140	HRS	7457		TSO 7457					
WC#: 73.020	AFL								
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01									
<hr/>									
733003	NO. 1 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	14-Feb-03	O/C						
SN:003673	HRS	7457		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733003	NO. 2 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	14-Feb-03	O/C						
SN:402076	HRS	7457		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
73FO-01C	ENGINE SYNCHRONIZING INSTRUMENT W/TH REV FACTORY OPTION							Component	ATA:73
PN:76C	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-22	MOS/MSC	06-Apr-99	O/C						
SN:99409776	HRS	6853							
	ENC								
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
ATA 74 - IGNITION									
741010	NO. 2 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-22	MOS/MSC	14-Jan-13	O/C	TSN 0					
SN:NNA09480024	HRS	8669.8		TSN 0					
	ENC			TSN 0					
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
ATA 74 - IGNITION									
741030	NO. 1 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-22	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
SN:99409776	HRS	9727.3	300 (+30)		(10027.3) 9820.8	10057.3	300 (+30)		
	ENC	7181							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741030	NO. 2 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-22	MOS	07-Feb-25	24 (+2m)		28-Feb-27	07-Apr-27	741 d (+38)		
SN:NNA09480024	HRS	9375.7	300 (+30)		(9675.7) 9820.8	9705.7	300 (+30)		
	ENC	6549							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
742010	NO. 1 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9661.1		TSN 0					
	ENC	7136		TSN 0					
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
<hr/>									
742010	NO. 2 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9309.5		TSN 0					
	ENC	6504		TSN 0					
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
<hr/>									
742020	NO. 1 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C	TSN 0					
SN:-NSN-	HRS	9661.1		TSN 0					
	ENC	7136		TSN 0					
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
<hr/>									
742020	NO. 2 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE246-4	MOS/MSC	07-Aug-20	O/C						
SN:-NSN-	HRS	9309.5							
	ENC	6504							
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
<hr/>									
742030	NO. 1 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:3107371-01	MOS/MSC	19-Feb-12	O/C	TSN 0					
SN:-NSN-	HRS	8874.5		TSN 0					
	ENC	6690							
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742030	NO. 2 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:10-395428-2	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
742040	NO. 1 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-395428-1	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
742040	NO. 2 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-395428-1	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
B742001 ^S	INSPECT ENGINE IGNITERS: PHASE 2 INSPECTION							Service	ATA:74
	MOS	07-Feb-25							
	HRS	9520.8	150 (+30)						
	AFL	6625							
PROC. REF: AMM 74-30-01PROC. REF: AMM 74-30-01									
ATA 75 - AIR									
750001	LEFT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:1,3,5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750001	LEFT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750001	RIGHT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750001	RIGHT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750010	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632	MOS/MSC	17-May-11	O/C						
SN:5024	HRS	8782.1							
	ENC	6627							
PROC. REF: EMM 75-00-02PROC. REF: EMM 75-00-02									
750010	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:KW15632	MOS/MSC	05-Apr-13	O/C						
SN:4052	HRS	8708.3							
	ENC	6169							
PROC. REF: EMM 75-00-02PROC. REF: EMM 75-00-02									
751002 ^U	NO. 1 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	07-Jan-19	O/C						
SN:4052	HRS	9512.2							
	ENC	7067							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
751002 ^U	NO. 2 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	07-Jan-19	O/C						
SN:1198	HRS	9190.4							
	ENC	6436							
ATA 76 - ENGINE CONTROLS									
761001	ENGINE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:5565810-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.060	AFL	0		TSN 0					
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01									
761002	NO. 1 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761002	NO. 2 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761003	NO. 1 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-1	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761004	NO. 2 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-2	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761005	DEPLOY INTERLOCK SOLENOID ASSEMBLY							Component	ATA:76
PN:U-183238-001	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
B761002 ^S	INSPECT/CHECK THRUST REVERSER LOAD LIMIT PRE-LOAD: PHASE 5 INSPECTION							Service	ATA:76
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
ATA 77 - ENGINE INDICATING									
770010	NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	07-Feb-25	24 (+2m)		07-Feb-27	07-Apr-27	720 d (+59)		
	HRS	9727.3	300 (+30)		(10027.3) 9820.8	10057.3	300 (+30)		
	ENC	7181							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
770010	NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	07-Feb-25	24 (+2m)		07-Feb-27	07-Apr-27	720 d (+59)		
	HRS	9375.7	300 (+30)		(9675.7) 9820.8	9705.7	300 (+30)		
	ENC	6549							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
771001	LEFT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	30-Jan-81	O/C						
SN:2630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771001 LEFT TOP N1 TACH GENERATOR Component ATA:77								
PN:22A623	MOS/MSC	30-Jan-81	O/C					
SN:2757	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01								
771001 RIGHT BOTTOM N2 TACH GENERATOR Component ATA:77								
PN:AG34	MOS/MSC	26-Nov-97	O/C					
SN:72651	HRS	6168		TSN 0				
	AFL							
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01								
771001 RIGHT TOP N1 TACH GENERATOR Component ATA:77								
PN:22A623	MOS/MSC	30-Jan-81	O/C					
SN:2535	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01								
771002 N2 (TURBINE) INDICATOR Component ATA:77								
PN:VSDL-OC410B	MOS/MSC	23-Mar-10	O/C					
SN:92ADE	HRS	8448		TSO 0				
WC#: 77.050	AFL							
PROC. REF: AMM 77-12-01PROC. REF: AMM 77-12-01								
771003 N1 (FAN) INDICATOR Component ATA:77								
PN:VSDL-OC410L	MOS/MSC	30-Jan-81	O/C					
SN:44A	HRS	0		TSN 0				
WC#: 77.050	AFL	0		TSN 0				
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01								
772001 ITT INDICATOR Component ATA:77								
PN:VSDL-OC419A	MOS/MSC	30-Jan-81	O/C					
SN:238J	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 77-21-01PROC. REF: AMM 77-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
781001	NO. 1 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:5555025-18	MOS/MSC	30-Jan-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-00-00PROC. REF: AMM 78-00-00									
<hr/>									
781001	NO. 2 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:5555025-19-AA	MOS/MSC	14-Sep-08	O/C						
SN:NSN	HRS	8248		TSN 0					
WC#: 78.050	AFL								
PROC. REF: AMM 78-00-00PROC. REF: AMM 78-00-00									
<hr/>									
783001	LEFT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:202-0000-1	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0		TSN 0					
WC#: 78.030	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
783001	RIGHT THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:202-0000-3	MOS/MSC	06-Oct-99	O/C						
SN:RC0368	HRS	6766							
WC#: 78.030	AFL	4792		TSO 4792					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
783002	LEFT THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:AV14K1200	MOS/MSC	30-Jan-81	O/C						
SN:169	HRS	0		TSN 0					
WC#: 78.130	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									
<hr/>									
783002	RIGHT THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:65680	MOS/MSC	24-Aug-10	O/C		TSO 4				
SN:4174	HRS	8507.2			TSO 0				
WC#: 78.130	AFL	6036			TSO 0				
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783003	LEFT THREE-WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	30-Jan-81	O/C						
SN:780	HRS	0		TSN 0					
WC#: 78.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783003	RIGHT THREE-WAY VALVE							Component	ATA:78
PN:13027-4	MOS/MSC	30-Jan-81	O/C						
SN:618	HRS	0		TSN 0					
WC#: 78.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
783005	LEFT UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-1	MOS/MSC	30-Jan-81	O/C						
SN:0363	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
783005	RIGHT UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0001-2	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
783006	LEFT LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-1	MOS/MSC	30-Jan-81	O/C						
SN:0368	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
<hr/>									
783006	RIGHT LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:202-0002-2	MOS/MSC	30-Jan-81	O/C						
SN:0366	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783007	LEFT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	30-Jan-81	O/C						
SN:0741	HRS	0		TSN 0					
WC#: 78.110	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
783007	RIGHT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-1	MOS/MSC	30-Jan-81	O/C						
SN:0740	HRS	0		TSN 0					
WC#: 78.120	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
783008	LEFT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-3	MOS/MSC	30-Jan-81	O/C						
SN:0695	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
783008	RIGHT THRUST REVERSER MECH ASSEMBLY							Component	ATA:78
PN:202-0004-5	MOS/MSC	30-Jan-81	O/C						
SN:0696	HRS	0		TSN 0					
WC#: 78.120	AFL	0		TSN 0					
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
783009	LEFT THRUST REVERSER FAN DUCT							Component	ATA:78
PN:202-0012-1	MOS/MSC	30-Jan-81	O/C						
SN:0739	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
783009	RIGHT THRUST REVERSER FAN DUCT							Component	ATA:78
PN:202-0012-1	MOS/MSC	30-Jan-81	O/C						
SN:0738	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783010	LEFT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:70	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									
783010	LEFT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:26	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									
783010	RIGHT INBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:41	HRS	0		TSN 0					
WC#: 78.060	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									
783010	RIGHT OUTBOARD THRUST REVERSER ACTUATOR							Component	ATA:78
PN:62270	MOS/MSC	30-Jan-81	O/C						
SN:37	HRS	0		TSN 0					
WC#: 78.070	AFL	0		TSN 0					
PROC. REF: AMM 78-30-01PROC. REF: AMM 78-30-01									
78FO-01	THRUST REVERSERS FACTORY OPTION							Component	ATA:78
PN:193	MOS/MSC	30-Jan-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									
A783002 ^S	INSPECT THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
A783003 ^S	INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:78
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:6	
B783002 ^S	OPERATIONAL TEST THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:5	
C783001 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (WC 393 NON-AEROSOL SPRAY LUBRICATION): PHASE 4 INSPECTION							Service	ATA:78
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:5	
C783002 ^S	LUBRICATE THRUST REVERSER GUIDE RODS (D5100NS AEROSOL SPRAY LUBRICATION METHOD): PHASE 2 INSPECTION							Service	ATA:78
	MOS	07-Feb-25	24						
	HRS	9520.8	300						
	AFL	6625							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:3	
C783003 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (C5-A ANTISIEZE COMPOUND LUBRICATION METHOD): PHASE 55 INSPECTION							Service	ATA:78
	MOS	24-Nov-19							
	HRS	9415.1	600						
	AFL	6559							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:53	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792003	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3036376	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01									
<hr/>									
792003	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:3015330	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01									
<hr/>									
792010	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	24-Aug-10	O/C						
	HRS	8702.3							
	ENC	6591							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
<hr/>									
792010	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	24-Aug-10	O/C						
	HRS	8369							
	ENC	5959							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
<hr/>									
793001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:VSDL-OC219A	MOS/MSC	19-Oct-95	O/C						
SN:88AB	HRS	5328		TSO 55					
WC#: 79.060	AFL								
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03									
<hr/>									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	05-Mar-82	O/C						
SN:67109	HRS	234		TSO 0					
WC#: 79.050	AFL								
PROC. REF: AMM 79-30-04PROC. REF: AMM 79-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793002 RIGHT ENGINE OIL TEMPERATURE TRANSMITTER								Component ATA:79
PN:MS28034-3	MOS/MSC	05-Mar-82	O/C					
SN:98582	HRS	234		TSO 234				
WC#: 79.050	AFL							
PROC. REF: AMM 79-30-04PROC. REF: AMM 79-30-04								
793003 OIL PRESSURE INDICATOR								Component ATA:79
PN:VSDL-OC204G	MOS/MSC	09-Jun-05	O/C					
SN:38	HRS	7910		TSO 0				
WC#: 79.060	AFL							
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793004 LEFT ENGINE OIL PRESSURE TRANSMITTER								Component ATA:79
PN:123479	MOS/MSC	10-Jun-05	O/C					
SN:50148	HRS	7910		TSO 0				
	AFL							
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								
793004 RIGHT ENGINE OIL PRESSURE TRANSMITTER								Component ATA:79
PN:123479	MOS/MSC	10-Jun-05	O/C					
SN:50094	HRS	7910		TSO 0				
	AFL							
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								
793006 LEFT ENGINE LOW OIL PRESSURE SWITCH								Component ATA:79
PN:1103P89-1	MOS/MSC	23-Mar-10	O/C					
SN:2160	HRS	8448		TSN 0				
	AFL							
PROC. REF: AMM 79-30-05PROC. REF: AMM 79-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 501 - MODEL 501 Serial: 501-0184 RegNo: N318DN HRS: 9520.8 AFL: 6625 As Of: 07-Feb-2025

17-Feb-2025 12:56 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 80 - STARTING									
B801001 ^S	INSPECT LUCAS AEROSPACE STARTER GENERATOR(P/N 9912038-3,4,5) BRUSH: PHASE 4 INSPECTION							Service	ATA:80
	MOS	07-Feb-25	24 (+2m)						
	HRS	9520.8	300 (+30)						
	AFL	6625							
PROC. REF: AMM 80-10-01PROC. REF: AMM 80-10-01								PKG:5	
B801002 ^S	OPERATIONAL TEST STARTER DISENGAGE: PHASE 5 INSPECTION							Service	ATA:80
	MOS	07-Feb-25	36 (+2m)						
	HRS	9520.8	1200 (+100)						
	AFL	6625							
PROC. REF: AMM 80-10-01PROC. REF: AMM 80-10-01								PKG:6	
ATA 83 - ACCESSORY GEAR-BOXES									
832001	NO. 1 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	06-Apr-99	O/C						
SN:UNKNOWN	HRS	6853		TSO 0					
	ENC								
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01									
832001	NO. 2 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	30-Oct-08	O/C						
SN:NSN	HRS	8150		TSO 1186					
	ENC								
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task