

N53RD

1981 Cessna Citation I

Status Report

MSN: 500-0415



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

500 - MODEL 500

S/N 500-0415 N53RD

OWNER: TYLER PETROLEUM INC
ADDRESS: PO BOX 6543
TYLER TX 75711
OFFICE:
FAX:

OPERATOR: RIDGEAIRE INC
ADDRESS: 428 CR 1618 HANGAR #1
RUSK TX 75785
OFFICE: 903-586-1521
FAX:

OPERATOR: TYLER PETROLEUM INC
ADDRESS: PO BOX 6543
TYLER TX 75711
OFFICE:
FAX:

ANALYST: CLAYTON WAYMAN
EMAIL: CWAYMAN@CAMPSYSTEMS.COM

+1-316-462-2439 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 500-0415/N53RD	MODEL: 500 - MODEL 500	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 19-NOV-1981	LAST ACTUALS:	
		7939.8 A/C HRS	as of 01-APR-2025
		7966 AFL	as of 01-APR-2025
		0 ACH	as of 08-NOV-2019

ENGINE NO. 1	SERIAL/PART: PCE-77347/3018700	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 10-NOV-1998	LAST ACTUALS:	
	161 ENG. HRS 4977 A/C HRS	6615.6 ENG. HRS	as of 01-APR-2025
	ENC	6455 ENC	as of 01-APR-2025

ENGINE NO. 2	SERIAL/PART: PCE-76361/3018700	MODEL: JT15D-1/-1A/-1B/-4/-4B/-4D	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 06-MAR-2015	LAST ACTUALS:	
	9466 ENG. HRS 7294 A/C HRS	10111.8 ENG. HRS	as of 01-APR-2025
	8011 ENC	8608 ENC	as of 01-APR-2025



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
000001 ^U	INSPECT NEW FLIGHT GROSS WT STC INSTAL							Service	ATA:00
	MOS/MSC	10-Jan-05	O/C						
	HRS	6374							
	AFL	6588		TAC 0					
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051218 ^U	INSPECT A FIRST AID KIT INSP							Service	ATA:05
	MOS/MSC	08-Nov-19	O/C						
	HRS	7876							
	AFL	7923							
051220 ^U	RVSM STC YEARLY INSPECTION							Service	ATA:05
	MOS	10-Mar-25	12		31-Mar-26		355 d		
	HRS	7939.8							
	AFL	7966							
051220A ^U	RVSM STC HEIGHT MONITORING							Service	ATA:05
	MOS	31-May-17							
	HRS	7750.3	1000		8548 (M)		608.2		
	AFL								
052010C ^U	INSPECT RIGHT SIDE WINDOW INSPECTION							Service	ATA:05
	MOS	15-Feb-24	24		28-Feb-26		324 d		
	HRS	7922	300		8222		282.2		
	AFL								
055008	ACCOMPLISH INTERIOR CABIN/TAILCONE FLUID SPILL							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00									
055009	ACCOMPLISH EXPOSURE TO HIGH WINDS WHILE THE AIRCRAFT IS PARKED CHECK							Service	ATA:05
	MOS/MSC	EFF	A/R	TAC 0				UNSCHEDULED MAINTENANCE CHECK	
	HRS			TAC 0					
	AFL			TAC 0					
PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00PROC. REF: TLMC 5-50-00, TLMC 5-50-00, TLMC 5-50-00									
057110	NO. 1 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
	HRS	6597.8	300 (+30)		(6897.8) 8222	6927.8	282.2 (+30)		
	ENC	6443							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
057110	NO. 2 ENGINE - MINOR INSPECTION							Service	ATA:05
	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
	HRS	10094	300 (+30)		(10394) 8222	10424	282.2 (+30)		
	ENC	8596							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
5-12-01	PHASE 1 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	24 (+2m)		31-Mar-27	10-May-27	720 d (+40)		
	HRS	7939.8	300 (+30)		8239.8	8269.8	300 (+30)		
	AFL	7966							
PROC. REF: TLMC 5-12-01PROC. REF: TLMC 5-12-01									
								PKG:2	
5-12-02	PHASE 2 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	24 (+2m)		31-Mar-27	10-May-27	720 d (+40)		
	HRS	7939.8	300 (+30)		8239.8	8269.8	300 (+30)		
	AFL	7966							
PROC. REF: TLMC 5-12-02PROC. REF: TLMC 5-12-02									
								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-03	PHASE 3 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	24 (+2m)		31-Mar-27	10-May-27	720 d (+40)		
	HRS	7939.8	300 (+30)		8239.8	8269.8	300 (+30)		
	AFL	7966							
PROC. REF: TLMC 5-12-03PROC. REF: TLMC 5-12-03								PKG:4	
5-12-04	PHASE 4 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	24 (+2m)		31-Mar-27	10-May-27	720 d (+40)		
	HRS	7939.8	300 (+30)		8239.8	8269.8	300 (+30)		
	AFL	7966							
PROC. REF: TLMC 5-12-04PROC. REF: TLMC 5-12-04								PKG:5	
5-12-05	PHASE 5 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	36 (+2m)		31-Mar-28	10-May-28	1086 d (+40)		
	HRS	7939.8	1200 (+100)		9139.8	9239.8	1200 (+100)		
	AFL	7966							
PROC. REF: TLMC 5-12-05PROC. REF: TLMC 5-12-05								PKG:6	
5-12-0B	PHASE B							Package	ATA:05
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)		8089.8	8119.8	150 (+30)		
	AFL	7966							
PROC. REF: TLMC 5-12-0BPROC. REF: TLMC 5-12-0B								PKG:1	
5-12-12	PHASE 12 INSPECTION							Package	ATA:05
	MOS	17-Oct-16							
	HRS	7526.6	600 (+10)		8126.6	8136.6	186.8 (+10)		
	AFL	7679	600		8279		313		
PROC. REF: TLMC 5-12-12PROC. REF: TLMC 5-12-12								PKG:13	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-14	PHASE 14 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	6 (+1m)		30-Sep-25	10-Oct-25	173 d (+10)		
	HRS	7939.8							
	AFL	7966							
PROC. REF: TLMC 5-12-14								PKG:15	
5-12-15	PHASE 15 INSPECTION							Package	ATA:05
	MOS	19-Nov-81							
	HRS	0	T:10000 (+10)		10000	10010	2060.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-15								PKG:16	
5-12-16	PHASE 16 INSPECTION							Package	ATA:05
	MOS	19-Nov-81							
	HRS	0	T:10000 (+10)		10000	10010	2060.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-16								PKG:17	
5-12-17	PHASE 17 INSPECTION							Package	ATA:05
	MOS	19-Nov-81							
	HRS	0	10000 (+10)		10000	10010	2060.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-17								PKG:18	
5-12-18	PHASE 18 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	12 (+1m)		31-Mar-26	10-Apr-26	355 d (+10)		
	HRS	7939.8							
	AFL	7966							
PROC. REF: TLMC 5-12-18								PKG:19	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-20 ^S	PHASE 20 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	02-Dec-22	24						
	HRS								
	AFL								
PROC. REF: TLMC 5-12-20PROC. REF: TLMC 5-12-20								PKG:20	
5-12-23 ^S	PHASE 23 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	19-Nov-81	60						
	HRS	0							
	AFL	0							
PROC. REF: TLMC 5-12-23PROC. REF: TLMC 5-12-23								PKG:23	
5-12-24	PHASE 24 INSPECTION							Package	ATA:05
	MOS	19-Nov-81							
	HRS	0	T:10000 (+10)		10000	10010	2060.2 (+10)		
	AFL	0							
PROC. REF: TLMC 5-12-24PROC. REF: TLMC 5-12-24								PKG:24	
5-12-37	PHASE 37 INSPECTION							Package	ATA:05
	MOS	24-May-97							
	HRS	4628	5000 (+10)		9628	9638	1688.2 (+10)		
	AFL								
PROC. REF: TLMC 5-12-37PROC. REF: TLMC 5-12-37								PKG:29	
5-12-40	PHASE 40 INSPECTION (NOT CURRENTLY USED)							Package	ATA:05
	MOS/MSC	19-Nov-81	A/R						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:31	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-48 ^S	PHASE 48 INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	19-Nov-81	72						
	HRS	0							
	AFL	0							
PROC. REF: TLMC 5-12-48PROC. REF: TLMC 5-12-48								PKG:34	
5-12-49	PHASE 49 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	36 (+2m)		31-Mar-28	10-May-28	1086 d (+40)		
	HRS	7939.8	1200 (+100)		9139.8	9239.8	1200 (+100)		
	AFL	7966							
PROC. REF: TLMC 5-12-49PROC. REF: TLMC 5-12-49								PKG:35	
5-12-52	PHASE 52 INSPECTION							Package	ATA:05
	MOS	07-Oct-04							
	HRS	6301	2000 (+10)		8301	8311	361.2 (+10)		
	AFL								
PROC. REF: TLMC 5-12-52PROC. REF: TLMC 5-12-52								PKG:38	
5-12-53	PHASE 53 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	12		31-Mar-26		355 d		
	HRS	7939.8							
	AFL	7966							
PROC. REF: TLMC 5-12-53PROC. REF: TLMC 5-12-53								PKG:39	
5-12-54 ^S	PHASE 54 INSPECTION							Package	ATA:05
	MOS	14-Sep-22	3						
	HRS	7915.7	200						
	AFL	7951							
PROC. REF: TLMC 5-12-54PROC. REF: TLMC 5-12-54								PKG:52	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-55 ^S	PHASE 55 INSPECTION							Package	ATA:05
	MOS/MSC	15-Apr-19	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	7870.3	600						
	AFL	7915							
PROC. REF: TLMC 5-12-55PROC. REF: TLMC 5-12-55								PKG:53	
5-12-56 ^S	PHASE 56 INSPECTION							Package	ATA:05
	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS								
	AFL								
PROC. REF: TLMC 5-12-56PROC. REF: TLMC 5-12-56								PKG:501	
5-12-57	PHASE 57 INSPECTION							Package	ATA:05
	MOS	10-Mar-25	6 (+1m)		30-Sep-25	10-Oct-25	173 d (+10)		
	HRS	7939.8							
	AFL	7966							
PROC. REF: TLMC 5-12-57PROC. REF: TLMC 5-12-57								PKG:502	
5-12-58	PHASE 58 INSPECTION							Package	ATA:05
	MOS	EFF							
	HRS								
	AFL								
	ACH	EFF	500		500 * (M)		500		
PROC. REF: TLMC 5-12-58PROC. REF: TLMC 5-12-58								PKG:503	
5-12-59	PHASE 59 INSPECTION							Package	ATA:05
	MOS	EFF							
	HRS	EFF	T:10000 (+10)		10000 * (M)	10010	2060.2 (+10)		
	AFL								
PROC. REF: TLMC 5-12-59PROC. REF: TLMC 5-12-59								PKG:504	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-MA	PHASE MA INSPECTION							Package	ATA:05
	MOS	19-Nov-81							
	HRS	0							
	AFL	0	T:12000		12000		4034		
								PKG:40	
PROC. REF: TLMC 5-12-MAPROC. REF: TLMC 5-12-MA									
5-12-MD ^S	PHASE MD INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	19-Feb-99							
	HRS	5053							
	AFL	4830	5000						
								PKG:42	
PROC. REF: TLMC 5-12-MDPROC. REF: TLMC 5-12-MD									
5-12-MF	PHASE MF INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	19-Nov-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
								PKG:50	
PROC. REF: TLMC 5-12-MFPROC. REF: TLMC 5-12-MF									
5-12-MG	PHASE MG INSPECTION (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	19-Nov-81	N/A					N/A EQUIPMENT NOT INSTALLED	
	HRS	0							
	AFL	0							
								PKG:51	
PROC. REF: TLMC 5-12-MGPROC. REF: TLMC 5-12-MG									
5-12-MH	PHASE MH INSPECTION							Package	ATA:05
	MOS/MSC		N/A					NOT APPLICABLE	
	HRS								
	AFL								
								PKG:54	
PROC. REF: TLMC 5-12-MHPROC. REF: TLMC 5-12-MH									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 11 - PLACARDS AND MARKINGS									
A113001 ^S	INSPECT GOVERNMENT REQUIRED INTERIOR AND EXTERIOR PLACARDS AND DECALS: PHASE 5 INSPECTION							Service	ATA:11
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							

PKG:6

PROC. REF: AMM 11-00-00PROC. REF: AMM 11-00-00

ATA 12 - SERVICING

12-26-00-601	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								

PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00

12-26-00-602	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								

PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00

12-26-00-603	90 DAY LOW EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service	ATA:12
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								

PROC. REF: AMM 12-26-00PROC. REF: AMM 12-26-00

ATA 21 - AIR CONDITIONING

211002	EMERGENCY PRESSURIZATION VALVE							Component	ATA:21
PN:224465-2	MOS/MSC	19-Nov-81	O/C						
SN:745	HRS	0		TSN 0					
WC#: 21.010	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212001	LEFT (4 IN.) BLEED AIR CHECK VALVE							Component	ATA:21
PN:7125-320101	MOS/MSC	14-Aug-08	O/C						
SN:NSN	HRS	6994		TSN 0					
WC#: 21.140	AFL								
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00									
212002	CABIN AFT OVERHEAD BLOWER							Component	ATA:21
PN:BC61A901-2	MOS	12-Oct-18		TSO 0				REPLACE	
SN:2280-A	HRS	7828.5	1000	TSO 0	8828.5		888.7		
WC#: 21.210	AFL	7891		TSO 0					
PROC. REF: AMM 21-20-02PROC. REF: AMM 21-20-02									
212003	AIR INLET DOOR ACTUATOR							Component	ATA:21
PN:1H56-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212005	LEFT CABIN COOLING FAN							Component	ATA:21
PN:WS2107F30	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212005	RIGHT CABIN COOLING FAN							Component	ATA:21
PN:WS2107F30	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
212010	DOOR ACTUATOR MOTOR ASSEMBLY							Component	ATA:21
PN:5A3032	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213001		CABIN PRESSURE INDICATOR					Component	ATA:21	
PN:C668511-0102	MOS/MSC	15-May-00	O/C						
SN:10595	HRS	5429		TSO 4526					
WC#: 21.180	AFL								
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03									
213002		PRESSURIZATION CONTROLLER					Component	ATA:21	
PN:130356-14	MOS/MSC	08-Aug-02	O/C						
SN:18497	HRS	6044		TSO 0					
	AFL								
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03									
213003		CABIN RATE OF CLIMB INDICATOR					Component	ATA:21	
PN:C668513-0101	MOS/MSC	24-May-97	O/C						
SN:W21364G	HRS	4628		TSO 0					
WC#: 21.180	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
213005		LEFT CABIN ALTITUDE LIMIT VALVE					Component	ATA:21	
PN:102466-1	MOS/MSC	19-Nov-81	O/C						
SN:613677	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02									
213005		RIGHT CABIN ALTITUDE LIMIT VALVE					Component	ATA:21	
PN:102466-1	MOS/MSC	19-Nov-81	O/C						
SN:613678	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02									
213006		SAFETY OUTFLOW VALVE					Component	ATA:21	
PN:103576-13	MOS/MSC	08-Aug-02	O/C						
SN:18485	HRS	6044		TSO 1706					
WC#: 21.060	AFL								
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213007		NORMAL OUTFLOW VALVE						Component	ATA:21
PN:103576-12	MOS/MSC	08-Aug-02	O/C						
SN:92961	HRS	6044		TSO 0					
WC#: 21.050	AFL								
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01									
213008		MANUAL DUMP VALVE						Component	ATA:21
PN:2101701-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.190	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03PROC. REF: AMM 21-31-03									
213009		LEFT BLEED AIR FLOW CONTROL VALVE						Component	ATA:21
PN:225645-2	MOS/MSC	08-Aug-02	O/C						
SN:823	HRS	6044		TSO 7826					
WC#: 21.040	AFL								
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00									
213009		RIGHT BLEED AIR FLOW CONTROL VALVE						Component	ATA:21
PN:225645-2	MOS/MSC	08-Aug-02	O/C						
SN:830	HRS	6044		TSO 2023					
WC#: 21.040	AFL								
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00									
213013		PNEUMATIC RELAY						Component	ATA:21
PN:130358-1	MOS/MSC	19-Nov-81	O/C						
SN:211085	HRS	0		TSN 0					
WC#: 21.030	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02PROC. REF: AMM 21-31-02									
215001		REFRIGERATION UNIT						Component	ATA:21
PN:738443-13	MOS/MSC	19-Nov-81	O/C						
SN:52569	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215002	ASPIRATOR AND FAN HOUSING							Component	ATA:21
PN:740730-2	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215004	ENVIRONMENT CONTROL UNIT (HAMILTON STANDARD) (RECOMMENDED ECONOMIC OVERHAUL)							Component	ATA:21
PN:738384-10	MOS	23-Aug-93						OVERHAUL	
SN:459	HRS	3437	5000	TSO 0	8437		497.2		
WC#: 21.070	AFL								
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215005	BYPASS VALVE							Component	ATA:21
PN:754751-2	MOS/MSC	04-Oct-05	O/C						
SN:UNKNOWN	HRS	6451		TSO 0					
WC#: 21.320	AFL								
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
215006	OVERHEAT SWITCH							Component	ATA:21
PN:746833-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
215007	GROUND OPERATION VALVE							Component	ATA:21
PN:320585	MOS/MSC	08-Aug-02	O/C						
SN:754	HRS	6044		TSO 8					
WC#: 21.320	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
215012	VAPOR CYCLE COOLING SYSTEM COMPRESSOR DRIVE MOTOR BRUSHES (COMPRESSOR MOTORS 1134104-1, -5 OR FWA1134104-1, -5) - REPLACE EVERY 500 COMPRESSOR HOURS.							Service	ATA:21
	MOS	EFF		TAC 0					
	HRS			TAC 0					
	AFL			TAC 0					
	ACH	EFF	500		552.87 *		552.9		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
216001	CABIN TEMPERATURE SELECTOR							Component	ATA:21
PN:5518118-3	MOS/MSC	03-Jul-91	O/C						
SN:UNKNOWN	HRS	2804		TSN 0					
WC#: 21.090	AFL								
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
<hr/>									
216002	TEMPERATURE CONTROL UNIT							Component	ATA:21
PN:754661-5	MOS/MSC	12-May-11	O/C						
SN:01041279	HRS	7236.9							
WC#: 21.330	AFL	7400							
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
<hr/>									
216003	DUCT TEMPERATURE SENSOR							Component	ATA:21
PN:754691-3	MOS/MSC	11-Feb-05	O/C						
SN:04063311	HRS	6393		TSN 0					
WC#: 21.110	AFL								
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
<hr/>									
216004	CABIN TEMPERATURE SENSOR							Component	ATA:21
PN:754681-1	MOS/MSC	08-Dec-95	O/C						
SN:8205571	HRS	4205		TSN 0					
WC#: 21.100	AFL								
PROC. REF: AMM 21-60-00PROC. REF: AMM 21-60-00									
<hr/>									
216005	CENTRIFUGAL BLOWER							Component	ATA:21
PN:19A2338	MOS/MSC	11-Feb-05	O/C						
SN:1450	HRS	6393		TSN 0					
WC#: 21.160	AFL								
PROC. REF: AMM 21-23-00PROC. REF: AMM 21-23-00									
<hr/>									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
A215001 ^S	CHECK AIR CYCLE MACHINE OIL LEVEL: PHASE 1 INSPECTION							Service	ATA:21
	MOS	10-Mar-25							
	HRS	7939.8	150 (+10)						
WC#: 21.335	AFL	7966							
								PKG:1,2,4	
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00									
A216003 ^S	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER (COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104- 1, -5): PHASE MH INSPECTION							Service	ATA:21
	MOS/MSC	19-Nov-81	N/A	TAC 0				NOT APPLICABLE	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
								PKG:54	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216004 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM HOUR METER CHECK (EXCEPT COMPRESSOR MOTORS 113404-1, -5 OR FWA1134104-1, -5): PHASE 56 INSPECTION							Service	ATA:21
	MOS	19-Nov-81		TAC 0					
	HRS	0	300	TAC 0					
	AFL	0		TAC 0					
								PKG:501	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216005 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: PHASE 18 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	12 (+1m)						
	HRS	7939.8							
	AFL	7966							
								PKG:19	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									
A216006 ^S	INSPECT VAPOR CYCLE COOLING SYSTEM 500 COMPRESSOR HOUR MAINTENANCE: PHASE 58 INSPECTION							Service	ATA:21
	MOS	19-Nov-81		TAC 0					
	HRS	0		TAC 0					
	AFL	0		TAC 0					
	ACH		500						
								PKG:503	
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B210000 ^S	OPERATIONAL CHECK ENVIRONMENTAL SYSTEM: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-00-00PROC. REF: AMM 21-00-00								PKG:6	
B211001 ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION VALVE: PHASE 4 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:5	
B211002 ^S	OPERATIONAL CHECK FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:6	
B211003 ^S	OPERATIONAL TEST FLOW CONTROL SHUTOFF AND CHECK VALVES: PHASE 2 INSPECTION							Service	ATA:21
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
	AFL	7966							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:1,3,5	
B212001 ^S	LEAK CHECK TAILCONE BLEED AIR LINES: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-10-00PROC. REF: AMM 21-10-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
B212002 ^S	OPERATIONAL CHECK INSTRUMENT PANEL COOLING FAN: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-22-00PROC. REF: AMM 21-22-00								PKG:6	
B212003 ^S	OPERATIONAL CHECK AVIONICS BAY COOLING FANS: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-23-00PROC. REF: AMM 21-23-00								PKG:6	
B213000 ^S	OPERATIONAL CHECK PRESSURIZATION: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
B213001 ^S	FUNCTIONAL TEST BAROMETRIC CABIN ALTITUDE PRESSURE SWITCH: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-31-05PROC. REF: AMM 21-31-05								PKG:6	
B213003	OPERATIONAL CHECK PRESSURIZATION (AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 5 INSPECTION							Service	ATA:21
	MOS/MSC	19-Nov-81	N/A	TAC 0				N/A BY SERIAL NUMBER	
	HRS	0		TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
C215001 ^S	CHANGE ACM OIL: PHASE 12 INSPECTION							Service	ATA:21
	MOS	17-Oct-16							
	HRS	7526.6	600 (+10)						
	AFL	7679	600 (+10)						
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								PKG:13	
D213001 ^S	CLEAN/REPLACE PRESSURIZATION CONTROLLER FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
D213003 ^S	REPLACE PNEUMATIC RELAY CARTRIDGE FILTER: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
D213004 ^S	CLEAN/REPLACE DISABLE SOLENIOD VALVE BREATHER PLUG: PHASE 5 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 21-31-00PROC. REF: AMM 21-31-00								PKG:6	
D217001 ^S	INSPECT HUMIDITY REGULATOR(WATER SEPERATOR): PHASE 3 INSPECTION							Service	ATA:21
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 21-70-00PROC. REF: AMM 21-70-00								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221008	AUTOPILOT COMPUTER							Component	ATA:22
PN:4008519-911	MOS/MSC	05-Jun-23	O/C	TSR 0					
SN:81032422	HRS			TSR 0					
WC#: 22.020	AFL			TSR 0					
PROC. REF: AMM 22-12-02PROC. REF: AMM 22-12-02									
221009	AUTOPILOT CONTROLLER							Component	ATA:22
PN:4018639-901	MOS/MSC	19-Nov-81	O/C						
SN:060532	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-12-03PROC. REF: AMM 22-12-03									
221010	AILERON SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	24-May-97	O/C						
SN:80126414	HRS	4628		TSO 0					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	ELEVATOR SERVO ACTUATOR							Component	ATA:22
PN:4006719-904	MOS/MSC	09-Mar-99	O/C						
SN:81036712	HRS	5061		TSO 0					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
221010	RUDDER SERVO ACTUATOR							Component	ATA:22
PN:4006719-906	MOS/MSC	15-May-00	O/C						
SN:83089404	HRS	5429		TSO 151					
WC#: 22.010	AFL								
PROC. REF: AMM 22-11-01PROC. REF: AMM 22-11-01									
A221001 ^S	INSPECT AILERON SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
A222001 ^S	INSPECT RUDDER SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01								PKG:6	
<hr/>									
A223001 ^S	INSPECT ELEVATOR SERVO ACTUATOR AND MOUNT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 22-12-01PROC. REF: AMM 22-12-01								PKG:6	
<hr/>									
B221002 ^S	PERFORMANCE TEST SPERRY AUTOPILOT DISENGAGEMENT AND WARNING: PHASE 5 INSPECTION							Service	ATA:22
	MOS	10-Mar-25	36						
	HRS	7939.8	1200						
	AFL	7966							
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03								PKG:6	
<hr/>									
B221003 ^S	PERFORMANCE TEST BENDIX AUTOPILOT DISENGAGEMENT: PHASE 5 INSPECTION							Service	ATA:22
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 22-11-03PROC. REF: AMM 22-11-03								PKG:6	
<hr/>									
ATA 23 - COMMUNICATIONS									
231003	HF RECEIVER-EXCITER							Component	ATA:23
PN:622-2882-001	MOS/MSC	12-Feb-82	O/C						
SN:3	HRS	14		TSN 0					
	AFL								
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231004	NO. 1 HIGH FREQUENCY COMMUNICATION ANTENNA							Component	ATA:23
PN:622-2884-003	MOS/MSC	12-Feb-82	O/C						
SN:1358	HRS	14		TSN 0					
WC#: 23.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
231006	HF POWER AMP ANTENNA COUPLER							Component	ATA:23
PN:787-6781-004	MOS/MSC	29-Aug-03	O/C						
SN:1358	HRS	6165		TSO 0					
	AFL								
PROC. REF: AMM 23-11-00PROC. REF: AMM 23-11-00									
232002	NO. 2 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VF10-108-1	MOS/MSC	19-Nov-81	O/C						
SN:1003	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232003	NO. 1 VHF COMMUNICATION ANTENNA							Component	ATA:23
PN:VFS10-90-7	MOS/MSC	13-Apr-18	O/C		TSN 0				
SN:1749	HRS	7700.9			TSN 0				
WC#: 23.040	AFL				TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232011	COMMUNICATION CONTROL							Component	ATA:23
PN:G4606A	MOS/MSC	17-Mar-93	O/C						
SN:400	HRS	3347		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
232014	FLITEFONE ANTENNA							Component	ATA:23
PN:AAATSR-01A	MOS/MSC	30-Jul-08	O/C						
SN:6226	HRS	6994		TSN 0					
WC#: 23.050	AFL								
PROC. REF: AMM 23-23-01PROC. REF: AMM 23-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235001		LEFT AUDIO AMPLIFIER						Component	ATA:23
PN:1650-1	MOS/MSC	19-Nov-81	O/C						
SN:140	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235001		RIGHT AUDIO AMPLIFIER						Component	ATA:23
PN:1650-1	MOS/MSC	19-Nov-81	O/C						
SN:154	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235003		CABIN SPEAKERS						Component	ATA:23
PN:48FU2103	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
235003		COCKPIT SPEAKERS						Component	ATA:23
PN:48FU2103	MOS/MSC	03-Jul-91	O/C						
SN:UNKNOWN	HRS	2804		TSN 0					
	AFL								
PROC. REF: AMM 23-50-00PROC. REF: AMM 23-50-00									
235005		LEFT MICROPHONE						Component	ATA:23
PN:C596502-0202	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235005		RIGHT MICROPHONE						Component	ATA:23
PN:C596502-0202	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235006		LEFT TELEX HEADSET					Component		ATA:23
PN:62629-00	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
235006		RIGHT TELEX HEADSET					Component		ATA:23
PN:62629-00	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237013		LEFT AUDIO MIXER					Component		ATA:23
PN:990-3138-000	MOS/MSC	13-Jan-05	O/C						
SN:040660011516	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237013		RIGHT AUDIO MIXER					Component		ATA:23
PN:990-3138-000	MOS/MSC	13-Jan-05	O/C						
SN:040660011517	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237017		COCKPIT VOICE RECORDER INERTIA SWITCH					Component		ATA:23
PN:3LO-453-3	MOS/MSC	13-Jan-05	O/C						
SN:UNKNOWN	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A231001^S	INSPECT HIGH FREQUENCY ANTENNA AND TENISION UNIT: PHASE 5 INSPECTION					Service		ATA:23	
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 23-00-05PROC. REF: AMM 23-00-05									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
A236002 ^S	CONTROL SURFACE BONDING JUMPER INSPECTION: PHASE 5 INSPECTION							Service	ATA:23
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								PKG:6	
A237001 ^S	INSPECT COCKPIT VOICE RECORDER: PHASE 5 INSPECTION							Service	ATA:23
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								PKG:6	
B236001 ^S	INSPECT STATIC DISCHARGE WICKS: PHASE 5 INSPECTION							Service	ATA:23
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								PKG:6	
B237002 ^S	OPERATIONAL TEST COCKPIT VOICE RECORDER: PHASE 1 INSPECTION							Service	ATA:23
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								PKG:2	
ATA 24 - ELECTRICAL POWER									
242001	NO. 1 AC INVERTER							Component	ATA:24
PN:PC-350	MOS/MSC	05-Sep-00	O/C						
SN:4169	HRS	5492		TSO 1330					
WC#: 24.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242001	NO. 2 AC INVERTER							Component	ATA:24
PN:PC-350	MOS/MSC	02-Mar-99	O/C						
SN:489	HRS	5053		TSO 3219					
WC#: 24.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
242002	AC FAIL MONITOR-							Component	ATA:24
PN:1371-1	MOS/MSC	24-Dec-92	O/C						
SN:1088	HRS	3296		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243001	NO. 1 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-001-1	MOS	21-Jul-18						OVERHAUL	
SN:281	HRS	7771.8	1000	TSO 0	8771.8		832		
WC#: 24.060	AFL	7848							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243001	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23076-001-1	MOS	29-Sep-08						OVERHAUL	
SN:1965	HRS	7045	1000	TSO 0	8045		105.2		
WC#: 24.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243003	LEFT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51509-006BR	MOS/MSC	07-Aug-18	O/C						
SN:5490A	HRS	7786.2							
WC#: 24.090	AFL	7859							
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02									
243003	RIGHT GENERATOR CONTROL UNIT							Component	ATA:24
PN:51509-006BR	MOS/MSC	09-Oct-15	O/C						
SN:3128A	HRS	7388							
WC#: 24.090	AFL	7540							
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243004	LEFT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	14-Dec-17	O/C	TSN 0					
SN:3059	HRS	7667.6		TSN 0					
WC#: 24.080	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243004	RIGHT AMMETER							Component	ATA:24
PN:C662501-0102	MOS/MSC	06-Sep-95	O/C						
SN:3360	HRS	4125		TSO 1279					
WC#: 24.080	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243005	VOLTMETER							Component	ATA:24
PN:C662502-0101	MOS/MSC	08-Dec-95	O/C						
SN:1026	HRS	4205		TSO 1835					
WC#: 24.150	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243007	BATTERY							Component	ATA:24
PN:RG-380E/44	MOS/MSC	06-Mar-24	O/C	TSN 0					
SN:70030534	HRS	7922		TSN 0					
WC#: 24.020	AFL	7954		TSN 0					
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03									
243008	BATTERY TEMPERATURE MODULE							Component	ATA:24
PN:1529-1	MOS/MSC	20-Jan-94	O/C						
SN:1311	HRS	3549		TSN 0					
WC#: 24.050	AFL								
PROC. REF: AMM 24-30-05PROC. REF: AMM 24-30-05									
243009	BATTERY TEMPERATURE GAUGE							Component	ATA:24
PN:1229-1	MOS/MSC	22-Jun-94	O/C						
SN:271	HRS	3723		TSO 0					
WC#: 24.040	AFL								
PROC. REF: AMM 24-30-06PROC. REF: AMM 24-30-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243010 ^U	G GAGE TEMP SENSOR							Component	ATA:24
PN:1166-1	MOS/MSC	10-Aug-92	O/C						
SN:8917	HRS	3121		TSO 0					
	AFL								
<hr/>									
243010 ^U	W OVR HEAT TEMP SENSOR							Component	ATA:24
PN:1166-1	MOS/MSC	10-Aug-92	O/C						
SN:8931	HRS	3121		TSO 0					
	AFL								
<hr/>									
243011	CURRENT / VOLT CONTROLLER							Component	ATA:24
PN:1301-1	MOS/MSC	23-Dec-16	O/C						
SN:1360	HRS	7545							
WC#: 24.140	AFL	7696							
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00									
<hr/>									
243012	CURRENT SENSOR							Component	ATA:24
PN:1302-1	MOS/MSC	30-Jun-89	O/C						
SN:602	HRS	2196		TSN 0					
WC#: 24.130	AFL								
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00									
<hr/>									
244001	K1 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.120	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
244001	K11 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.120	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
244001	K12 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.110	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K13 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.110	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K7 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
244001	K8 400 AMP RELAY							Component	ATA:24
PN:AN3380-1	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 24.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245001	CENTER 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	12-Jan-95	O/C						
SN:2549	HRS	3907		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
245001	LEFT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	21-Nov-92	O/C						
SN:UNKNOWN	HRS	3245		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
245001	RIGHT 5 VOLT LIGHT DIMMER							Component	ATA:24
PN:273-1	MOS/MSC	20-Jan-94	O/C						
SN:1354	HRS	3549		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
24FO-01B	BATTERY & MONITOR FOR 20 CELL FACTORY OPTION							Component	ATA:24
PN:12B	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A242001 ^S	INSPECT NOSE AREA COMPONENTS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00									
<hr/>									
A245001 ^S	INSPECT CIRCUIT BREAKER PANELS: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00									
<hr/>									
A245002 ^S	INSPECT COCKPIT SIDE CONSOLE: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
A245003 ^S	INSPECT AVIONICS RELAY JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 34-02-00PROC. REF: AMM 34-02-00								PKG:6	
A245004 ^S	INSPECT AFT POWER JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00								PKG:6	
A245005 ^S	INSPECT LEFT AND RIGHT WING ANTI-ICE JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								PKG:6	
B243001 ^S	OPERATIONAL TEST DC GENERATOR SYSTEM: PHASE 4 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								PKG:5	
B243003	FUNCTIONAL CHECK BATTERY LEAD ACID BATTERY (CAPACITY CHECK): PHASE 54 INSPECTION							Service	ATA:24
PN:RG-380E/44	MOS	10-Mar-25	3		30-Jun-25		81 d		
SN:70030534	HRS	7939.8	200 (+10)		8139.8		200		
	AFL	7966							
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03								PKG:52	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
B244001 ^S	FUNCTIONAL TEST OVERVOLTAGE SYSTEM: PHASE 1 INSPECTION							Service	ATA:24
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							

PKG:2

PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01

ATA 25 - EQUIPMENT/FURNISHINGS

251001	LEFT INERTIA REEL							Component	ATA:25
PN:CM4033	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

251001	RIGHT INERTIA REEL							Component	ATA:25
PN:CM4033	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

256007	LEFT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-1	MOS/MSC	19-Nov-81	O/C						
SN:486	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

256008	RIGHT EMERGENCY LOCATER TRANSMITTER ANTENNA							Component	ATA:25
PN:ELT10-177-2	MOS/MSC	19-Nov-81	O/C						
SN:470	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

256019	EMERGENCY LOCATER TRANSMITTER							Component	ATA:25
PN:3000-1	MOS/MSC	19-Nov-81	O/C						
SN:318748	HRS	0		TSN 0					
WC#: 25.040	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256025	EMERGENCY LOCATER TRANSMITTER BATTERY							Component	ATA:25
PN:BP-1030	MOS/MSC	26-Feb-24	DUE	TSN 0	30-Mar-26 (M)		354 d		
SN:UNKNOWN	HRS	7922		TSN 0					
WC#: 25.040	AFL	7954		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25FO-09	SEATING OPTION A OR 2 FACTORY OPTION							Component	ATA:25
PN:111	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25FO-18F	SEAT #4 FORWARD FACING FACTORY OPTION							Component	ATA:25
PN:121F	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01									
A251001 ^S	INSPECT PILOT AND COPILOT CREW SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01									
A251002 ^S	INSPECT PILOT AND COPILOT SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 25-11-01PROC. REF: AMM 25-11-01									

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A251004 ^S	INSPECT COCKPIT INSTRUMENT PANELS AND COMPONENTS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 25-10-00PROC. REF: AMM 25-10-00								PKG:6	
A252001 ^S	INSPECT PASSENGER SEATS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 25-20-00PROC. REF: AMM 25-20-00								PKG:6	
A252002 ^S	INSPECT PASSENGER SEAT TRACK STOPS: PHASE 5 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 25-20-00PROC. REF: AMM 25-20-00								PKG:6	
A256001 ^S	INSPECT EMERGENCY EQUIPMENT: PHASE 18 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	12 (+1m)						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:19	
A256002 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:25
PN:3000-1	MOS	10-Mar-25	12						
SN:318748	HRS	7939.8							
WC#: 25.040	AFL	7966							
PROC. REF: AMM 34-43-00PROC. REF: AMM 34-43-00								PKG:39	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
A256003 ^S	INSPECT LIFE VEST: PHASE 18 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	12 (+1m)						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								PKG:19	
A256004 ^S	INSPECT OPTIONAL STRECHER: PHASE 1 INSPECTION							Service	ATA:25
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 25-21-09PROC. REF: AMM 25-21-09								PKG:2	
A256005 ^S	INSPECTION EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:3000-1	MOS	10-Mar-25	12						
SN:318748	HRS	7939.8							
WC#: 25.040	AFL	7966							
PROC. REF: AMM 34-43-06PROC. REF: AMM 34-43-06								PKG:39	
B256001 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER : PHASE 53 INSPECTION							Service	ATA:25
PN:3000-1	MOS	10-Mar-25	12						
SN:318748	HRS	7939.8							
WC#: 25.040	AFL	7966							
PROC. REF: AMM 34-43-00PROC. REF: AMM 34-43-00								PKG:39	
B256002 ^S	OPERATIONAL CHECK EMERGENCY LOCATER TRANSMITTER (ARTEX C406-2): PHASE 53 INSPECTION							Service	ATA:25
PN:3000-1	MOS	10-Mar-25	12						
SN:318748	HRS	7939.8							
WC#: 25.040	AFL	7966							
PROC. REF: AMM 34-43-06PROC. REF: AMM 34-43-06								PKG:39	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261001	NO. 1 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.070	AFL	0		TSN 0					
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01									
261001	NO. 2 ENGINE FIRE DETECTION SENSOR							Component	ATA:26
PN:244-18882	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 26.070	AFL	0		TSN 0					
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01									
261002	NO. 1 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	19-Nov-81	O/C						
SN:123006	HRS	0		TSN 0					
WC#: 26.060	AFL	0		TSN 0					
PROC. REF: AMM 26-10-02PROC. REF: AMM 26-10-02									
261002	NO. 2 ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02808	MOS/MSC	19-Nov-81	O/C						
SN:123007	HRS	0		TSN 0					
WC#: 26.060	AFL	0		TSN 0					
PROC. REF: AMM 26-10-02PROC. REF: AMM 26-10-02									
262001	AFT ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	10-Mar-25	O/C	TSO 5					
SN:49719B1	HRS	7939.8							
WC#: 26.010	AFL	7966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262001	FORWARD ENGINE FIRE EXTINGUISHER							Component	ATA:26
PN:30401102	MOS/MSC	10-Mar-25	O/C	TSO 14					
SN:49482B1	HRS	7939.8							
WC#: 26.020	AFL	7966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262002	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:C352	MOS/MSC	09-Jun-17	O/C	TSN 0					
SN:D-00397961	HRS	7572.1		TSN 0					
WC#: 26.030	AFL	7717		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262002 ^U	HAND FIRE EXTINGUISHER							Component	ATA:26
PN:KEA-I	MOS/MSC	26-Nov-01	O/C	TSO 0					
SN:KA4591	HRS	5846							
	AFL								
262003	AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33		3065 d	MANDATORY	
SN:49846	HRS			TSN 0					
WC#: 26.010	AFL			TSN 0					
		Manufacture Date:: 01-Aug-23							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262003	AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33		3065 d	MANDATORY	
SN:49844	HRS			TSN 0					
WC#: 26.010	AFL			TSN 0					
		Manufacture Date:: 01-Aug-23							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262003	FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33		3065 d	MANDATORY	
SN:49841	HRS			TSN 0					
WC#: 26.020	AFL			TSN 0					
		Manufacture Date:: 01-Aug-23							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262003	FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE							Component	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33		3065 d	MANDATORY	
SN:49839	HRS			TSN 0					
WC#: 26.020	AFL			TSN 0					
Manufacture Date:: 01-Aug-23									
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
262037	REPLACE AFT LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33 (M)		3065 d		
SN:49846	HRS								
WC#: 26.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262038	REPLACE AFT RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33 (M)		3065 d		
SN:49844	HRS								
WC#: 26.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262039	REPLACE FORWARD LEFT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33 (M)		3065 d		
SN:49841	HRS								
WC#: 26.020	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262040	REPLACE FORWARD RIGHT ENGINE FIRE EXTINGUISHER CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:M13083-5	MOS	04-Apr-24	120		31-Aug-33 (M)		3065 d		
SN:49839	HRS								
WC#: 26.020	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
A262003^S COCKPIT PORTABLE HAND FIRE EXTINGUISHER - INSPECT. TASK 26-20-01-780								
PN:C352	MOS	10-Mar-25	12 (+1m)					Service ATA:26
SN:D-00397961	HRS	7939.8						
WC#: 26.030	AFL	7966						
			WeightCheck Date : : 10-Mar-25					PKG:19
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
B262002 HYDROSTATIC TEST AFT ENGINE FIRE EXTINGUISHER								
PN:30401102	MOS	10-Mar-25	60		31-Oct-29		1665 d	Service ATA:26
SN:49719B1	HRS	7939.8						MANDATORY
WC#: 26.010	AFL	7966						
			HydroCheck Date: : 01-Oct-24					
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
B262002 HYDROSTATIC TEST FORWARD ENGINE FIRE EXTINGUISHER								
PN:30401102	MOS	10-Mar-25	60		31-Jan-29		1392 d	Service ATA:26
SN:49482B1	HRS	7939.8						MANDATORY
WC#: 26.020	AFL	7966						
			HydroCheck Date: : 03-Jan-24					
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
B262003 COCKPIT MOUNTED HALON-TYPE FIRE EXTINGUISHER HYDROSTATIC TEST								
PN:C352	MOS	09-Jun-17	144		30-Jun-29		1542 d	Service ATA:26
SN:D-00397961	HRS							
WC#: 26.030	AFL							
			HydroCheck Date: : 09-Jun-17					
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
B262004 COCKPIT MOUNTED HALON-TYPE FIRE EXTINGUISHERS - EMPTY, INSPECT FOR DAMAGE AND RECHARGE. TASK 26-20-01-781								
PN:C352	MOS	09-Jun-17	72		30-Jun-23		OVD	Service ATA:26
SN:D-00397961	HRS	7572.1						
WC#: 26.030	AFL	7717						
								PKG:34
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
B262005 ^S	FUNCTIONAL TEST FIRE EXTINGUISHING SYSTEM: PHASE 5 INSPECTION							Service	ATA:26
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								PKG:6	
ATA 27 - FLIGHT CONTROLS									
271001	AILERON TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-51	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-10-06PROC. REF: AMM 27-10-06									
272001	RUDDER TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-53	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-20-04PROC. REF: AMM 27-20-04									
273002	ELEVATOR TRIM ELECTRICAL ACTUATOR							Component	ATA:27
PN:5115231-19	MOS/MSC	22-Jun-94	O/C						
SN:1311	HRS	3723		TSO 0					
WC#: 27.110	AFL								
PROC. REF: AMM 27-30-06PROC. REF: AMM 27-30-06									
273003	ELEVATOR TRIM TAB ACTUATOR							Component	ATA:27
PN:5565450-54	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-30-05PROC. REF: AMM 27-30-05									
275001	LEFT FLAP MOTOR							Component	ATA:27
PN:991005-3	MOS/MSC	27-May-12	O/C						
SN:189	HRS	7240							
WC#: 27.040	AFL	7404							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275001	RIGHT FLAP MOTOR							Component	ATA:27
PN:9910055-3	MOS/MSC	10-Mar-25	O/C						
SN:495	HRS	7939.8							
WC#: 27.040	AFL	7966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275002	LEFT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	27-May-12						OVERHAUL	
SN:121911A	HRS	7240	3000	TSO 0	10240		2300.2		
WC#: 27.070	AFL	7404							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275002	RIGHT FLAP GEARBOX							Component	ATA:27
PN:5565175-38	MOS	12-May-11		TSO 0				OVERHAUL	
SN:042297-1	HRS	7236.9	3000	TSO 0	10236.9		2297.1		
WC#: 27.070	AFL	7400		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276001	LEFT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	25-Jan-08	O/C						
SN:S110928	HRS	6850		TSO 2222					
WC#: 27.080	AFL								
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									
276001	RIGHT SPEED BRAKE ACTUATOR							Component	ATA:27
PN:5527230-1	MOS/MSC	15-May-00	O/C						
SN:S110578	HRS	5429		TSO 560					
WC#: 27.080	AFL								
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276003	SPEED BRAKE SAFETY VALVE							Component	ATA:27
PN:NOA4102D12J04	MOS/MSC	19-Nov-81	O/C						
SN:1174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A271003 ^S	INSPECT AILERON AND AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
A271004 ^S	INSPECT CONTROL WHEEL: PHASE 1 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
A271005 ^S	INSPECT AILERON RUDDER AND ELEVATOR TRIM TAB CONTROLS AND INDICATORS: PHASE 1 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
A271006 ^S	INSPECT AILERON CONTROL CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A271007 ^S	INSPECT AILERON TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6	
A272002 ^S	INSPECT RUDDER AND RUDDER TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:3	
A272003 ^S	INSPECT RUDDER PEDALS: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
A272005 ^S	INSPECT RUDDER CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
A272006 ^S	INSPECT RUDDER TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273002 ^S	INSPECT ELEVATOR EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+1m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:3	
A273005 ^S	INSPECT CONTROL COLUMN: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273006 ^S	INSPECT ELEVATOR LINKAGE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273007 ^S	INSPECT ELECTRIC ELEVATOR TRIM ACTUATOR AND SECTOR: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A273008 ^S	INSPECT ELEVATOR CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
A273009 ^S	INSPECT ELEVATOR TRIM CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
A275001 ^S	INSPECT FLAP DRIVE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
A275003 ^S	INSPECT FLAP PRESELECT CABLE: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
A275008 ^S	INSPECT FLAP CABLES: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
A276001 ^S	INSPECT SPEED BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B271001 ^S	CHECK AILERON TRIM TAB: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:3	
B271002 ^S	CHECK AILERON AND AILERON TRIM TAB TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6	
B272001 ^S	CHECK RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
B272004 ^S	CHECK RUDDER AND RUDDER TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6	
B273003 ^S	CHECK ELEVATOR AND ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B273004 ^S	CHECK ELEVATOR TRIM TAB: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6	
B275001 ^S	OPERATIONAL CHECK FLAP MOTOR: PHASE 1 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:2	
B275002 ^S	OPERATIONAL CHECK FLAP UP LIMIT SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B275004 ^S	OPERATIONAL CHECK FLAP APPROACH WARNING SWITCH: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B275005 ^S	OPERATIONAL TEST FLAP/AUTOPILOT POSITION SWITCH(AIRPLANE-0275 AND ON): PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
B275006 ^S	CHECK FLAPS TRAVEL: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	
B277001 ^S	INSPECT CONTROL LOCK SYSTEM: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-70-00PROC. REF: AMM 27-70-00								PKG:6	
C271001 ^S	LUBRICATE/CHECK AILERON TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:3	
C272001 ^S	LUBRICATE/CHECK RUDDER TRIM TAB ACTUATOR: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:3	
C273001 ^S	LUBRICATE/CHECK ELEVATOR TRIM TAB ACTUATORS: PHASE 2 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
C275007 ^S	CLEAN/LUBRICATE CENTER FLAP TRACK BEARING AIRPLANES 0001 THRU -0684 EXCEPT INCORPORATING SB500-27-11: PHASE 5 INSPECTION							Service	ATA:27
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6	

ATA 28 - FUEL									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02									

28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	EFF	A/R					DISCRETIONARY	
	HRS								
	AFL								
PROC. REF: AMM 28-00-02PROC. REF: AMM 28-00-02									

281002	LEFT AFT FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	03-Jul-91	O/C						
SN:UNKNOWN	HRS	2804		TSN 0					
WC#: 28.150	AFL								
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06									

281002	LEFT CENTER AFT FUEL DRAIN VALVE							Component	ATA:28
PN:6904-079	MOS/MSC	03-Jul-91	O/C						
SN:UNKNOWN	HRS	2804		TSN 0					
WC#: 28.170	AFL								
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281002 LEFT CENTER FORWARD FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.170	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 LEFT FORWARD FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.160	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 LEFT MID FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.180	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 RIGHT AFT FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.160	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 RIGHT CENTER AFT FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.180	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 RIGHT CENTER FORWARD FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.180	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281002 RIGHT FORWARD FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.170	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
281002 RIGHT MID FUEL DRAIN VALVE Component ATA:28								
PN:6904-079	MOS/MSC	03-Jul-91	O/C					
SN:UNKNOWN	HRS	2804		TSN 0				
WC#: 28.150	AFL							
PROC. REF: AMM 28-10-06PROC. REF: AMM 28-10-06								
282001 LEFT FUEL BOOST PUMP Component ATA:28								
PN:1C7-12	MOS/MSC	15-May-00	O/C					
SN:4M74	HRS	5429		TSO 0				
WC#: 28.030	AFL							
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01								
282001 RIGHT FUEL BOOST PUMP Component ATA:28								
PN:1C7-12	MOS/MSC	15-May-00	O/C					
SN:7AG109	HRS	5429		TSO 650				
WC#: 28.030	AFL							
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01								
284001 LEFT LOW FUEL LEVEL SWITCH Component ATA:28								
PN:L15H-3	MOS/MSC	19-Nov-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284001 RIGHT LOW FUEL LEVEL SWITCH Component ATA:28								
PN:L15H3	MOS/MSC	27-May-12	O/C		TSN 0			
SN:7250	HRS	7240		TSN 0				
WC#: 28.130	AFL	7404		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284002 LEFT FUEL QUANTITY COMPENSATOR								Component ATA:28
PN:300047-13001	MOS/MSC	19-Nov-81	O/C					
SN:13844P	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284002 RIGHT FUEL QUANTITY COMPENSATOR								Component ATA:28
PN:300047-13001	MOS/MSC	19-Nov-81	O/C					
SN:13812P	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284003 LEFT WING SECTION (61.00) FUEL QUANTITY PROBE								Component ATA:28
PN:3266005-0401	MOS/MSC	19-Nov-81	O/C					
SN:1785D	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284003 RIGHT WING SECTION (61.00) FUEL QUANTITY PROBE								Component ATA:28
PN:3266005-0401	MOS/MSC	19-Nov-81	O/C					
SN:1764D	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284004 LEFT WING SECTION (129.00) FUEL QUANTITY PROBE								Component ATA:28
PN:3266005-0301	MOS/MSC	19-Nov-81	O/C					
SN:2148D	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284004 RIGHT WING SECTION (129.00) FUEL QUANTITY PROBE								Component ATA:28
PN:3266005-0301	MOS/MSC	19-Nov-81	O/C					
SN:2139D	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284005	LEFT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:3266005-0201	MOS/MSC	19-Nov-81	O/C						
SN:2193D	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284005	RIGHT WING SECTION (171.50) FUEL QUANTITY PROBE							Component	ATA:28
PN:3266005-0201	MOS/MSC	19-Nov-81	O/C						
SN:2168D	HRS	0		TSN 0					
WC#: 28.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284006	LEFT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:3266005-0101	MOS/MSC	19-Nov-81	O/C						
SN:2201D	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284006	RIGHT WING SECTION (211.00) FUEL QUANTITY PROBE							Component	ATA:28
PN:3266005-0101	MOS/MSC	19-Nov-81	O/C						
SN:2065D	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
284007	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:VSDL-OC203C	MOS/MSC	08-Nov-19	O/C						
SN:85FA	HRS	7876							
WC#: 28.120	AFL	7923							
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284008 ^U	IND-FUEL REMAINING							Component	ATA:28
PN:3265005-0101	MOS/MSC	12-Jan-95	O/C						
SN:0019	HRS	3907		TSO 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
A281001 ^S	INSPECT WING FUEL STORAGE AREA: PHASE 5 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:6	
A281008 ^S	INSPECT FOAM(AIRPLANES REGISTERED IN THE UNITED KINGDOM): PHASE 18 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	12 (+1m)						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:19	
A282002 ^S	INSPECT WING DRY BAY FUEL SYSTEM COMPONENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:6	
B282003 ^S	OPERATIONAL CHECK FUEL SYSTEMS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:6	
B284001 ^S	OPERATIONAL CHECK LOW FUEL WARNING SYSTEM: PHASE 5 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 28-41-00PROC. REF: AMM 28-41-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
D282002 ^S	REPLACE FUEL FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:28
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								PKG:6	
ATA 29 - HYDRAULIC POWER									
291001	HYDRAULIC RESERVOIR							Component	ATA:29
PN:7140-3	MOS/MSC	19-Nov-81	O/C						
SN:1304	HRS	0		TSN 0					
WC#: 29.070	AFL	0		TSN 0					
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
291002	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:4120-004000	MOS/MSC	24-May-97	O/C						
SN:1674	HRS	4628		TSO 0					
WC#: 29.060	AFL								
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									
291002	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:24195-LAA	MOS/MSC	15-May-00	O/C						
SN:2309	HRS	5429		TSO 0					
WC#: 29.060	AFL								
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									
291010	HYDRAULIC PRESSURE SWITCH							Component	ATA:29
PN:1106P59	MOS/MSC	11-Feb-09	O/C						
SN:NSN	HRS	7082		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
A291002 ^S	INSPECT HYDRAULIC SUB PANEL: PHASE 1 INSPECTION							Service	ATA:29
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
WC#: 29.115	AFL	7966							
								PKG:1,2,4	
PROC. REF: AMM 29-10-06PROC. REF: AMM 29-10-06									
<hr/>									
D291001 ^S	INSPECT/REPLACE HYDRAULIC FILTERS AND FILTER ELEMENTS: PHASE 5 INSPECTION							Service	ATA:29
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04									
<hr/>									
ATA 30 - ICE AND RAIN PROTECTION									
301001	LEFT WING DE-ICE BOOT							Component	ATA:30
PN:SMR5059-07	MOS/MSC	10-Mar-25	O/C	TSN 0					
SN:1101	HRS	7939.8		TSN 0					
WC#: 30.140	AFL	7966							
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01									
<hr/>									
301002	RIGHT WING DE-ICE BOOT							Component	ATA:30
PN:SMR5059-08	MOS/MSC	10-Mar-25	O/C	TSN 0					
SN:1108	HRS	7939.8		TSN 0					
WC#: 30.140	AFL	7966							
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01									
<hr/>									
301003	LEFT HORIZONTAL STABILIZER DE-ICE BOOT							Component	ATA:30
PN:SMR5059-03	MOS/MSC	10-Mar-25	O/C	TSN 0					
SN:1433	HRS	7939.8		TSN 0					
WC#: 30.130	AFL	7966							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301003 RIGHT HORIZONTAL STABILIZER DE-ICE BOOT								Component ATA:30
PN:SMR5059-03	MOS/MSC	10-Mar-25	O/C	TSN 0				
SN:1438	HRS	7939.8		TSN 0				
WC#: 30.130	AFL	7966						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301004 VERTICAL STABILIZER DE-ICE BOOT								Component ATA:30
PN:25S-7D5059-05	MOS/MSC	10-May-92	O/C					
SN:UNKNOWN	HRS	3061		TSN 0				
WC#: 30.130	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301005 LEFT ANTI-ICE ELEMENT								Component ATA:30
PN:2E1469-1	MOS/MSC	19-Nov-81	O/C					
SN:434	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301006 RIGHT ANTI-ICE ELEMENT								Component ATA:30
PN:2E1469-8	MOS/MSC	19-Nov-81	O/C					
SN:446	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301007 AFT DE-ICE PRESSURE SWITCH								Component ATA:30
PN:1106P55	MOS/MSC	19-Nov-81	O/C					
SN:1385	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05PROC. REF: AMM 30-11-05								
301007 FORWARD DE-ICE PRESSURE SWITCH								Component ATA:30
PN:1106P55	MOS/MSC	19-Nov-81	O/C					
SN:1379	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05PROC. REF: AMM 30-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301008	LEFT WING DE-ICE VALVE							Component	ATA:30
PN:3D2353-06	MOS/MSC	07-Feb-97	O/C						
SN:N4604	HRS	4561		TSO 0					
WC#: 30.190	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301008	RIGHT WING DE-ICE VALVE							Component	ATA:30
PN:3D2353-06	MOS/MSC	15-Nov-93	O/C						
SN:H7571	HRS	3506		TSN 0					
WC#: 30.190	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301008	STABILIZER AND FIN DE-ICE VALVE							Component	ATA:30
PN:3D2353-06	MOS/MSC	20-Jan-94	O/C						
SN:N4577	HRS	3549		TSO 0					
WC#: 30.190	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301009	AIRFOIL DE-ICE TIMER							Component	ATA:30
PN:76-1A	MOS/MSC	19-Nov-81	O/C						
SN:626	HRS	0		TSN 0					
WC#: 30.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301010	LEFT WING ANTI-ICE ASSEMBLY							Component	ATA:30
PN:5528007-207	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
301010	RIGHT WING ANTI-ICE ASSEMBLY							Component	ATA:30
PN:5528007-208	MOS/MSC	14-Nov-95	O/C						
SN:737	HRS	4177		TSN 0					
WC#: 30.010	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302001 ALCOHOL PUMP Component ATA:30								
PN:6508092-4	MOS/MSC	10-Mar-25	O/C	TSN 0				
SN:N/A	HRS	7939.8		TSN 0				
WC#: 30.070	AFL	7966						
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								
302002 BLEED AIR CHECK VALVE Component ATA:30								
PN:85300	MOS/MSC	19-Nov-81	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302003 LEFT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:226395	MOS/MSC	19-Nov-81	O/C					
SN:345	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302003 RIGHT ANTI-ICE SOLENOID VALVE Component ATA:30								
PN:226395	MOS/MSC	19-Nov-81	O/C					
SN:353	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302004 NO. 2 ENGINE ANTI-ICE SWITCH Component ATA:30								
PN:21548-2-68-6	MOS/MSC	12-May-11	O/C	TSN 0				
SN:UNKNOWN	HRS	7236.9		TSN 0				
WC#: 30.210	AFL	7400		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
303001 LEFT PITOT TUBE Component ATA:30								
PN:PH502	MOS/MSC	03-Jul-91	O/C					
SN:N499	HRS	2804		TSN 0				
WC#: 34.230	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
303001	RIGHT PITOT TUBE							Component	ATA:30
PN:PH502	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
303002	LEFT LOWER PILOT STATIC PORT							Component	ATA:30
PN:CM2933-7	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
303002	RIGHT LOWER COPILOT STATIC PORT							Component	ATA:30
PN:CM2933-7	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
303003	LEFT UPPER COPILOT STATIC PORT							Component	ATA:30
PN:CM2933-7	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
303003	RIGHT UPPER PILOT STATIC PORT							Component	ATA:30
PN:CM2933-7	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
304001	HOT AIR TEMPERATURE MONITOR-							Component	ATA:30
PN:1169-1	MOS/MSC	19-Nov-81	O/C						
SN:1028	HRS	0		TSN 0					
WC#: 30.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304007 LEFT TEMPERATURE SENSOR Component ATA:30								
PN:27221274	MOS/MSC	19-Nov-81	O/C					
SN:7H0369	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
304007 RIGHT TEMPERATURE SENSOR Component ATA:30								
PN:27221274	MOS/MSC	19-Nov-81	O/C					
SN:7H0375	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-20-00PROC. REF: AMM 30-20-00								
304008 PRESSURE SWITCH Component ATA:30								
PN:1115P25	MOS/MSC	19-Nov-81	O/C					
SN:651	HRS	0		TSN 0				
WC#: 30.250	AFL	0		TSN 0				
PROC. REF: AMM 30-42-07PROC. REF: AMM 30-42-07								
304009 WINDSHIELD ANTI-ICE BLEED AIR SOLENOID VALVE Component ATA:30								
PN:320605-1	MOS/MSC	17-Jul-95	O/C					
SN:546	HRS	4069		TSO 0				
WC#: 30.090	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A301002 ^S INSPECT WING HEATED LEADING EDGE AND WIRING: PHASE 5 INSPECTION Service ATA:30								
	MOS	10-Mar-25	36 (+2m)					
	HRS	7939.8	1200 (+100)					
	AFL	7966						
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
A304001 ^S INSPECT WINDSHIELD BLEED AIR AUGMENTOR DOOR AND SHROUD: PHASE 5 INSPECTION Service ATA:30								
	MOS	10-Mar-25	36 (+2m)					
	HRS	7939.8	1200 (+100)					
	AFL	7966						

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00									
A304003 ^S	INSPECT WINDSHIELD BLEED AIR CONTROLS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00									
A304004 ^S	INSPECT WINDSHIELD ALCOHOL RESERVOIR VENT LINE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00									
B301001 ^S	OPERATIONAL TEST ENGINE AND WING LEADING EDGE ANTI-ICE SYSTEMS: PHASE 5 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01									
B301003 ^S	OPERATIONAL TEST PNEUMATIC DEICE SYSTEM: PHASE 4 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PKG:5									
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00									
B304001 ^S	OPERATIONAL CHECK WINDSHIELD ANTI-ICE: PHASE 5 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 30-42-00PROC. REF: AMM 30-42-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
B304004 ^S	OPERATIONAL CHECK WINDSHIELD ALCOHOL PUMP: PHASE 1 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								PKG:2	
<hr/>									
D304004 ^S	INSPECT WINDSHIELD ALCOHOL PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:30
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								PKG:6	
<hr/>									
ATA 31 - INDICATING/RECORDING SYSTEMS									
312001	CLOCK							Component	ATA:31
PN:C664510-0102	MOS/MSC	21-Nov-94	O/C						
SN:HELI018	HRS	3867		TSO 0					
WC#: 31.010	AFL								
PROC. REF: AMM 31-20-04PROC. REF: AMM 31-20-04									
<hr/>									
313001	FLIGHT HOUR METER							Component	ATA:31
PN:15136	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.020	AFL	0		TSN 0					
PROC. REF: AMM 31-30-00PROC. REF: AMM 31-30-00									
<hr/>									
A313001 ^S	INSPECT FLIGHT DATA RECORDER: PHASE 5 INSPECTION							Service	ATA:31
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 31-31-05PROC. REF: AMM 31-31-05								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321001	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:6541000-27	MOS/MSC	10-Jan-05	O/C						
SN:15	HRS	6374							
WC#: 32.010	AFL	6588		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
321002	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:6541000-28	MOS/MSC	10-Jan-05	O/C						
SN:15	HRS	6374							
WC#: 32.011	AFL	6588		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322001	NOSE GEAR ASSEMBLY							Component	ATA:32
PN:5542000-7	MOS	10-Jan-05							
SN:979	HRS	6374							
WC#: 32.030	AFL	6588	29600	TSN 4757	31431		23465		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322002	NOSE LANDING GEAR SHIMMY DAMPER							Component	ATA:32
PN:5543001-3	MOS/MSC	22-Jun-94	O/C						
SN:1299	HRS	3723							
WC#: 32.280	AFL	3361		TSO 0					
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01									
<hr/>									
322004	NOSE LANDING GEAR FORK							Component	ATA:32
PN:5542000-3	MOS/MSC	23-Dec-16	O/C		TSO 0				
SN:522510	HRS	7545			TSO 0				
WC#: 32.020	AFL	7696							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
<hr/>									
322005	NOSE LANDING GEAR ACTUATOR FITTING							Component	ATA:32
PN:5511169-1	MOS/MSC	10-Jan-05	O/C						
SN:UNKNOWN	HRS	6374							
WC#: 32.270	AFL	6588		TSN 6588					
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322006	LEFT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-5	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.150	AFL	6588	17200	TSN 5033	18755		10789		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322006	RIGHT NOSE LANDING GEAR TRUNNION SUPPORT ASSEMBLY							Component	ATA:32
PN:5513056-6	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.150	AFL	6588	17200	TSN 5033	18755		10789		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322007	NOSE LANDING GEAR TRUNION							Component	ATA:32
PN:5542301-5	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.290	AFL	6588	17200	TSN 5033	18755		10789		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
322008	LEFT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-3	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.410	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322008	RIGHT MAIN GEAR TRUNNION ATTACH PIN							Component	ATA:32
PN:5541205-4	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.410	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322009	LEFT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	10-Jan-05						LIFE LIMIT	
SN:UNKNOWN	HRS	6374							
WC#: 32.420	AFL	6588	41600	TSN 4948	43240		35274		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322009	RIGHT MAIN GEAR ACTUATOR PIN							Component	ATA:32
PN:6527213-2	MOS	10-Jan-05						LIFE LIMIT	
SN:UNKNOWN	HRS	6374							
WC#: 32.420	AFL	6588	41600	TSN 4948	43240		35274		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322010	LEFT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.430	AFL	6588	21500	TSN 4948	23140		15174		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322010	RIGHT MAIN GEAR ACTUATOR ATTACH STUD							Component	ATA:32
PN:6541204-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.430	AFL	6588	21500	TSN 4948	23140		15174		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
322011	LEFT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-4	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.450	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322011	RIGHT MAIN GEAR TRUNNION							Component	ATA:32
PN:5541306-4	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.450	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322012	LEFT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.560	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322012	RIGHT MAIN GEAR AXLE							Component	ATA:32
PN:6541200-1	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.560	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322013	LEFT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.460	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322013	RIGHT MAIN GEAR UPPER PISTON BEARING							Component	ATA:32
PN:5541310-3	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.460	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
322014	LEFT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-9	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.470	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
<hr/>									
322014	RIGHT MAIN GEAR UPPER TORQUE LINK							Component	ATA:32
PN:5541304-6	MOS	10-Jan-05							
SN:2903	HRS	6374							
WC#: 32.470	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
<hr/>									
322015	LEFT MAIN GEAR LOWER TORQUE LINK							Component	ATA:32
PN:5541304-11	MOS	10-Jan-05						LIFE LIMIT	
SN:2484	HRS	6374							
WC#: 32.480	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322016	LEFT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.490	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322016	RIGHT MAIN GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:6541212-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.490	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322017	LEFT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.500	AFL	6588	30000	TSN 4750	31838		23872		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322017	RIGHT MAIN GEAR TORQUE LINK BOLT							Component	ATA:32
PN:5541220-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.500	AFL	6588	30000	TSN 4750	31838		23872		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322018	LEFT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.510	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
322018	RIGHT MAIN GEAR TORQUE LINK NUT							Component	ATA:32
PN:MS17825-8	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.510	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322019	NOSE GEAR PISTON ASSEMBLY							Component	ATA:32
PN:5542105-2	MOS/MSC	10-Jan-05	O/C						
SN:UNKNOWN	HRS	6374							
WC#: 32.520	AFL	6588		TSN 5270					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322020	NOSE GEAR CYLINDER BRAZE ASSEMBLY							Component	ATA:32
PN:5542100-3	MOS	10-Jan-05							
SN:5372N	HRS	6374							
WC#: 32.530	AFL	6588	17200	TSN 5033	18755		10789		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322021	NOSE GEAR AXLE SPACER							Component	ATA:32
PN:5542223-1	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.540	AFL	6588	17200	TSN 5033	18755		10789		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
322022	NOSE GEAR TORQUE LINK SHAFT							Component	ATA:32
PN:5542208-3	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.550	AFL	6588	17200	TSN 6027	17761		9795		
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
323001	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:1523100-1	MOS	10-Jan-05							
SN:4146	HRS	6374							
WC#: 32.170	AFL	6588	27400	TSN 6316	27672		19706		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
323002	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component	ATA:32
PN:2-7442-2	MOS	10-Jan-05							
SN:449B	HRS	6374							
WC#: 32.170	AFL	6588	27400	TSN 6291	27697		19731		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323003 NOSE LANDING GEAR ACTUATOR ASSEMBLY Component ATA:32								
PN:2-7406-1	MOS	10-Jan-05						
SN:DA484	HRS	6374						
WC#: 32.300	AFL	6588	24200	TSN 6588	24200		16234	
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
323004 LEFT MAIN LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	12-May-11	O/C					
SN:CE2862	HRS	7236.9						
WC#: 32.160	AFL	7400		TSO 1368				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
323004 NOSE LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	15-May-00	O/C					
SN:CE2852	HRS	5429						
WC#: 32.160	AFL	5333		TSO 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
323004 RIGHT MAIN LANDING GEAR UPLOCK ACTUATOR Component ATA:32								
PN:5527504-2	MOS/MSC	20-Feb-00	O/C					
SN:CE1562	HRS	5344						
WC#: 32.160	AFL	5144		TSO -99				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
323006 EMERGENCY GEAR AIR BOTTLE Component ATA:32								
PN:212940-2	MOS	10-Mar-25	240	TSO 3	?		?	LIFE LIMIT
SN:642	HRS	7939.8						
WC#: 32.040	AFL	7966						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
323007 LANDING GEAR CONTROL VALVE Component ATA:32								
PN:2710969	MOS/MSC	19-Nov-81	O/C					
SN:1096	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323008	RIGHT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541320-4	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.180	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323014	LEFT MAIN LANDING GEAR CYLINDER ASSEMBLY							Component	ATA:32
PN:5541320-3	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.180	AFL	6588	12600	TSN 4934	14254		6288		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323018	LEFT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541330-1	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.190	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323018	RIGHT MAIN LANDING GEAR PISTON BRAZE OR WELD ASSEMBLY							Component	ATA:32
PN:5541330-2	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 32.190	AFL	6588	21400	TSN 4934	23054		15088		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
323019	EMERGENCY AIR BOTTLE GAGE							Component	ATA:32
PN:2341128	MOS/MSC	20-May-96	O/C	TSO 0					
SN:20560D	HRS	4332							
WC#: 32.040	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
324001	LEFT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	10-Apr-18	O/C	TSO 0					
SN:FEB95-1094	HRS	7700.9		TSO 0					
WC#: 32.120	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324001	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:5001477-3	MOS/MSC	10-Apr-18	O/C	TSO 0					
SN:JUN83-1472-MAY00-178	HRS	7700.9		TSO 0					
WC#: 32.220	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324002	NOSE LANDING GEAR WHEEL ASSEMBLY							Component	ATA:32
PN:9544207-6	MOS/MSC	08-Sep-98	O/C						
SN:7205581	HRS	4950							
WC#: 32.130	AFL	4680		TSO 0					
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00									
324003	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001445-3	MOS/MSC	10-Mar-25	O/C	TSO 11					
SN:SEP90-875	HRS	7939.8		TSO 0					
WC#: 32.090	AFL	7966							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324004	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component	ATA:32
PN:5001446-3	MOS/MSC	10-Mar-25	O/C	TSO 0					
SN:JUL86-808	HRS	7939.8		TSO 2					
WC#: 32.091	AFL	7966							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324005	LEFT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	28-Feb-24	O/C	TSN 0					
SN:33210837	HRS	7922		TSN 0					
WC#: 32.120	AFL	7954		TSN 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
324005	RIGHT MAIN GEAR TIRE							Component	ATA:32
PN:220K08-3	MOS/MSC	28-Feb-24	O/C	TSN 0					
SN:33250519	HRS	7922		TSN 0					
WC#: 32.220	AFL	7954		TSN 0					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324006 NOSE LANDING GEAR TIRE Component ATA:32								
PN:184F10-2	MOS/MSC	10-Mar-25	O/C	TSN 0				
SN:33520614	HRS	7939.8		TSN 0				
WC#: 32.130	AFL	7966						
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								
324009 LEFT ANTI-SKID RUDDER PEDAL M5 INDICATOR Component ATA:32								
PN:6000885	MOS/MSC	15-May-00	O/C					
SN:73120441	HRS	5429						
	AFL	5333		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324009 RIGHT ANTI-SKID RUDDER PEDAL M6 INDICATOR Component ATA:32								
PN:6000885	MOS/MSC	19-Oct-99	O/C					
SN:74070508	HRS	5208						
	AFL	5008		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324011 COPILOT INBOARD BRAKE MASTER CYLINDER Component ATA:32								
PN:12A085-11	MOS/MSC	13-Oct-94	O/C					
SN:222	HRS	3829						
WC#: 32.200	AFL	3474		TSO 0				
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								
324011 PILOT OUTBOARD BRAKE MASTER CYLINDER Component ATA:32								
PN:12A085-11	MOS/MSC	13-Oct-94	O/C					
SN:277	HRS	3829						
WC#: 32.200	AFL	3474		TSO 0				
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								
324012 COPILOT OUTBOARD BRAKE MASTER CYLINDER Component ATA:32								
PN:12A085-12	MOS/MSC	13-Oct-94	O/C					
SN:1204	HRS	3829						
WC#: 32.210	AFL	3474		TSO 0				
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324012	PILOT INBOARD BRAKE MASTER CYLINDER							Component	ATA:32
PN:12A085-12	MOS/MSC	13-Oct-94	O/C						
SN:876	HRS	3829							
WC#: 32.210	AFL	3474		TSO 0					
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04									
<hr/>									
324013	PARKING BRAKE VALVE							Component	ATA:32
PN:AS20800-1	MOS/MSC	30-Jun-89	O/C	TSN 0					
SN:UNKNOWN	HRS	2196							
WC#: 32.110	AFL								
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01									
<hr/>									
324014	EMERGENCY BRAKE VALVE							Component	ATA:32
PN:53640	MOS/MSC	19-Nov-81	O/C						
SN:471A	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03									
<hr/>									
326001	GEAR WARNING HORN							Component	ATA:32
PN:A2948	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
A320001 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 57 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	6 (+1m)						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
<hr/>									
A320002 ^S	INSPECT LANDING GEAR GENERAL VISUAL INSPECTION (CORROSIONINSPECTION): PHASE 18 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									

PKG:502

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
A321001 ^S	INSPECT MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PKG:3									
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
A322001 ^S	INSPECT SHIMMY DAMPER: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
	AFL	7966							
PKG:1,3,5									
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01									
A322002 ^S	INSPECT NOSE GEAR ASSEMBLY: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PKG:3									
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
A323002 ^S	INSPECT NOSE GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PKG:3									
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05									
A323003 ^S	INSPECT EMERGENCY GEAR EXTENSION SYSTEM CABLE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A323004 ^S	INSPECT MAIN GEAR UPLOCK: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								PKG:3	
<hr/>									
A324001 ^S	INSPECT MAIN WHEEL, TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:3	
<hr/>									
A324002 ^S	INSPECT NOSE WHEEL,TIRE AND BEARINGS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								PKG:3	
<hr/>									
A324003 ^S	INSPECT NOSE WHEEL,TIRE AND BEARINGS(GRAVEL RUNWAY): PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-45-00PROC. REF: AMM 32-45-00								PKG:3	
<hr/>									
A324004 ^S	INSPECT BRAKE MASTER CYLINDERS: PHASE 1 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324005 ^S	INSPECT EMERGENCY BRAKE CONTROL VALVE: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								PKG:6	
A324007 ^S	INSPECT MAIN LANDING GEAR BRAKE: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:3	
A324008	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST:REVERSERS OR NOT USING THRUST REVERSERS:PHASE MF INSPECTION							Service	ATA:32
PN:5001445-3	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:SEP90-875	HRS								
	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324008	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") AIRPLANES NOT EQUIPPED WITH THRUST REVERSERS OR NOT USING THRUST REVERSERS							Service	ATA:32
PN:5001446-3	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:JUL86-808	HRS								
	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A324009	INSPECT LEFT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS. PHASE MG INSPECTION							Service	ATA:32
PN:5001445-3	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:SEP90-875	HRS								
	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324009	INSPECT RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY (BRAKE ASSEMBLY GOODRICH P/N 2-1528-6 OR 2-1530-4 WITH SATOR DISKS PART NUMBER 133-893-2, THAT ARE IMPRESSION STAMPED "-" OR "A") FOR AIRPLANES WITH AND USING THRUST REVERSERS							Service	ATA:32
PN:5001446-3	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:JUL86-808	HRS								
	AFL								
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
A324010 ^S	INSPECT AVIATION BRAKE SYSTEM LIMITED BRAKE RESERIOR AND ANTI-SKID COMPONENTS: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01									
A324014 ^S	INSPECT BRAKE RESERVIOR AND ANTISKID COMPONENTS(AIRPLANES 0425 AND ON INCORP SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00									
A325001 ^S	INSPECT NOSE STEERING ARM SUPPORT BRACKET,BUNGEE AND BELLCRANK: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
A325002 ^S	INSPECT NOSE STEERING SYSTEM CABLES: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:6	
A325003 ^S	INSPECT GRAVEL RUNWAY/NOSE WHEEL SPIN UP: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
	AFL	7966							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:1,3,5	
A325004 ^S	INSPECT NOSE WHEEL SPIN-UP CONTROL: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:3	
A325008 ^S	INSPECT NOSE LANDING GEAR FORK NOSE LANDING GEAR FORK(P/N 5542300-1,-3): PHASE MA INSPECTION							Service	ATA:32
PN:5542000-3	MOS	23-Dec-16							
SN:522510	HRS	7545							
	AFL	7696	1000						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:40	
B322003 ^S	CHECK NOSE GEAR CYLINDER BEARING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B323001 ^S	DIAL INDICATOR CHECK NOSE GEAR ACTUATOR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								PKG:3	
B324006 ^S	CHECK MAIN GEAR WHEEL BRAKES: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
	AFL	7966							
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:1,3,5	
B324008 ^S	FUNCTIONAL CHECK SKID WARNING: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-41-03PROC. REF: AMM 32-41-03								PKG:6	
B324009 ^S	OPERATIONAL TEST EMERGENCY BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								PKG:6	
B324011 ^S	OPERATIONAL CHECK AVIATION BRAKE SYSTEMS LIMITED ANTISKID BRAKE SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
B324015 ^S	OPERATIONAL CHECK ANTISKID BRAKE SYSTEM(AIRPLANES 0425 AND ON INCORPATING SB500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
<hr/>									
B325001 ^S	FUNCTIONAL TEST NOSE WHEEL SPIN-UP SYSTEM: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-45-01PROC. REF: AMM 32-45-01								PKG:6	
<hr/>									
B326001 ^S	ADJUSTMENT/TEST LANDING GEAR HYDRAULIC SYSTEM: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-01-00PROC. REF: AMM 32-01-00								PKG:3	
<hr/>									
B326003	HYDROSTATIC TEST EMERGENCY GEAR AIR BOTTLE							Service	ATA:32
PN:212940-2	MOS	01-Apr-25	36		01-Dec-27 (M)		965 d	MANDATORY	
SN:642	HRS	7939.8							
WC#: 32.040	AFL	7966							
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07									
<hr/>									
C122001 ^S	LUBRICATION NOSE AND MAIN LANDING GEAR: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24						
	HRS	7939.8	300						
	AFL	7966							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
C321003 ^S	LUBRICATE MAIN GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00								PKG:3	
C322001 ^S	LUBRICATE NOSE GEAR TORQUE LINKS: PHASE 2 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								PKG:3	
D324010 ^S	REPLACE AVIATION BRAKE SYSTEM ANTI-SKID SYSTEM MOTOR PUMP FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
D324012 ^S	REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR AIR FILTER: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	
D324013 ^S	CLEAN/REPLACE AVIATION BRAKE SYSTEMS LIMITED BRAKE RESERVIOR SUPPLY LINE FILTER : PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-42-01PROC. REF: AMM 32-42-01								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
D324014 ^S	REPLACE ANTI-SKIP MOTOR/PUMP(AIRPLANES 0425 AND ON INCORPORATING SB500-32-28) FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
D324016 ^S	REPLACE BRAKE RESERVOIR AIR FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
D324017 ^S	CLEAN/REPLACE BRAKE RESERVOIR SUPPLY LINE FILTER(AIRPLANES 0425 AND ON INCORP SB 500-32-28): PHASE 5 INSPECTION							Service	ATA:32
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 32-44-00PROC. REF: AMM 32-44-00								PKG:6	
ATA 33 - LIGHTS									
331001	ANNUNCIATOR PANEL							Component	ATA:33
PN:D3474-11	MOS/MSC	05-Apr-82	O/C						
SN:95B	HRS	64		TSN 0					
WC#: 33.070	AFL								
PROC. REF: AMM 33-10-04PROC. REF: AMM 33-10-04									
331001 ^U	LEFT VLF ANNUNCIATOR							Component	ATA:33
PN:276-1357-001	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
331001 ^U	RIGHT VLF ANNUNCIATOR							Component	ATA:33
PN:276-1357-001	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
331011	ELECTRICAL PANEL LIGHT INVERTER							Component	ATA:33
PN:EM2044-1	MOS/MSC	20-Sep-07	O/C						
SN:2202A	HRS	6773		TSO 413					
WC#: 33.080	AFL								
PROC. REF: AMM 33-10-03PROC. REF: AMM 33-10-03									
<hr/>									
331012	MASTER WARNING SWITCH							Component	ATA:33
PN:1941-4	MOS/MSC	20-Jun-83	O/C						
SN:UNKNOWN	HRS	403		TSN 0					
	AFL								
PROC. REF: AMM 33-10-04PROC. REF: AMM 33-10-04									
<hr/>									
332001	LEFT ANTI-COLLISION LIGHT							Component	ATA:33
PN:31-3172-11	MOS/MSC	06-Mar-15	O/C						
SN:00859	HRS	7294							
WC#: 33.040	AFL	7446							
PROC. REF: AMM 33-40-07PROC. REF: AMM 33-40-07									
<hr/>									
332004	NO. 1 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		1785 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									
<hr/>									
332004	NO. 2 CAN/AC/12R AND CAN/AC/12RGA SELF ILLUMINATED EXIT SIGN							Component	ATA:33
PN:PN	MOS	EFF	72	TSN 0	28-Feb-30 *		1785 d	REPLACE	
SN:UNKNOWN	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00PROC. REF: AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-30-00, AMM 12-31-00, AMM 12-31-00									
334003	LEFT STROBE POWER SUPPLY							Component	ATA:33
PN:60-2799-1	MOS/MSC	19-Nov-81	O/C						
SN:8576	HRS	0		TSN 0					
WC#: 33.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
334003	RIGHT STROBE POWER SUPPLY							Component	ATA:33
PN:60-2799-1	MOS/MSC	11-Feb-05	O/C						
SN:16720	HRS	6393		TSO 0					
WC#: 33.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335001	EMERGENCY LIGHTING BATTERY							Component	ATA:33
PN:41B020BA01301	MOS/MSC	20-Mar-06	O/C	TSN 0					
SN:UNKNOWN	HRS	6493							
WC#: 33.090	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A335001 ^S	INSPECT EMERGENCY LIGHTS BATTERY BOX: PHASE 5 INSPECTION							Service	ATA:33
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
A335002 ^S	INSPECT EMERGENCY EXIT LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									

PKG:6

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
B335001 ^S	OPERATIONAL CHECK EMERGENCY LIGHTS: PHASE 1 INSPECTION							Service	ATA:33
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								PKG:2	
ATA 34 - NAVIGATION									
341001	LEFT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0102	MOS/MSC	30-Aug-03	O/C						
SN:603	HRS	6165		TSO 1833					
WC#: 34.050	AFL								
PROC. REF: AMM 34-10-01PROC. REF: AMM 34-10-01									
341001	RIGHT AIRSPEED INDICATOR							Component	ATA:34
PN:C661063-0102	MOS/MSC	30-Aug-03	O/C						
SN:624	HRS	6165		TSO 462					
WC#: 34.050	AFL								
PROC. REF: AMM 34-10-01PROC. REF: AMM 34-10-01									
341002	STANDBY ALTIMETER							Component	ATA:34
PN:10450-011110	MOS/MSC	24-May-19	O/C						
SN:W11274	HRS	7873.2							
	AFL	7919							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341004	OUTSIDE AIR TEMPERATURE GAUGE							Component	ATA:34
PN:C668510-0401	MOS/MSC	03-Mar-97	O/C						
SN:1751	HRS	4580		TSO 0					
WC#: 34.470	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341005	OVERSPEED WARNING SWITCH							Component	ATA:34
PN:D2RA45C-5	MOS/MSC	06-Mar-96	O/C						
SN:322	HRS	4264		TSO 0					
WC#: 34.510	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05									
341006	OVERSPEED WARNING HORN							Component	ATA:34
PN:SC628P	MOS/MSC	09-Mar-94	O/C						
SN:UNKNOWN	HRS	3576		TSN 0					
WC#: 34.040	AFL								
PROC. REF: AMM 34-10-05PROC. REF: AMM 34-10-05									
341010	ANGLE OF ATTACK INDICATOR							Component	ATA:34
PN:SLZ9686-1	MOS/MSC	21-Jan-99	O/C						
SN:PC1740	HRS	5028		TSO 0					
WC#: 34.460	AFL								
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01									
341012	ANGLE OF ATTACK POTENTIOMETER							Component	ATA:34
PN:MOD202-5K	MOS/MSC	30-Jun-89	O/C						
SN:UNKNOWN	HRS	2196		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341013	ANGLE OF ATTACK TRANSMITTER							Component	ATA:34
PN:SLZ9386	MOS/MSC	03-Mar-97	O/C						
SN:GU0035	HRS	4580		TSO 3237					
WC#: 34.070	AFL								
PROC. REF: AMM 34-11-03PROC. REF: AMM 34-11-03									
341014	ANGLE OF ATTACK INDEXER							Component	ATA:34
PN:SLZ9374	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341015 ^U	RADIO ALTM IND							Component	ATA:34
PN:622-1204-010	MOS/MSC	12-Nov-96	O/C						
SN:7790	HRS	4481		TSO 2379					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341020	VERTICAL NAVIGATIONAL CONTROLLER/ COMPUTER							Component	ATA:34
PN:4020571-904	MOS/MSC	17-Jul-06	O/C						
SN:82051727	HRS	6549		TSO 3752					
WC#: 34.280	AFL								
PROC. REF: AMM 34-12-04PROC. REF: AMM 34-12-04									
342001	MAGNETIC COMPASS							Component	ATA:34
PN:C660501-0301	MOS/MSC	19-Feb-00	O/C						
SN:UNKNOWN	HRS	5339		TSN 0					
WC#: 34.090	AFL								
PROC. REF: AMM 34-20-01PROC. REF: AMM 34-20-01									
342002	RIGHT TURN & BANK INDICATOR							Component	ATA:34
PN:C661004-0101	MOS/MSC	16-Nov-99	O/C						
SN:231	HRS	5251		TSO 2166					
	AFL								
PROC. REF: AMM 34-20-02PROC. REF: AMM 34-20-02									
342002	TURN AND BANK INDICATOR							Component	ATA:34
PN:C661004-0101	MOS/MSC	16-Nov-99	O/C						
SN:816715	HRS	5251		TSO 2572					
WC#: 34.630	AFL								
PROC. REF: AMM 34-20-02PROC. REF: AMM 34-20-02									
342003	RIGHT HORIZON GYRO							Component	ATA:34
PN:C661056-0202EX	MOS/MSC	16-Jul-18	O/C		TSO 0				
SN:71341G	HRS	7768.7			TSO 0				
WC#: 34.600	AFL	7846							
PROC. REF: AMM 34-20-03, AMM 34-20-06PROC. REF: AMM 34-20-03, AMM 34-20-06									
342021	LEFT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	16-Dec-00	O/C						
SN:W4280E	HRS	5548		TSO 2324					
WC#: 34.300	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-10-03PROC. REF: AMM 34-10-03									
342021	RIGHT VERTICAL SPEED INDICATOR							Component	ATA:34
PN:C661006-0101	MOS/MSC	07-Mar-95	O/C						
SN:W20302G	HRS	3980		TSO 0					
WC#: 34.300	AFL								
PROC. REF: AMM 34-10-03PROC. REF: AMM 34-10-03									
342041	NO. 1 FLIGHT DIRECTOR COMPUTER							Component	ATA:34
PN:4018369-905	MOS/MSC	25-Nov-98	O/C						
SN:82013287	HRS	4989		TSO 2458					
	AFL								
PROC. REF: AMM 34-24-00PROC. REF: AMM 34-24-00									
342042	LEFT AP/FD MODE SELECTOR							Component	ATA:34
PN:4020570-901	MOS/MSC	19-Nov-81	O/C						
SN:061020	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-24-03PROC. REF: AMM 34-24-03									
342043	NO. 1 VERTICAL GYRO							Component	ATA:34
PN:7000622-901	MOS/MSC	10-Jan-19	O/C						
SN:94067507	HRS	7870.3							
WC#: 34.340	AFL	7915							
PROC. REF: AMM 34-21-00PROC. REF: AMM 34-21-00									
342047 ^U	LEFT ADI							Component	ATA:34
PN:7000836-901	MOS/MSC	22-Sep-00	O/C						
SN:81030655	HRS	5498		TSO 1145					
	AFL								
342047	NO. 1 AIR DATA DISPLAY UNIT							Component	ATA:34
PN:9D-80130-16	MOS/MSC	10-Jan-05	O/C						
SN:37557	HRS	6374		TSN 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342047	NO. 2 AIR DATA DISPLAY UNIT							Component	ATA:34
PN:9D-80130-16	MOS/MSC	10-Jan-05	O/C						
SN:37547	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
342047I	CHECK/INSPECTION NO. 1 AIR DATA DISPLAY UNIT							Service	ATA:34
PN:9D-80130-16	MOS	10-Mar-25	24		31-Mar-27		720 d		
SN:37557	HRS	7939.8							
	AFL	7966							
PROC. REF: GENERIC NO REF, FAR SUBPART EPROC. REF: GENERIC NO REF, FAR SUBPART E									
342047I	CHECK/INSPECTION NO. 2 AIR DATA DISPLAY UNIT							Service	ATA:34
PN:9D-80130-16	MOS	10-Mar-25	24		31-Mar-27		720 d		
SN:37547	HRS	7939.8							
	AFL	7966							
PROC. REF: GENERIC NO REF, FAR SUBPART EPROC. REF: GENERIC NO REF, FAR SUBPART E									
342049	LEFT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	18-Dec-98	O/C						
SN:85113718	HRS	5006		TSO 3211					
	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342049	RIGHT DIR GYRO SYN COMPASS							Component	ATA:34
PN:4020577-3	MOS/MSC	13-Nov-01	O/C						
SN:82012590	HRS	5840		TSO 950					
	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342050	NO. 1 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	10-May-92	O/C						
SN:91037745	HRS	3061		TSN 0					
WC#: 34.110	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342050	NO. 2 FLUX VALVE							Component	ATA:34
PN:2594484	MOS/MSC	10-May-92	O/C						
SN:91057826	HRS	3061		TSN 0					
WC#: 34.110	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342052	DUAL REMOTE COMPENSATOR							Component	ATA:34
PN:2593379-1	MOS/MSC	29-Apr-09	O/C						
SN:98012534	HRS	7086		TSO 8999					
WC#: 34.520	AFL								
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342054 ^U	LEFT HSI							Component	ATA:34
PN:2592920-901	MOS/MSC	17-Oct-99	O/C						
SN:6111843	HRS	5205		TSO 789					
	AFL								
342054 ^U	RIGHT HSI							Component	ATA:34
PN:2592920-901	MOS/MSC	26-Jan-02	O/C						
SN:81054439	HRS	5905		TSO 301					
	AFL								
342064	STANDBY GYRO POWER SUPPLY							Component	ATA:34
PN:501-1228-03	MOS/MSC	06-Mar-24	O/C	TSN 0					
SN:14620	HRS	7922		TSN 0					
WC#: 34.100	AFL	7954		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342065	STANDBY GYRO							Component	ATA:34
PN:501-1197-05	MOS/MSC	14-Dec-17	O/C	TSO 0					
SN:2108	HRS	7667.6		TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344006	RADAR ALTIMETER TRANSCEIVER							Component	ATA:34
PN:622-3201-001	MOS/MSC	19-Nov-81	O/C						
SN:3527	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344007	AFT RADAR ALTIMETER ANTENNA							Component	ATA:34
PN:622-0954-001	MOS/MSC	19-Nov-81	O/C						
SN:2043	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344007	FORWARD RADAR ALTIMETER ANTENNA							Component	ATA:34
PN:622-0954-001	MOS/MSC	19-Nov-81	O/C						
SN:3365	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344018	WEATHER RADAR INDICATOR							Component	ATA:34
PN:4001098-0204	MOS/MSC	12-Jun-97	O/C						
SN:1712	HRS	4648		TSO 2804					
WC#: 34.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
344019 ^U	RADAR-RCVR/XMTR							Component	ATA:34
PN:4000502-0101	MOS/MSC	15-Apr-96	O/C						
SN:2801	HRS	4304		TSO 2323					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344020 ^U	RADAR ANTENNA							Component	ATA:34
PN:4000504-0301	MOS/MSC	22-Jun-94	O/C						
SN:2151	HRS	3723		TSO 0					
	AFL								
<hr/>									
344021	NO. 1 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:622-4938-004	MOS/MSC	16-Apr-01	O/C						
SN:6628	HRS	5667		TSO 4360					
WC#: 34.180	AFL								
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05									
<hr/>									
344021	NO. 2 RADIO MAGNETIC INDICATOR							Component	ATA:34
PN:622-4938-004	MOS/MSC	04-Oct-99	O/C						
SN:6631	HRS	5191		TSO 1140					
WC#: 34.180	AFL								
PROC. REF: AMM 34-51-05PROC. REF: AMM 34-51-05									
<hr/>									
344025 ^U	SATELLITE WEATHER RECEIVER							Component	ATA:34
PN:305391-000	MOS/MSC	13-Jan-05	O/C						
SN:1632	HRS	6374		TSN 0					
	AFL								
<hr/>									
344026 ^U	DATA LINK WEATHER RECEIVER ANT							Component	ATA:34
PN:305394	MOS/MSC	13-Jan-05	O/C						
SN:UNKNOWN	HRS	6374		TSN 0					
	AFL								
<hr/>									
344027	STORMSCOPE PROCESSOR							Component	ATA:34
PN:805-11500-001	MOS/MSC	13-Jan-05	O/C						
SN:86407	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344050	BFG SKYWATCH SYSTEM ANTENNA							Component	ATA:34
PN:805-10930-001	MOS/MSC	13-Jan-05	O/C						
SN:86620	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
345004	NO. 1 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN170-2	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSN 0					
WC#: 34.390	AFL								
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
<hr/>									
345004	NO. 2 ATC TRANSPONDER ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	19-Nov-81	O/C						
SN:11730	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
<hr/>									
345007	NO. 2 DME ANTENNA							Component	ATA:34
PN:DMN150-2	MOS/MSC	19-Nov-81	O/C						
SN:11739	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-09PROC. REF: AMM 34-51-02, AMM 34-51-09									
<hr/>									
345008	NO. 1 COURSE DEVIATION INDICATOR							Component	ATA:34
PN:520850	MOS/MSC	07-Mar-95	O/C						
SN:507	HRS	3980		TSO 0					
WC#: 34.420	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
345010	NAV ANTENNA KIT							Component	ATA:34
PN:DMN4-17-1B	MOS/MSC	19-Nov-81	O/C						
SN:17353	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345010	NO. 1 NAVIGATION ANTENNA							Component	ATA:34
PN:C1120GS	MOS/MSC	29-Mar-18	O/C	TSN 0					
SN:559046	HRS	7692.9		TSN 0					
WC#: 34.410	AFL	7800		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									
345010	NO. 2 NAVIGATION ANTENNA							Component	ATA:34
PN:C1120GS	MOS/MSC	29-Mar-18	O/C	TSN 0					
SN:559047	HRS	7692.9		TSN 0					
WC#: 34.410	AFL	7800		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									
345011	NO. 2 ADF RECEIVER							Component	ATA:34
PN:792-6216-004	MOS/MSC	28-Mar-00	O/C						
SN:4647	HRS	5389		TSO 3918					
WC#: 34.450	AFL								
PROC. REF: AMM 34-50-01PROC. REF: AMM 34-50-01									
345012	NO. 1 ADF CONTROL							Component	ATA:34
PN:156	MOS/MSC	19-Nov-81	O/C						
SN:1785A	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-50-01PROC. REF: AMM 34-50-01									
345014	NO. 1 ADF LOOP ANTENNA							Component	ATA:34
PN:622-2363-001	MOS/MSC	19-Nov-81	O/C						
SN:1863	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-52-05PROC. REF: AMM 34-52-05									
345018	GLIDESLOPE ANTENNA							Component	ATA:34
PN:RGS1048	MOS/MSC	19-Nov-81	O/C						
SN:7953	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 34-32-00PROC. REF: AMM 34-32-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345020	NO. 1 RVSM CONFIGURATION MODULE							Component	ATA:34
PN:9B-03508-15	MOS/MSC	10-Jan-05	O/C						
SN:31859	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF, AMM 34-51-10PROC. REF: GENERIC NO REF, AMM 34-51-10									
345020	NO. 2 RVSM CONFIGURATION MODULE							Component	ATA:34
PN:9B-03508-15	MOS/MSC	10-Jan-05	O/C						
SN:31861	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF, AMM 34-51-10PROC. REF: GENERIC NO REF, AMM 34-51-10									
345021	NO. 1 RVSM ANALOG INTERFACE UNIT							Component	ATA:34
PN:9B-81040-26	MOS/MSC	10-Jan-05	O/C						
SN:37251	HRS	6374		TSN 0					
	AFL								
PROC. REF: GENERIC NO REF, AMM 34-52-08PROC. REF: GENERIC NO REF, AMM 34-52-08									
345030	NO. 1 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-01	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345030	NO. 2 INTERFACE ADAPTER							Component	ATA:34
PN:010-00154-01	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSO 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345031	LEFT MARKER BEACON RECEIVER							Component	ATA:34
PN:066-01021-0002	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345031	RIGHT MARKER BEACON RECEIVER							Component	ATA:34
PN:066-01021-0002	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345034	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:011-00455-80	MOS/MSC	14-May-15	O/C						
SN:84300129	HRS								
WC#: 34.220	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345034	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:011-00490-10	MOS/MSC	14-May-15	O/C						
SN:84000170	HRS								
WC#: 34.220	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345035	NO. 1 DME INDICATOR							Component	ATA:34
PN:622-2012-201	MOS/MSC	20-Aug-90	O/C						
SN:3766	HRS	2589		TSO 0					
WC#: 34.430	AFL								
PROC. REF: AMM 34-51-02, AMM 34-51-09PROC. REF: AMM 34-51-02, AMM 34-51-09									
345036	NO. 1 DME INTERROGATOR							Component	ATA:34
PN:622-1233-001	MOS/MSC	22-Jun-94	O/C						
SN:22280	HRS	3723		TSO 0					
WC#: 34.440	AFL								
PROC. REF: AMM 34-51-02PROC. REF: AMM 34-51-02									
345053	VLF ANTENNA							Component	ATA:34
PN:11305-2	MOS/MSC	19-Nov-81	O/C						
SN:479	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345054	VLF CONTROL DISPLAY							Component	ATA:34
PN:11555-2	MOS/MSC	15-Mar-90	O/C						
SN:5991	HRS	2431		TSO 0					
WC#: 34.170	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345055	VLF COURSE DEVIATION INDICATOR							Component	ATA:34
PN:10070-1	MOS/MSC	19-Nov-81	O/C						
SN:1178	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
PROC. REF: AMM 34-51-06PROC. REF: AMM 34-51-06									
345056	VLF RECEIVER COMPUTER UNIT							Component	ATA:34
PN:9-5M-1140	MOS/MSC	19-Nov-81	O/C						
SN:2821	HRS	0		TSN 0					
WC#: 34.740	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345057	VLF OPERATIONAL EQUIPMENT UNIT							Component	ATA:34
PN:3-202	MOS/MSC	19-Nov-81	O/C						
SN:2582	HRS	0		TSN 0					
WC#: 34.720	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
345058 ^U	VLF BATTERY							Component	ATA:34
PN:10648-1	MOS/MSC	27-Mar-87	O/C						
SN:UNKNOWN	HRS	1400		TSN 0					
	AFL								
345078 ^U	BROADCAST DATALINK RECEIVER							Component	ATA:34
PN:700-00159-001	MOS/MSC	30-Jul-08	O/C						
SN:0743A15882	HRS	6994		TSN 0					
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345118	GPS ANTENNA							Component	ATA:34
PN:010-10040-01	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
345132 ^U	A SHADIN FUEL AIR DATA COMPUTER							Component	ATA:34
PN:962820-3	MOS/MSC	24-Feb-14	O/C	TSR 0					
SN:2958	HRS	7238.5		TSR 0					
	AFL			TSR 0					
<hr/>									
345132G ^U	LEFT GARMIN GNS							Component	ATA:34
PN:010-00182-31	MOS/MSC	17-Dec-03	O/C						
SN:UNKNOWN	HRS			TSN 0					
	AFL								
<hr/>									
345133 ^U	RIGHT GPS/NAV/COMM/MOVING MAP							Component	ATA:34
PN:011-00280-30	MOS/MSC	01-Jun-05	O/C						
SN:45600046	HRS	6429		TSO 0					
	AFL								
<hr/>									
34FO-02	INDICATOR-ANGLE OF ATTACK FACTORY OPTION							Component	ATA:34
PN:11	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
34FO-04	LOCATOR BEACON EMERGENCY FACTORY OPTION							Component	ATA:34
PN:175	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34FO-12Q ADF 1 COLLINS DF206 EXCH FACTORY OPTION Component ATA:34								
PN:658Q	MOS/MSC	19-Nov-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM 34-50-01PROC. REF: AMM 34-50-01								
34FO-14A RADIO ALT-ALT50 W/SEPARATE INDICATOR FACTORY OPTION Component ATA:34								
PN:672A	MOS/MSC	19-Nov-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: AMM 34-13-02PROC. REF: AMM 34-13-02								
34FO-15 FLIGHT DIRECTOR LH-4" SINGLE CUE SPERRY FACTORY OPTION Component ATA:34								
PN:679	MOS/MSC	19-Nov-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34FO-20B VLF NAVIGATION SYSTEM GNS500A W/4" FDI FACTORY OPTION Component ATA:34								
PN:693B	MOS/MSC	19-Nov-81	-					
SN:FO	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
A341007 INSPECT RVSM SKIN WAVINESS: PHASE 20 INSPECTION Service ATA:34								
	MOS	10-Mar-25	24 (+2m)		31-Mar-27	10-May-27	720 d (+40)	
	HRS	7939.8						
	AFL	7966						
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10								
A342001^S INSPECT MAGNETIC COMPASS AND COMPASS CARD: PHASE 5 INSPECTION Service ATA:34								
	MOS	10-Mar-25	36 (+2m)					
	HRS	7939.8	1200 (+100)					
	AFL	7966						

PKG:20

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-20-01PROC. REF: AMM 34-20-01									
B341001	CALIBRATION TEST LEFT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:C661063-0102	MOS	10-Mar-25	24		31-Jan-27		661 d		
SN:603	HRS	7939.8							
	AFL	7966							
				Calibration Date: : 28-Jan-25				PKG:20	
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15									
B341001	CALIBRATION TEST RIGHT AIRSPEED INDICATOR PHASE 20 INSPECTION							Service	ATA:34
PN:C661063-0102	MOS	10-Mar-25	24		31-Jan-27		661 d		
SN:624	HRS	7939.8							
	AFL	7966							
				Calibration Date: : 28-Jan-25				PKG:20	
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15									
B341001	CALIBRATION TEST STANDBY ALTIMETER FAR 91.411: PHASE 20 INSPECTION							Service	ATA:34
PN:10450-011110	MOS	10-Mar-25	24		31-Jan-27		661 d		
SN:W11274	HRS	7939.8							
	AFL	7966							
				Calibration Date: : 28-Jan-25				PKG:20	
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15									
B341002 ^S	OPERATIONAL TEST ANGLE OF ATTACK SYSTEM: PHASE 5 INSPECTION							Service	ATA:34
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00									
B341003	LEAK TEST LEFT STATIC SYSTEM FAR 91.411 : PHASE 20 INSPECTION							Service	ATA:34
	MOS	10-Mar-25	24		31-Mar-27		720 d		
	HRS	7939.8							
WC#: 34.010	AFL	7966							
								PKG:20	
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B341003	LEAK TEST RIGHT STATIC SYSTEM FAR 91.411 : PHASE 20 INSPECTION							Service	ATA:34
	MOS	10-Mar-25	24		31-Mar-27		720 d		
	HRS	7939.8							
WC#: 34.020	AFL	7966							
PKG:20									
PROC. REF: AMM 34-10-15PROC. REF: AMM 34-10-15									
B342001 ^S	OPERATIONAL CHECK COMPASS SYSTEMS AND ADF BEARINGS: PHASE 5 INSPECTION							Service	ATA:34
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PKG:6									
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
B342004 ^S	OPERATIONAL TEST/INSPECT STANDBY GYRO POWER SUPPLY STANDBY GYRO AND LEAD ACID PS835 BATTERY PACK: PHASE 14 INSPECTION							Service	ATA:34
PN:501-1228-03	MOS	10-Mar-25	3 (+1m)						
SN:14620	HRS	7939.8							
	AFL	7966							
PKG:15									
PROC. REF: AMM 34-20-05PROC. REF: AMM 34-20-05									
B342203 ^S	CAPACITY CHECK STANDBY GYRO POWER SUPPLY STANDBY GYRO BATTERY PACK(LEAD ACID PS835): PHASE 18 INSPECTION							Service	ATA:34
PN:501-1228-03	MOS	10-Mar-25	12 (+1m)						
SN:14620	HRS	7939.8							
	AFL	7966							
PKG:19									
PROC. REF: AMM 34-20-05PROC. REF: AMM 34-20-05									
B345001	CALIBRATION TEST NO. 1 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION							Service	ATA:34
PN:011-00455-80	MOS	10-Mar-25	24		31-Jan-27		661 d		
SN:84300129	HRS	7939.8							
	AFL	7966							
				Calibration Date: : 28-Jan-25					
PKG:20									
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
B345001	CALIBRATION TEST NO. 2 ATC TRANSPONDER FAR 91.413: PHASE 20 INSPECTION							Service	ATA:34
PN:011-00490-10	MOS	10-Mar-25	24		31-Jan-27		661 d		
SN:84000170	HRS	7939.8							
	AFL	7966							
Calibration Date: : 28-Jan-25								PKG:20	
PROC. REF: AMM 34-53-00PROC. REF: AMM 34-53-00									
ATA 35 - OXYGEN									
351001	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:C668512-0101	MOS/MSC	14-Feb-88	O/C	TSO 0					
SN:6033	HRS	1692							
WC#: 35.060	AFL								
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
351004	COPILOT OXYGEN MASK							Component	ATA:35
PN:174045-02	MOS/MSC	07-Mar-88	O/C						
SN:4986	HRS	1724		TSN 0					
WC#: 35.050	AFL								
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03									
351004	PILOT OXYGEN MASK							Component	ATA:35
PN:174045-02	MOS/MSC	10-Dec-97	O/C	TSO 0					
SN:43735	HRS	4783							
WC#: 35.050	AFL								
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03									
351005	OXYGEN REGULATOR							Component	ATA:35
PN:172170-01	MOS/MSC	20-Sep-07	O/C	TSO 0					
SN:1764	HRS	6773							
WC#: 35.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351006	OXYGEN CYLINDER							Component	ATA:35
PN:176176-76	MOS	04-Apr-24	288	TSN 65, TSR 0	30-Nov-42		6443 d	LIFE LIMIT	
SN:P505537	HRS			TSR 0					
WC#: 35.010	AFL			TSR 0					
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
35FO-02B OXYGEN SYSTEM-64 CUBIC FEET FACTORY OPTION									
PN:66B	MOS/MSC	19-Nov-81	-					Component ATA:35	
SN:FO	HRS	0							
	AFL	0							
PROC. REF: AMM 35-10-00PROC. REF: AMM 35-10-00									
A351001^S INSPECT OXYGEN SYSTEM: PHASE 5 INSPECTION									
	MOS	10-Mar-25	36 (+2m)					Service ATA:35	
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00									
A351007^S INSPECT PASSENGER OXYGEN MASK: PHASE 18 INSPECTION									
	MOS	10-Mar-25	12 (+1m)					Service ATA:35	
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 35-20-00PROC. REF: AMM 35-20-00									
B350004 HYDROSTATIC TEST OXYGEN CYLINDER (DOT 3HT1850 OR 3FC1850)									
PN:176176-76	MOS	01-Feb-24	36		28-Feb-27		689 d	Service ATA:35	
SN:P505537	HRS								
WC#: 35.010	AFL								
HydroCheck Date: : 01-Feb-24									
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00									

PKG:6

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
B351002 ^S	FUNCTIONAL TEST OXYGEN SYSTEM: PHASE 5 INSPECTION							Service	ATA:35
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								PKG:6	
<hr/>									
B351003 ^S	OPERATIONAL CHECK CREW OXYGEN MASK INSPECTION,AND MICROPHONE: PHASE 5 INSPECTION							Service	ATA:35
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 35-10-03PROC. REF: AMM 35-10-03								PKG:6	
<hr/>									
ATA 36 - PNEUMATIC									
361001	DOOR SEAL CONTROL VALVE							Component	ATA:36
PN: MJV3	MOS/MSC	20-Jan-95	O/C						
SN: UNKNOWN	HRS	3930		TSN 0					
WC#: 36.040	AFL								
PROC. REF: AMM 36-10-04PROC. REF: AMM 36-10-04									
<hr/>									
361003	DEICE BOOT REGULATOR							Component	ATA:36
PN:38E85-5C	MOS/MSC	19-Nov-81	O/C						
SN:1039U	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
361004	PNEUMATIC (BLEED AIR) PRESSURE REGULATOR							Component	ATA:36
PN:2102702-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01PROC. REF: AMM 36-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361005	RIGHT GYRO PRESSURE GAUGE							Component	ATA:36
PN:C668515-0101	MOS/MSC	15-Dec-93	O/C						
SN:C6921	HRS	3531		TSO 0					
WC#: 36.060	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
361006	FORWARD INSTRUMENT BLEED AIR PRESSURE REGULATOR							Component	ATA:36
PN:3H64-7	MOS/MSC	14-Feb-88	O/C						
SN:UNKNOWN	HRS	1692		TSN 0					
	AFL								
PROC. REF: AMM 36-10-05PROC. REF: AMM 36-10-05									
361007	PRESSURE DOOR SEAL HOSE							Component	ATA:36
PN:CM2939-4-15	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 36.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A361001 ^S	DETAILED INSPECTION BLEED AIR FLEXIBLE CONNECTOR: PHASE 4 INSPECTION							Service	ATA:36
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00									
D361001 ^S	REPLACE BLEED AIR-SEAL CONNECTORS: PHASE 4 INSPECTION							Service	ATA:36
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00									

PKG:5

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
D361003 ^S	REPLACE INSTRUMENT AIR WATER SEPERATOR FILTER ELEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 36-10-05PROC. REF: AMM 36-10-05								PKG:6	
ATA 36 - PNEUMATIC									
D361005 ^S	SERVICE AIR PERI-SEAL REPLACEMENT: PHASE 5 INSPECTION							Service	ATA:36
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 36-10-00PROC. REF: AMM 36-10-00								PKG:6	
ATA 37 - VACUUM									
D371001 ^S	CLEAN/REPLACE VACUM REGULATOR INLINE FILTER SCREEN: PHASE 5 INSPECTION							Service	ATA:37
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 37-00-00PROC. REF: AMM 37-00-00								PKG:6	
ATA 38 - WATER/WASTE									
B383001 ^S	OPERATIONAL CHECK REFRESHMENT CENTER DRAIN LINE: PHASE 5 INSPECTION							Service	ATA:38
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 38-30-00PROC. REF: AMM 38-30-00								PKG:6	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
A510001 ^S	INSPECT EXTERIOR DRAIN HOLES: PHASE 1 INSPECTION							Service	ATA:51
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 51-00-00PROC. REF: AMM 51-00-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 51 - STD PRACTICES AND STRUCT-GENRL									
ATA 52 - DOORS									
521001	CABIN DOOR SEAL							Component	ATA:52
PN:S15501-1	MOS/MSC	04-Oct-05	O/C						
SN:UNKNOWN	HRS	6451		TSN 0					
WC#: 52.050	AFL								
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
526001	CABIN DOOR STEP							Component	ATA:52
PN:6519009-33	MOS/MSC	19-Nov-81	O/C						
SN:185	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A521001 ^S	INSPECT CABIN DOOR INFLATABLE SEAL: PHASE 1 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00									
A521003 ^S	INSPECT CABIN DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02									
A521004 ^S	INSPECT CABIN DOOR LOCKING PINS: PHASE 37 INSPECTION							Service	ATA:52
	MOS	24-May-97		TAC 0					
	HRS	4628	5000 (+10)	TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02									

PKG:2

PKG:6

PKG:29

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
A521005 ^S	INSPECT CABIN DOOR LOCKING COMPONENTS BEARING PLATES: PHASE 16 INSPECTION							Service	ATA:52
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 52-10-02PROC. REF: AMM 52-10-02								PKG:17	
A522001 ^S	INSPECT EMERGENCY EXIT DOOR: PHASE 5 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 52-20-00PROC. REF: AMM 52-20-00								PKG:6	
A523001 ^S	INSPECT NOSE BAGGAGE DOOR AND LATCHES: PHASE 5 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								PKG:6	
A523002 ^S	INSPECT TAILCONE DOORS: PHASE 5 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								PKG:6	
A526001 ^S	INSPECT CABIN DOOR STEP: PHASE 1 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 52-60-00PROC. REF: AMM 52-60-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
B527001 ^S	OPERATIONAL CHECK DOOR WARNING SYSTEM: PHASE 1 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 52-70-00PROC. REF: AMM 52-70-00								PKG:2	
ATA 52 - DOORS									
C521002 ^S	LUBRICATE CABIN DOOR HINGE: PHASE 5 INSPECTION							Service	ATA:52
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 52-10-00PROC. REF: AMM 52-10-00								PKG:6	
ATA 53 - FUSELAGE									
A530001 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	6						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:502	
ATA 53 - FUSELAGE									
A530002 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:19	
ATA 53 - FUSELAGE									
A531001 ^S	INSPECT NOSE AREA GENERAL STRUCTURE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531002 ^S	INSPECT UNDERFLOOR: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03									
A531003 ^S	INSPECT TAILCONE: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 53-20-04PROC. REF: AMM 53-20-04									
A531004 ^S	INSPECT FRONT AND REAR SPAR CARRY-THRU: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
A531005 ^S	INSPECT CABIN DOOR FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	10-Mar-25							
	HRS	7939.8	5000 (+30)						
	AFL	7966							
								PKG:6,29	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									
A531006 ^S	INSPECT EMERGENCY EXIT DOOR FRAME: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531007 ^S	INSPECT WINDSHIELD,COCKPIT SIDE WINDOW AND CABIN WINDOW FRAMES: PHASE 37 INSPECTION							Service	ATA:53
	MOS	24-May-97		TAC 0					
	HRS	4628	5000 (+30)	TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:29	
A531008 ^S	INSPECT FUSELAGE INTERIOR CABIN STRUCTURE: PHASE 1 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:2	
A531009 ^S	INSPECT CABIN BULHEADS AND STRINGERS: PHASE 17 INSPECTION							Service	ATA:53
	MOS	19-Nov-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:18	
A531011 ^S	INSPECT FRONT CARRY-THRU TO WING SPAR LUGS - INSPECT: PHASE 59 INSPECTION							Service	ATA:53
	MOS	27-May-12							
	HRS	7240	T:10000 (+10)						
	AFL	7404							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:504	
A531012 ^S	INSPECT CABIN DOOR THRESHOLD: PHASE 1 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531013 ^S	INSPECT FORWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:24	
A531014 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0001 THRU -0213 NOT INCORPORATING SB500-21-09): PHASE 24 INSPECTION							Service	ATA:53
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:24	
A531017 ^S	INSPECT MAIN SPAR CARRY-THRU ASSEMBLY: PHASE 24 INSPECTION							Service	ATA:53
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6	
A531019 ^S	INSPECT WING ATTACH BOLT AND LUG: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:29	
A531020 ^S	INSPECT CABIN DOOR FUSELAGE FRAME: PHASE 37 INSPECTION							Service	ATA:53
	MOS	19-Nov-81		TAC 0					
	HRS	0	5000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:29	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A531021 ^S	INSPECT TOILET AND GALLEY UNDERFLOOR AREA: PHASE 18 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	12 (+1m)						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:19	
A531031 ^S	INSPECT FOWARD PRESSURE BULKHEAD AFT SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU 0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	12-May-11							
	HRS	7236.9	2000 (+10)						
	AFL	7400							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:38	
A531032 ^S	INSPECT AFT PRESSURE BULKHEAD FORWARD SIDE(AIRPLANES -0214 AND ON AND AIRPLANES -0001 THRU -0213 INCORPORATING SB500-21-09): PHASE 52 INSPECTION							Service	ATA:53
	MOS	12-May-11							
	HRS	7236.9	2000 (+10)						
	AFL	7400							
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								PKG:38	
A532001 ^S	INSPECT CONTROL PEDESTAL AREA: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-20-00PROC. REF: AMM 53-20-00								PKG:6	
A532002 ^S	INSPECT NOSE GEAR WHEEL WELL: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A533001 ^S	INSPECT FUSELAGE EXTERIOR SKIN: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:6	
<hr/>									
A533010 ^S	INSPECT FUSELAGE SKIN SEAM : PHASE 49 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-30-00PROC. REF: AMM 53-30-00								PKG:35	
<hr/>									
A535001 ^S	INSPECT NOSE CAP: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-50-01PROC. REF: AMM 53-50-01								PKG:6	
<hr/>									
A535002 ^S	INSPECT STINGER: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-50-02PROC. REF: AMM 53-50-02								PKG:6	
<hr/>									
A536001 ^S	INSPECT DRAG CHUTE CANISTER AND LATCH ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-60-00PROC. REF: AMM 53-60-00								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A536002 ^S	INSPECT DRAG CHUTE HANDLE ASSEMBLY: PHASE 5 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 53-60-00PROC. REF: AMM 53-60-00								PKG:6	
<hr/>									
B535001 ^S	CHECK ELECTRICAL BOND RADOME: PHASE 1 INSPECTION							Service	ATA:53
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 53-50-01PROC. REF: AMM 53-50-01								PKG:2	
<hr/>									
ATA 54 - NACELLES/PYLONS									
A541001 ^S	INSPECT ENGINE NACELLE,PYLON, AND FIREWALL: PHASE 5 INSPECTION							Service	ATA:54
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 54-10-02PROC. REF: AMM 54-10-02								PKG:6	
<hr/>									
A541002 ^S	INSPECT ENGINE SUPPORT STRUCTURES: PHASE 16 INSPECTION							Service	ATA:54
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 54-40-00PROC. REF: AMM 54-40-00								PKG:17	
<hr/>									
ATA 55 - STABILIZERS									
A551001 ^S	INSPECT HORIZONTAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551002 ^S	INSPECT HORIZONTAL AND VERTICAL STABILIZER AFT EDGE: PHASE 2 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:3	
A551003 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR, FORWARD AUXILIARY SPAR, AFT AUXILIARY SPAR AND AFT SPAR CENTERLINE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:16	
A551004 ^S	INSPECT HORIZONTAL STABILIZER FORWARD SPAR AND FORWARD AUXILIARY SPAR SPLICE: PHASE 15 INSPECTION							Service	ATA:55
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:16	
A551006 ^S	INSPECT HORIZONTAL STABILIZER FORWARD AND AFT SPAR: PHASE 37 INSPECTION							Service	ATA:55
	MOS	24-May-97		TAC 0					
	HRS	4628	5000 (+10)	TAC 0					
	AFL			TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:29	
A551007 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	6						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:502	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A551008 ^S	INSPECT HORIZONTAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:19	
A553001 ^S	INSPECT VERTICAL STABILIZER EXTERNALLY: PHASE 2 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:3	
A553002 ^S	INSPECT VERTICAL STABILIZER AFT SPAR: PHASE 15 INSPECTION							Service	ATA:55
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:16	
A553003 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR CAP STRAP: PHASE 15 INSPECTION							Service	ATA:55
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00								PKG:16	
A553005 ^S	INSPECT HORIZONTAL STABILIZER ATTACH FITTING: PHASE 17 INSPECTION							Service	ATA:55
	MOS	19-Nov-81		TAC 0					
	HRS	0	10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								PKG:18	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
A553006 ^S	INTERNAL INSPECTION VERTICAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
A553007 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	6						
	HRS	7939.8							
	AFL	7966							
								PKG:502	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
A553008 ^S	INSPECT VERTICAL STABILIZER AFT SPAR AREA GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
								PKG:19	
PROC. REF: AMM 55-30-00PROC. REF: AMM 55-30-00									
A555001 ^S	INTERNAL INSPECTION HORIZONTAL STABILIZER: PHASE 5 INSPECTION							Service	ATA:55
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
								PKG:6	
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
ATA 56 - WINDOWS									
561001	LEFT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:9912064-15	MOS/MSC	15-Apr-19	O/C	TSN 0					
SN:10152	HRS	7870.3		TSN 0					
WC#: 56.060	AFL	7915							
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561002	RIGHT MAIN WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:CES-001801	MOS/MSC	19-Nov-81	O/C						
SN:H75227	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									
561003	FOUL WEATHER WINDOW							Component	ATA:56
PN:5511275-7	MOS/MSC	29-Aug-03	O/C						
SN:0157	HRS	6165		TSN 0					
WC#: 56.050	AFL								
PROC. REF: AMM 56-10-03PROC. REF: AMM 56-10-03									
561005	COPILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-6	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561005	COPILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-4	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561005	PILOT INBOARD WINDOW							Component	ATA:56
PN:5511285-5	MOS/MSC	24-May-97	O/C						
SN:UNKNOWN	HRS	4628		TSN 0					
WC#: 56.030	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561005	PILOT OUTBOARD WINDOW							Component	ATA:56
PN:5511285-3	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	LEFT AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	LEFT FORWARD CABIN MAIN DOOR WINDOW							Component	ATA:56
PN:5591005-6	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT CENTER AFT CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.090	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562001	RIGHT CENTER FORWARD CABIN WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.100	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
562001	RIGHT FORWARD CABIN EMERGENCY DOOR WINDOW							Component	ATA:56
PN:5591005-5	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 56.070	AFL	0		TSN 0					
PROC. REF: AMM 56-21-00PROC. REF: AMM 56-21-00									
A561001 ^S	INSPECT AIRPLANE WINDOWS: PHASE 1 INSPECTION							Service	ATA:56
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
A561002 ^S	INSPECT WINDSHIELD AND FLIGHT COMPARTMENT SIDE WINDOWS: PHASE 49 INSPECTION							Service	ATA:56
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
A562001 ^S	PRISM CHECK CABIN WINDOWS(AIRPLANES -0001 THRU -0213 NOR INCORPORATING SB500-21-9 OR SB500-56-5): PHASE 49 INSPECTION							Service	ATA:56
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									

PKG:2

PKG:35

PKG:35

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
572001	LEFT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-1	MOS	10-Jan-05							
SN:1721N	HRS	6374							
WC#: 57.110	AFL	6588	15400	TSN 5079	16909		8943		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
572002	RIGHT FORWARD TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522700-2	MOS	10-Jan-05							
SN:1677N	HRS	6374							
WC#: 57.110	AFL	6588	15400	TSN 5079	16909		8943		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
574001	LEFT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-7	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 57.100	AFL	6588	30000	TSN 4750	31838		23872		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
574002	RIGHT AFT TRUNNION FITTING ASSEMBLY							Component	ATA:57
PN:5522710-8	MOS	10-Jan-05							
SN:UNKNOWN	HRS	6374							
WC#: 57.100	AFL	6588	30000	TSN 4750	31838		23872		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
574003	LEFT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00									
574004	RIGHT SIDEBRACE FITTING ASSEMBLY							Component	ATA:57
PN:5522720-2	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A570001 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	6						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:502	
A570002 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 57 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	6						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:502	
A570003 ^S	INSPECT MAIN LANDING GEAR WHEEL WELL GENERAL VISUALINSPECTION (CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:19	
A570004 ^S	INSPECT AFT WING SPAR AREA GENERAL VISUAL INSPECTION(CORROSION INSPECTION): PHASE 18 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	12						
	HRS	7939.8							
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:19	
A571001 ^S	INSPECT WING MAIN SPAR CAP HORIZONTAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A571002 ^S	INSPECT WING MAIN SPAR CAP VERTICAL FLANGE: PHASE 24 INSPECTION							Service	ATA:57
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A571003 ^S	INSPECT WING AFT SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A571004 ^S	INSPECT WING MAIN SPAR CAPS-AIRPLANES -0001 THRU -0520 NOT INCORPORATING SB500-57-10 OR 500-57-11: PHASE 12 INSPECTION							Service	ATA:57
	MOS	08-Nov-19							
	HRS	7876	600 (+10)						
	AFL	7923	600						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:13	
A571008 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING SPAR ATTACHMENT(-0001 THRU -0087,THRU -0092,-0094 THRU -0099 THRU -0114): PHASE 37 INSPECTION							Service	ATA:57
	MOS	12-May-11							
	HRS	7236.9	5000 (+10)						
	AFL	7400							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:29	
A572004 ^S	INSPECT MAIN LANDING GEAR RIB TO LOWER WING MAIN SPAR: PHASE 24 INSPECTION							Service	ATA:57
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
A573001 ^S	INSPECT WINGS: PHASE 5 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:6	
A573003 ^S	INSPECT JACK PADS: PHASE 24 INSPECTION							Service	ATA:57
	MOS	19-Nov-81		TAC 0					
	HRS	0	T:10000 (+10)	TAC 0					
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:24	
A574010	INSPECT LEFT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-1	MOS	19-Feb-99		TAC 0					
SN:UNKNOWN	HRS	5053		TAC 0					
	AFL	4830	5000		9830		1864		
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00								PKG:42	
A574010	INSPECT RIGHT MAIN LANDING GEAR SIDE BRACE FITTING: PHASE MD INSPECTION							Service	ATA:57
PN:5522720-2	MOS	19-Feb-99		TAC 0					
SN:UNKNOWN	HRS	5053		TAC 0					
	AFL	4830	5000		9830		1864		
PROC. REF: AMM 57-40-00PROC. REF: AMM 57-40-00								PKG:42	
A575001 ^S	INSPECT FLAPS: PHASE 2 INSPECTION							Service	ATA:57
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710000	NO. 1 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710000	NO. 2 ENGINE - TURBINE WASH							Service	ATA:71
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710002	LEFT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710002	RIGHT ENGINE BY-PASS NOZZLE ASSEMBLY							Component	ATA:71
PN:5555030-18	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710010	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	10-Nov-98							
	HRS	3653	3500 (+50/-50)	TAC 161.8	(6991.2) 8315.2	7041.2	375.6 (+50)		
	ENC			TAC 0					
	(AFL)								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710010	NO. 2 ENGINE - OVERHAUL							Service	ATA:71
	MOS	16-Nov-01							
	HRS	8504.3	3500 (+50/-50)	TAC 89	(11915.3) 9743.3	11965.3	1803.5 (+50)		
	ENC (AFL)			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710020	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	11-Jan-07							
	HRS	5290	1750 (+50/-50)		(7040) 8364	7090	424.4 (+50)		
	ENC								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710020	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	16-Nov-01							
	HRS	8504.3	1750 (+50/-50)		(10254.3) 8082.3	10304.3	142.5 (+50)		
	ENC								
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710030	NO. 1 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710030	NO. 2 ENGINE - INSPECT INTERMEDIATE CASE FOR CORROSION							Service	ATA:71
	MOS/MSC		A/R						
	HRS			TAC 0					
	ENC			TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712001	LEFT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6	MOS	10-Nov-98						OVERHAUL	
SN:UNKNOWN	HRS	4977	3500	TSN 0	8477		537.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712001	RIGHT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA6-1	MOS	01-Sep-07						OVERHAUL	
SN:2135	HRS	6758	3500	TSO 0	10258		2318.2		
WC#: 71.090	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5	MOS	10-Nov-98						OVERHAUL	
SN:UNKNOWN	HRS	4977	3500	TSN 0	8477		537.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5	MOS	10-Nov-98						OVERHAUL	
SN:UNKNOWN	HRS	4977	3500	TSN 0	8477		537.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	01-Sep-07						OVERHAUL	
SN:3596	HRS	6758	3500	TSO 0	10258		2318.2		
WC#: 71.100	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712002	RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM420SA5-1	MOS	01-Sep-07						OVERHAUL	
SN:3640	HRS	6758	3500	TSO 0	10258		2318.2		
WC#: 71.110	AFL								
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	10-Nov-98	E/C						
SN:PCE-77347	HRS	4977		TSO 0					
WC#: 71.EN1	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:JT15D-1A	MOS/MSC	06-Mar-15	E/C						
SN:PCE-76361	HRS	7294							
WC#: 71.EN2	AFL	7446							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
A711000 ^S	INSPECT ENGINE: PHASE 4 INSPECTION							Service	ATA:71
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 71-01-00PROC. REF: AMM 71-01-00									
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720010	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC		A/R						
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3030391	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: EMM 72-60-02PROC. REF: EMM 72-60-02									
723001	NO. 1 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723001	NO. 2 ENGINE - FAN							Component	ATA:72
PN:3018020	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3032145	MOS	10-Nov-98						LIFE LIMIT	
SN:4B182	HRS	3653							
	ENC	3195		TSN 3195	(8400) 9922 (M)		1945		
	ACCCYC	0	8400	TSN 3195			1957		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3032070	MOS	25-Nov-02						LIFE LIMIT	
SN:9C770	HRS	8593							
	ENC	7175		TSN 2972	(12603) 11961 (M)		3995		
	ACCCYC	0	8400	TSN 2972			4007		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS	10-Nov-98						LIFE LIMIT	
SN:3H228	HRS	3653							
	ENC	3195		TSN 3195	(15347) 16869 (M)		8892		
	ACCCYC	0	27500	TSN 3195			17809		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: EMM 72-30-03PROC. REF: EMM 72-30-03									
723030	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR HUB							Component	ATA:72
PN:3018018	MOS	25-Nov-02						LIFE LIMIT	
SN:454	HRS	8593							
	ENC	7175		TSN 5116	(29559) 28917 (M)		20951		
	ACCCYC	0	27500	TSN 5116			20963		
PROC. REF: EMM 72-30-03PROC. REF: EMM 72-30-03									
725010	NO. 1 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3118177-01	MOS	08-Jan-07						LIFE LIMIT	
SN:2K007	HRS	5288.5		TSN 5288.5					
	ENC	5282		TSN 5282	(14000) 15511 (M)		7545		
	ACCCYC	0	14000	TSN 5282			7557		
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02									
725010	NO. 2 ENGINE - HIGH PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3023411	MOS	25-Nov-02						LIFE LIMIT	
SN:5W897	HRS	8593							
	ENC	7175		TSN 2972	(18203) 17561 (M)		9595		
	ACCCYC	0	14000	TSN 2972			9607		
PROC. REF: EMM 72-50-02PROC. REF: EMM 72-50-02									
725020	NO. 1 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	10-Nov-98						LIFE LIMIT	
SN:9H171	HRS	3653							
	ENC	3195		TSN 3195	(14000) 15522 (M)		7545		
	ACCCYC	0	14000	TSN 3195			7557		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725020	NO. 2 ENGINE - SECOND STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3022212	MOS	25-Nov-02						LIFE LIMIT	
SN:812	HRS	8593							
	ENC	7175		TSN 7175	(14000) 13358 (M)		5392		
	ACCCYC	0	14000	TSN 7175			5404		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725030	NO. 1 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3021213	MOS	10-Nov-98						LIFE LIMIT	
SN:8H754	HRS	3653							
	ENC	3195		TSN 3195	(14000) 15522 (M)		7545		
	ACCCYC	0	14000	TSN 3195			7557		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - THIRD STAGE LOW PRESSURE TURBINE ROTOR DISK							Component	ATA:72
PN:3036113	MOS	25-Nov-02						LIFE LIMIT	
SN:858	HRS	8593							
	ENC	7175		TSN 7175	(14000) 13358 (M)		5392		
	ACCCYC	0	14000	TSN 7175			5404		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
725071	NO. 1 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3035239	MOS/MSC	08-Jan-07	O/C						
SN:270	HRS	5288.5							
	ENC	5282							
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									
ATA 72 - ENGINE									
725071	NO. 2 ENGINE - COMBUSTION LINER							Component	ATA:72
PN:3029994	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 72-40-01PROC. REF: EMM 72-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725101	NO. 1 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS/MSC	20-Dec-06	O/C						
	HRS	5288.5							
	ENC	5282							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725101	NO. 2 ENGINE - REPLACE HIGH TURBINE BLADES							Component	ATA:72
	MOS	25-Nov-02						LIFE LIMIT	
	HRS	8593	3500		(12093) 9921		1981.2		
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
731004	NO. 1 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	21-Jun-07	O/C						
SN:7667	HRS	6696		TSN 0					
WC#: 73.030	AFL								
PROC. REF: AMM 73-30-04PROC. REF: AMM 73-30-04									
731004	NO. 2 ENGINE LOW FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	12-May-11	O/C	TSN 0					
SN:9413	HRS	7236.9							
WC#: 73.030	AFL	7400		TSN 0					
PROC. REF: AMM 73-30-04PROC. REF: AMM 73-30-04									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-04	MOS/MSC	10-Nov-98	O/C						
SN:580	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731010	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:025493-402-05	MOS/MSC	25-Nov-02	O/C						
SN:87A120	HRS	8593		TSO 89					
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731020	NO. 1 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:UA530768-4	MOS/MSC	10-Nov-98	O/C						
SN:2267	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731020	NO. 2 ENGINE - FUEL-OIL COOLER							Component	ATA:73
PN:UA530768-4	MOS/MSC	23-Dec-16	O/C						
SN:3073	HRS	9717							
	ENC	8261							
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731025	NO. 1 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:UA530768-4	MOS/MSC		A/R						
SN:2267	HRS	0			(6992) 8316.2 (M)		376.4		
	ENC	0		TAC 0					
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731025	NO. 2 ENGINE - VISUALLY INSPECT FUEL-OIL COOLER							Service	ATA:73
PN:UA530768-4	MOS/MSC	23-Dec-16	A/R						
SN:3073	HRS	9717							
	ENC	8261							
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731030	NO. 1 ENGINE - MOTIVE FLOW VALVE							Component	ATA:73
PN:2524995	MOS/MSC	20-Jan-94	O/C						
SN:A40280	HRS	2225		TSO 1962					
	ENC								
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731035	NO. 1 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service ATA:73
PN:2524995	MOS							
SN:A40280	HRS	0	1800		(6992) 8316.2 (M)		376.4	
	ENC	0		TAC 0				
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731035	NO. 2 ENGINE - VISUALLY INSPECT MOTIVE FLOW VALVE							Service ATA:73
	MOS/MSC		A/R					
	HRS	0						
	ENC	0		TAC 0				
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731040	NO. 1 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:25607-2	MOS/MSC	10-Nov-98	O/C					
SN:WE79	HRS	3653		TSO 161				
	ENC							
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731040	NO. 2 ENGINE - FLOW DIVIDER VALVE							Component ATA:73
PN:25607-1	MOS/MSC	25-Nov-02	O/C					
SN:518	HRS	8593		TSO 89				
	ENC							
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731090	NO. 1 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:25607-2	MOS							
SN:WE79	HRS	0	1800		(6992) 8316.2 (M)		376.4	
	ENC	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731090	NO. 2 ENGINE - VISUALLY INSPECT FLOW DIVIDER VALVE							Service ATA:73
PN:25607-1	MOS/MSC		A/R					
SN:518	HRS	0						
	ENC	0		TAC 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732010	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	03-Jul-02	O/C						
SN:A60311	HRS	4710		TSO 1863					
	ENC								
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01									
732010	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3244763-2	MOS/MSC	25-Nov-02	O/C						
SN:A43386	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 73-20-01PROC. REF: EMM 73-20-01									
733002	FUEL FLOW INDICATOR							Component	ATA:73
PN:VSDL-OC408F	MOS/MSC	02-May-02	O/C						
SN:138CA	HRS	5996		TSO 0					
WC#: 73.020	AFL								
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01									
733003	NO. 1 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	18-Jul-01	O/C						
SN:909583	HRS	5732		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
733003	NO. 2 ENGINE FUEL FLOWMETER							Component	ATA:73
PN:3268005-0101	MOS/MSC	15-May-00	O/C						
SN:0045	HRS	5429		TSO 0					
WC#: 73.100	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73FO-02	FUEL REMAIN INDICATOR FACTORY OPTION							Component	ATA:73
PN:197	MOS/MSC	19-Nov-81	-						
SN:FO	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-2	MOS/MSC	05-Sep-01	O/C						
SN:9537R014C	HRS	4441		TSN 0					
	ENC								
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
741010	NO. 2 ENGINE - LOWER IGNITION EXCITER							Component	ATA:74
PN:10-381550-2A	MOS/MSC	25-Nov-02	O/C						
SN:BA17193	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
741015	NO. 1 ENGINE - UPPER IGNITION EXCITER							Component	ATA:74
PN:10-381550-2H	MOS/MSC	10-Nov-98	O/C						
SN:26290	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 74-10-01PROC. REF: EMM 74-10-01									
741030	NO. 1 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-2	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
SN:9537R014C	HRS	6597.8	300 (+30)		(6897.8) 8222	6927.8	282.2 (+30)		
	ENC	6443							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741030	NO. 1 ENGINE - VISUAL INSPECT UPPER IGNITION EXCITER							Service	ATA:74
PN:10-381550-2H	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
SN:26290	HRS	6597.8	300 (+30)		(6897.8) 8222	6927.8	282.2 (+30)		
	ENC	6443							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741030	NO. 2 ENGINE - VISUAL INSPECT LOWER IGNITION EXCITER							Service	ATA:74
PN:10-381550-2A	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
SN:BA17193	HRS	10094	300 (+30)		(10394) 8222	10424	282.2 (+30)		
	ENC	8596							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
741030	NO. 2 ENGINE - VISUAL INSPECT UPPER IGNITION EXCITER							Service	ATA:74
	MOS	15-Feb-24	24 (+2m)		28-Feb-26	15-Apr-26	324 d (+46)		
	HRS	10094	300 (+30)		(10394) 8222	10424	282.2 (+30)		
	ENC	8596							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	15-Apr-19	O/C	TSN 0					
SN:NSN	HRS	6546		TSN 0					
	ENC	6404							
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
742010	NO. 2 ENGINE - OUTBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	24-Oct-18	O/C	TSN 0					
SN:NSN	HRS	10007		TSN 0					
	ENC	8476							
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742020	NO. 1 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	15-Apr-19	O/C	TSN 0					
SN:NSN	HRS	6546		TSN 0					
	ENC	6404							
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
742020	NO. 2 ENGINE - INBOARD IGNITER PLUG							Component	ATA:74
PN:FHE-246-4	MOS/MSC	15-Apr-19	O/C	TSN 0					
SN:NSN	HRS	10042.3		TSN 0					
	ENC	8497							
PROC. REF: EMM 74-20-02PROC. REF: EMM 74-20-02									
742030	NO. 1 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:10-395428-2	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
742030	NO. 2 ENGINE - SHORT IGNITER LEAD							Component	ATA:74
PN:53067-21	MOS/MSC	15-Apr-19	O/C	TSN 0					
SN:NSN	HRS	10042.3		TSN 0					
	ENC	8497							
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
742040	NO. 1 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-395428-1	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									
742040	NO. 2 ENGINE - LONG IGNITER LEAD							Component	ATA:74
PN:10-380051-5	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 74-20-01PROC. REF: EMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
B742001 ^S	INSPECT ENGINE IGNITERS: PHASE 2 INSPECTION							Service	ATA:74
	MOS	10-Mar-25							
	HRS	7939.8	150 (+30)						
	AFL	7966							
								PKG:1,3,5	
PROC. REF: AMM 74-30-01PROC. REF: AMM 74-30-01									
ATA 75 - AIR									
750001	LEFT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	17-Jan-86	O/C						
SN:UNKNOWN	HRS	1080		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750001	LEFT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	27-Mar-87	O/C						
SN:UNKNOWN	HRS	1400		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750001	RIGHT INBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	27-Mar-87	O/C						
SN:UNKNOWN	HRS	1400		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750001	RIGHT OUTBOARD BLEED AIR FLEX JOINT COUPLING							Component	ATA:75
PN:31A402	MOS/MSC	27-Mar-87	O/C						
SN:UNKNOWN	HRS	1400		TSN 0					
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
750010	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:3018531D	MOS/MSC	23-Dec-16	O/C						
SN:2017	HRS	6235							
	ENC	6186							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
PROC. REF: EMM 75-00-02PROC. REF: EMM 75-00-02									
750010	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR ANTI-ICING SOLENOID VALVE							Component	ATA:75
PN:3244758-1	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
ENC									
PROC. REF: EMM 75-00-02PROC. REF: EMM 75-00-02									
751002 ^U	NO. 1 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	10-Nov-98	O/C						
SN:2017	HRS	3653		TSO 161					
ENC									
751002 ^U	NO. 2 ENGINE - BA SOL VALVE-STATORS							Component	ATA:75
PN:KW15632	MOS/MSC	25-Nov-02	O/C						
SN:1469	HRS	8593		TSO 89					
ENC									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761001	ENGINE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:5565810-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.060	AFL	0		TSN 0					
PROC. REF: AMM 76-10-01PROC. REF: AMM 76-10-01									
761002	NO. 1 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761002	NO. 2 ENGINE MAIN THROTTLE CONTROL CABLE							Component	ATA:76
PN:411D0315-3	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.040	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761003	NO. 1 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-1	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
761004	NO. 2 ENGINE NACELLE THROTTLE CONTROL CABLE							Component	ATA:76
PN:7-42346-2	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 76.030	AFL	0		TSN 0					
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
B761002 ^S	INSPECT/CHECK THRUST REVERSER LOAD LIMIT PRE-LOAD: PHASE 5 INSPECTION							Service	ATA:76
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
770010	NO. 1 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	15-Feb-24	24 (+2m)		15-Feb-26	15-Apr-26	311 d (+59)		
	HRS	6597.8	300 (+30)		(6897.8) 8222	6927.8	282.2 (+30)		
	ENC	6443							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
770010	NO. 2 ENGINE - INSPECT T1 PROBE THERMOCOUPLE HARNESS FOR DAMAGE OR PROBES TOUCHING EACH OTHER							Service	ATA:77
	MOS	15-Feb-24	24 (+2m)		15-Feb-26	15-Apr-26	311 d (+59)		
	HRS	10094	300 (+30)		(10394) 8222	10424	282.2 (+30)		
	ENC	8596							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771001	LEFT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	10-Nov-98	O/C						
SN:3157	HRS	4977		TSO 0					
	AFL								
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									
771001	LEFT TOP N1 TACH GENERATOR							Component	ATA:77
PN:22A703	MOS/MSC	23-Dec-01	O/C						
SN:78634	HRS	5883		TSO 0					
	AFL								
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									
771001	RIGHT BOTTOM N2 TACH GENERATOR							Component	ATA:77
PN:22A703	MOS/MSC	15-May-00	O/C						
SN:46083	HRS	5429		TSO 0					
	AFL								
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771001	RIGHT TOP N1 TACH GENERATOR							Component	ATA:77
PN:22A623	MOS/MSC	17-Feb-90	O/C						
SN:4688	HRS	2410		TSO 0					
	AFL								
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									
771002	N2 (TURBINE) INDICATOR							Component	ATA:77
PN:VSDL-OC410P	MOS/MSC	17-Jan-86	O/C						
SN:178E	HRS	1080		TSN 0					
WC#: 77.050	AFL								
PROC. REF: AMM 77-12-01PROC. REF: AMM 77-12-01									
771003	N1 (FAN) INDICATOR							Component	ATA:77
PN:VSDL-OC410R	MOS/MSC	12-May-11	O/C	TSO 0					
SN:3	HRS	7236.9		TSO 0					
WC#: 77.050	AFL	7400		TSO 0					
PROC. REF: AMM 77-11-01PROC. REF: AMM 77-11-01									
772001	ITT INDICATOR							Component	ATA:77
PN:VSDL-OC419G	MOS/MSC	17-Jan-91	O/C						
SN:73KAY	HRS	2692		TSO 0					
	AFL								
PROC. REF: AMM 77-21-01PROC. REF: AMM 77-21-01									
ATA 78 - EXHAUST									
781001	NO. 1 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:5555020-40	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-00-00PROC. REF: AMM 78-00-00									
781001	NO. 2 ENGINE EXHAUST NOZZLE CONE							Component	ATA:78
PN:5555020-41	MOS/MSC	19-Nov-81	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-00-00PROC. REF: AMM 78-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
A783002 ^S	INSPECT THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:5	
A783003 ^S	INSPECT THRUST REVERSER ELECTRICAL JUNCTION BOX: PHASE 5 INSPECTION							Service	ATA:78
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:6	
B783002 ^S	OPERATIONAL TEST THRUST REVERSERS: PHASE 4 INSPECTION							Service	ATA:78
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:5	
C783001 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (WC 393 NON-AEROSOL SPRAY LUBRICATION): PHASE 4 INSPECTION							Service	ATA:78
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:5	
C783002 ^S	LUBRICATE THRUST REVERSER GUIDE RODS (D5100NS AEROSOL SPRAY LUBRICATION METHOD): PHASE 2 INSPECTION							Service	ATA:78
	MOS	10-Mar-25	24						
	HRS	7939.8	300						
	AFL	7966							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
C783003 ^S	LUBRICATE THRUST REVERSER PIVOT POINTS (C5-A ANTISIEZE COMPOUND LUBRICATION METHOD): PHASE 55 INSPECTION							Service	ATA:78
	MOS	15-Apr-19							
	HRS	7870.3	600						
	AFL	7915							
PROC. REF: AMM 78-30-00PROC. REF: AMM 78-30-00								PKG:53	
ATA 79 - OIL									
792003	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3015330	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01									
792003	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:3015330	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 79-20-01PROC. REF: EMM 79-20-01									
792010	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	18-Aug-22	O/C						
	HRS	6591.5							
	ENC	6440							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
792010	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	18-Aug-22	O/C						
	HRS	10087.7							
	ENC	8593							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
793001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:VSDL-OC219E	MOS/MSC	15-Oct-00	O/C						
SN:168FCBA	HRS	5517		TSO 0					
WC#: 79.060	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03									
<hr/>									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	19-Nov-81	O/C						
SN:14074	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: AMM 79-30-04PROC. REF: AMM 79-30-04									
<hr/>									
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	19-Nov-81	O/C						
SN:8698	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: AMM 79-30-04PROC. REF: AMM 79-30-04									
<hr/>									
793003	OIL PRESSURE INDICATOR							Component	ATA:79
PN:VSDL-OC204A	MOS/MSC	12-May-11	O/C						
SN:174FCBA	HRS	7236.9		TSO 242.9					
WC#: 79.060	AFL	7400							
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01									
<hr/>									
793004	LEFT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	15-Nov-93	O/C						
SN:20080	HRS	3506		TSO 0					
	AFL								
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02									
<hr/>									
793004	RIGHT ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:123479	MOS/MSC	15-May-00	O/C						
SN:48815	HRS	5429		TSO 0					
	AFL								
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02									
<hr/>									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: 500 - MODEL 500 Serial: 500-0415 RegNo: N53RD HRS: 7939.8 AFL: 7966 As Of: 01-Apr-2025

10-Apr-2025 01:13 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 80 - STARTING									
B801001 ^S	INSPECT LUCAS AEROSPACE STARTER GENERATOR(P/N 9912038-3,4,5) BRUSH: PHASE 4 INSPECTION							Service	ATA:80
	MOS	10-Mar-25	24 (+2m)						
	HRS	7939.8	300 (+30)						
	AFL	7966							
PROC. REF: AMM 80-10-01PROC. REF: AMM 80-10-01								PKG:5	
B801002 ^S	OPERATIONAL TEST STARTER DISENGAGE: PHASE 5 INSPECTION							Service	ATA:80
	MOS	10-Mar-25	36 (+2m)						
	HRS	7939.8	1200 (+100)						
	AFL	7966							
PROC. REF: AMM 80-10-01PROC. REF: AMM 80-10-01								PKG:6	
ATA 83 - ACCESSORY GEAR-BOXES									
832001	NO. 1 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	10-Nov-98	O/C						
SN:UNKNOWN	HRS	3653		TSO 161					
	ENC								
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01									
832001	NO. 2 ENGINE - MAIN GEARBOX ASSEMBLY							Component	ATA:83
PN:3018390	MOS/MSC	25-Nov-02	O/C						
SN:UNKNOWN	HRS	8593		TSO 89					
	ENC								
PROC. REF: EMM 72-60-01PROC. REF: EMM 72-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task