

N390AA

2012 Beech Premier IA

CAMP Status Report

MSN: RB-293



Prepared by the worldwide aviation specialists at RidgeAire, Inc.



Status Report

PREMIER IA

S/N RB-293 N390AA

OWNER: AIR BC, LLC
ADDRESS: PO BOX 249
HEWITT TX 76643
OFFICE:
FAX:

OPERATOR: AIR BC, LLC
ADDRESS: PO BOX 249
HEWITT TX 76643
OFFICE:
FAX:

ANALYST: WADE HOAGBOON
EMAIL: WHOAGBOON@CAMPSYSTEMS.COM

1-316-462-2455 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : ATA:00, 05, 07, 08, 12, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 44, 46, 52, 53, 54, 55, 56, 57, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, GENERAL: Spl.
Reqs: INCLUDE; Task Type: PACKAGE, COMPONENT, SERVICE; PN/SN-UNKNOWN Components: INCLUDE

AIRCRAFT SERIAL/REGNO: RB-293/N390AA MODEL: PREMIER IA MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 27-JUN-2012

LAST ACTUALS:

2066.8 A/C HRS as of 03-JAN-2025
1714 AFL as of 03-JAN-2025
1637.2 ACH as of 17-JUN-2024

ENGINE NO. 1 SERIAL/PART: 105499/FJ44-2A MODEL: FJ44-2A MANUFACTURER: WILLIAMS INTERNATIONAL

INSTALLED ON: 27-JUN-2012

LAST ACTUALS:

0 ENG. HRS 0 A/C HRS 2066.8 ENG. HRS as of 03-JAN-2025
0 ENC 1714 ENC as of 03-JAN-2025

ENGINE NO. 2 SERIAL/PART: 105498/FJ44-2A MODEL: FJ44-2A MANUFACTURER: WILLIAMS INTERNATIONAL

INSTALLED ON: 27-JUN-2012

LAST ACTUALS:

0 ENG. HRS 0 A/C HRS 2066.8 ENG. HRS as of 03-JAN-2025
0 ENC 1714 ENC as of 03-JAN-2025



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-160620	NO. 1 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160620	NO. 2 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160920	NO. 1 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160920	NO. 2 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-161216	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-161216	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-170316	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 42							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-170316	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 42							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-170621	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 43							Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-170621	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 43							Service ATA:00
	MOS/MSC	27-Jun-12	-	TAC 0				REQUIREMENT CHANGE FORMS
	HRS	0		TAC 0				
	ENC	0		TAC 0				
PROC. REF: RCF E082PROC. REF: RCF E082								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-170922	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-170922	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-171212	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-171212	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-180322	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 46							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-180322	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 46							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-180621	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 47							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-180621	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 47							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-180921	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-180921	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 48							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-181213	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-181213	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 49							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-190312	NO. 1 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-190312	NO. 2 ENGINE - REVIEW FJ44-2A LMM REV 50							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
PM39-150717	REVIEW MODEL 390 MAINTENANCE MANUAL REVISION A42-CAMP CHANGE FORM							Service ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PM39PROC. REF: RCF PM39								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PM39-160701	REVIEW PREMIER I/IA MODEL 390 AMM REV. A43							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									
PM39-171219	REVIEW AUDIT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									
PM39-180321	REVIEW AUDIT SUMMARY CHANGE FORM - EMED POSITIONS							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									
PM39-180910	REVIEW OF AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE - OXYGEN BOTTLE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									
PM39-190110	REVIEW AUDIT SUMMARY CHANGE FORM-DESCRIPTION CHANGE							Service	ATA:00
	MOS/MSC	19-Jun-19	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PM39-190201	REVIEW PREMIER I/IA MODEL 390 AIRCRAFT MAINTENANCE MANUAL REV. B							Service	ATA:00
	MOS/MSC	19-Jun-19	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF PM39PROC. REF: RCF PM39									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051001	SCHEDULED A INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	600 (+20)		2632	2652	565.2 (+20)		
	AFL	1683							
PROC. REF: AMM 05-20-02PROC. REF: AMM 05-20-02									
051002	SCHEDULED B INSPECTION							Package	ATA:05
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1165.2 (+20)		
	AFL	1683							
PROC. REF: AMM 05-20-03PROC. REF: AMM 05-20-03									
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	203.5 (+30)		
	ENC	1639							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	10-Jul-23							
	HRS	1970.3	300 (+10%/-10%)		(2270.3) 2270.3	2300.3	203.5 (+30)		
	ENC	1639							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	10-Jul-23						
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	503.5 (+30)	
	ENC	1639						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	10-Jul-23						
	HRS	1970.3	600 (+30)		(2570.3) 2570.3	2600.3	503.5 (+30)	
	ENC	1639						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	933.2 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:3000 (+50)		(3000) 3000	3050	933.2 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2933.2 (+50)	
	ENC	0						
PKG:4								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:5000 (+50)		(5000) 5000	5050	2933.2 (+50)	
	ENC	0						
PKG:4								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5933.2 (+50)	
	ENC	0						
PKG:5								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:8000 (+50)		(8000) 8000	8050	5933.2 (+50)	
	ENC	0						
PKG:5								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7933.2 (+50)	
	ENC	0						
PKG:6								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:10000 (+50)		(10000) 10000	10050	7933.2 (+50)	
	ENC	0						
PKG:6								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10933.2 (+50)	
	ENC	0						
PKG:7								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:13000 (+50)		(13000) 13000	13050	10933.2 (+50)	
	ENC	0						
PKG:7								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12933.2 (+50)	
	ENC	0						
PKG:8								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:15000 (+50)		(15000) 15000	15050	12933.2 (+50)	
	ENC	0						
PKG:8								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15933.2 (+50)	
	ENC	0						
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:18000 (+50)		(18000) 18000	18050	15933.2 (+50)	
	ENC	0						
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17933.2 (+50)	
	ENC	0						
PKG:12								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	27-Jun-12						
	HRS	0	T:20000 (+50)		(20000) 20000	20050	17933.2 (+50)	
	ENC	0						
PKG:12								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052011	NO. 1 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:23000 (+50)	TAC 0	(23000) 23000	23050	20933.2 (+50)	
	ENC	0		TAC 0				
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052011	NO. 2 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:23000 (+50)	TAC 0	(23000) 23000	23050	20933.2 (+50)	
	ENC	0		TAC 0				
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052012	NO. 1 ENGINE - FJ44 CHECK 12							Package	ATA:05
	MOS		27-Jun-12	TAC 0					
	HRS	0	T:25000 (+50)	TAC 0	(25000) 25000	25050	22933.2 (+50)		
	ENC	0		TAC 0					
PKG:12									
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									
052012	NO. 2 ENGINE - FJ44 CHECK 12							Package	ATA:05
	MOS		27-Jun-12	TAC 0					
	HRS	0	T:25000 (+50)	TAC 0	(25000) 25000	25050	22933.2 (+50)		
	ENC	0		TAC 0					
PKG:12									
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									
052013	NO. 1 ENGINE - FJ44 CHECK 13							Package	ATA:05
	MOS		27-Jun-12	TAC 0					
	HRS	0	T:28000 (+50)	TAC 0	(28000) 28000	28050	25933.2 (+50)		
	ENC	0		TAC 0					
PKG:13									
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									
052013	NO. 2 ENGINE - FJ44 CHECK 13							Package	ATA:05
	MOS		27-Jun-12	TAC 0					
	HRS	0	T:28000 (+50)	TAC 0	(28000) 28000	28050	25933.2 (+50)		
	ENC	0		TAC 0					
PKG:13									
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052014	NO. 1 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:30000 (+50)	TAC 0	(30000) 30000	30050	27933.2 (+50)	
	ENC	0		TAC 0				
PKG:14								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052014	NO. 2 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	27-Jun-12		TAC 0				
	HRS	0	T:30000 (+50)	TAC 0	(30000) 30000	30050	27933.2 (+50)	
	ENC	0		TAC 0				
PKG:14								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
05UNS1	ACCOMPLISH UNSCHEDULED LIGHTNING STRIKE INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.040	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS2	ACCOMPLISH UNSCHEDULED HARD LANDING INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.050	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS3	ACCOMPLISH UNSCHEDULED TURBULENT AIR INSPECTION							Service ATA:05
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.060	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05UNS4 ACCOMPLISH UNSCHEDULED FOREIGN OBJECT DAMAGE INSPECTION Service ATA:05								
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.070	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS5 ACCOMPLISH UNSCHEDULED HIGH DRAG/SIDE LOAD INSPECTION Service ATA:05								
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 05.080	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS6 ACCOMPLISH UNSCHEDULED OPERATION IN OR AROUND VOLCANIC ASH INSPECTION Service ATA:05								
	MOS/MSC	27-Jun-12	A/R					UNSCHEDED MAINTENANCE CHECK
	HRS	0						
WC#: 05.090	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS7 ACCOMPLISH UNSCHEDULED AIRSPEED (OVERSPEED) LIMITATION EXCEEDANCE INSPECTION Service ATA:05								
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
ATA 12 - SERVICING								
123C01 ^S LUBRICATE RUDDER, ELEVATOR AND AILERON TRIM TAB PIANO HINGE Service ATA:12								
	MOS	30-Dec-22						
	HRS	1906.5	200 (+20)					
WC#: 12.070	AFL	1603						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:8

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
127A01 ^S	LUBRICATE NOSE LANDING GEAR LUBRICATIONS POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01									
PKG:8									
127B01 ^S	LUBRICATE LEFT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01									
PKG:8									
127C01 ^S	LUBRICATE RIGHT MAIN LANDING GEAR LUBRICATION POINTS							Service	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)						
	AFL	1603							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01									
PKG:8									
200A02 ^S	LUBRICATE COCKPIT SECTION ZONE 210 - ABOVE FLOOR							Service	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)						
WC#: 12.010	AFL	1522							
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01									
PKG:9									
200D01 ^S	LUBRICATE MID FUSELAGE ZONE 230 - WING-TO-FUSELAGE FAIRING							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.040	AFL	1683							
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,7,9									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
300A11 ^S	LUBRICATE AFT FUSELAGE ZONE 310 AFT PRESSURE BULKHEAD							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.050	AFL		1683						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,7,9									
300B01 ^S	LUBRICATE ZONE 320 VERTICAL STABILIZER							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.060	AFL		1683						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,7,9									
300C01 ^S	LUBRICATE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.130	AFL		1683						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,7,9									
500C02 ^S	LUBRICATE LEFT WING ZONE 500/600, 530/630, 540/640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.090	AFL		1683						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,9									
600C02 ^S	LUBRICATE RIGHT WING ZONE 600, 630, 640 - FLIGHT CONTROLS (600 HOURS)							Service	ATA:12
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 12.090	AFL		1683						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,9									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
700A01 ^S	LUBRICATE FORWARD FUSELAGE ZONE 710 - NOSE WHEEL WELL							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.100	AFL	1683							
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,9									
700B01 ^S	LUBRICATE LEFT WING ZONE 720 LEFT MAIN LANDING GEAR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.110	AFL	1683							
PROC. REF: AMM 06-50-06PROC. REF: AMM 06-50-06									
PKG:6,7,9									
700C01 ^S	LUBRICATE RIGHT WING ZONE 730 RIGHT MAIN LANDING GEAR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.110	AFL	1683							
PROC. REF: AMM 06-50-06PROC. REF: AMM 06-50-06									
PKG:6,7,9									
800A01 ^S	LUBRICATE ZONE 830 PASSENGER DOOR, ZONE 840 EMERGENCY EXIT, ZONE 850 LEFT BAGGAGE AND ZONE 860 RIGHT AVIONICS DOOR							Service	ATA:12
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 12.160	AFL	1683							
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:6,9									
SPC24	200 HOUR LUBRICATION SERVICING							Package	ATA:12
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)		
	AFL	1603							
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
PKG:8									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
SPC25	600 HOUR LUBRICATION SERVICING							Package	ATA:12
	MOS	28-Jun-22							
	HRS	1774.2	600 (+20)		2374.2	2394.2	307.4 (+20)		
	AFL	1522							
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02									
ATA 20 - STANDARD PRACTICES - AIRFRAME									
100D06 ^S	RESISTANCE CHECK ELECTRICAL BOND - NOSE AVIONICS ZONE 120							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
100E11 ^S	RESISTANCE CHECK ELECTRICAL BOND - RADOME ZONE 110							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
200A15 ^S	RESISTANCE CHECK ELECTRICAL BOND - COCKPIT ZONE 210							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
200B11 ^S	RESISTANCE TEST ELECTRICAL BOND - CABIN ZONE 220							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
200C20 ^S	RESISTANCE CHECK ELECTRICAL BOND - WING TO FUSELAGE ZONE 230							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
200C21 ^S	RESISTANCE CHECK ELECTRICAL BOND - ANTENNAS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
300A48 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 AFT AVIONICS COMPARTMENT							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
300A49 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 TAILCONE							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
300B16 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 320 VERTICAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
300C19 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 330 HORIZONTAL STABILIZER							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
500A11 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
600A10 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service	ATA:20
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00									
PKG:7									
ATA 21 - AIR CONDITIONING									
100A11 ^S	INSPECT COCKPIT EVAPORATOR BLOWER - FORWARD - MOTOR BRUSHES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 21.100	AFL	1683							
PROC. REF: CMM 21-22-22PROC. REF: CMM 21-22-22									
PKG:7									
100B01 ^S	INSPECT ENVIRONMENTAL SYSTEM - AFT							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
100B02 ^S	INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.030	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
100B03 ^S	INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.020	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
100B14	VISUALLY INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12							
	HRS	0	6000 (+20)		6000	6020	3933.2 (+20)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
100B15	VISUALLY INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12							
	HRS	0	6000 (+20)		6000	6020	3933.2 (+20)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
100B16	VISUAL INSPECT AFT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service	ATA:21
	MOS	27-Jun-12		TAC 0					
	HRS	0	6000 (+20)	TAC 0	6000	6020	3933.2 (+20)		
	AFL	0		TAC 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
200A03 ^S INSPECT FORWARD ENVIROMENTAL SYSTEM Service ATA:21								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
	AFL		1683					
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								
200B03 ^S INSPECT LEFT HAND SECONDARY OUTFLOW VALVE Service ATA:21								
PN:390-384025-0005	MOS		11-Jun-24					
SN:0660	HRS		2032		600 (+20)			
WC#: 21.195	AFL		1683					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
200B03 ^S INSPECT RIGHT HAND PRIMARY OUTFLOW VALVE Service ATA:21								
PN:390-384024-0005	MOS		11-Jun-24					
SN:0735A	HRS		2032		600 (+20)			
WC#: 21.190	AFL		1683					
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
200B10 ^S INSPECT CABIN EVAPORATOR BLOWER - AFT - MOTOR BRUSHES Service ATA:21								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
	AFL		1683					
PROC. REF: CMM 21-22-22PROC. REF: CMM 21-22-22								
200D02 ^S INSPECT COCKPIT BLEED AIR DUCT Service ATA:21								
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
WC#: 21.050	AFL		1683					
PROC. REF: AMM 21-20-00PROC. REF: AMM 21-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210001		LEFT HAND HEAT EXCHANGER						Component	ATA:21
PN:390-385033-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:104	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-60-12, AMM 21-60-13PROC. REF: AMM 21-60-12, AMM 21-60-13									
210002		RIGHT HAND HEAT EXCHANGER						Component	ATA:21
PN:390-385033-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:105	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-60-12, AMM 21-60-13PROC. REF: AMM 21-60-12, AMM 21-60-13									
211101		NO. 1 BLEED AIR CONTROL UNIT						Component	ATA:21
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6437	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211102		NO. 2 BLEED AIR CONTROL UNIT						Component	ATA:21
PN:35009-20	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:D6099	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211111		LEFT HAND TEMPERATURE SENSOR						Component	ATA:21
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05									
211112		RIGHT HAND TEMPERATURE SENSOR						Component	ATA:21
PN:1300460-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212001		3-WAY SOLENOID VALVE					Component ATA:21		
PN:5303-23	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0648	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 52-10-06PROC. REF: AMM 52-10-06									
212011		LEFT HAND BI-LEVEL FLOW CONTROL VALVE					Component ATA:21		
PN:5158-00-3	MOS/MSC	16-Dec-19	O/C	TSO 0					
SN:0383	HRS	1256.43		TSO 0					
WC#: 21.060	AFL	1205		TSO 0					
PROC. REF: AMM 21-20-06PROC. REF: AMM 21-20-06									
212012		RIGHT HAND BI-LEVEL FLOW CONTROL VALVE					Component ATA:21		
PN:5185-003	MOS/MSC	06-Aug-19	O/C	TSO 0					
SN:0527	HRS	1243.25		TSO 0					
WC#: 21.060	AFL	1196		TSO 0					
PROC. REF: AMM 21-20-06PROC. REF: AMM 21-20-06									
212021		THREE WAY VALVE					Component ATA:21		
PN:390-385017-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0314	HRS	0		TSN 0					
WC#: 21.330	AFL	0		TSN 0					
PROC. REF: AMM 52-10-06, AMM 21-20-02PROC. REF: AMM 52-10-06, AMM 21-20-02									
213021		PRESSURIZATION CONTROLLER					Component ATA:21		
PN:390-385014-0003	MOS/MSC	18-Jul-23	O/C	TSO 0					
SN:0343	HRS	1971.2		TSO 0					
WC#: 21.340	AFL	1641		TSO 0					
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01									
213041		BAROMETRIC PRESSURE SWITCH					Component ATA:21		
PN:390-364403-0001	MOS/MSC	11-Jun-24	O/C	TSN 0					
SN:7593	HRS	2032		TSN 0					
WC#: 21.360	AFL	1683		TSN 0					
PROC. REF: AMM 21-30-05PROC. REF: AMM 21-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215025 COMPRESSOR DRIVE MODULE								Component ATA:21
PN:1134930-5 (390-385026-0003)	MOS/MSC	16-Dec-19	O/C	TSO 0				
SN:499	HRS	1256.43		TSO 0				
WC#: 21.370	AFL	1205		TSO 0				
	ACH	1246		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215030 AIR CONDITIONING COMPRESSOR								Component ATA:21
PN:PN	MOS/MSC	16-Dec-19	O/C	TSO 0				
SN:UNKNOWN	HRS	1256.43		TSO 0				
WC#: 21.160	AFL	1205		TSO 0				
	ACH	1246		TSO 0				
PROC. REF: AMM 21-50-03PROC. REF: AMM 21-50-03								
215040 AIR CONDITION CONDENSER								Component ATA:21
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: AMM 21-50-06PROC. REF: AMM 21-50-06								
215043 RIGHT HAND PRIMARY OUTFLOW VALVE								Component ATA:21
PN:390-384024-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0735A	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
215044 LEFT HAND SECONDARY OUTFLOW VALVE								Component ATA:21
PN:390-384025-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0660	HRS	0		TSN 0				
WC#: 21.195	AFL	0		TSN 0				
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215051	SOFT START MODULE							Component	ATA:21
PN:1260470-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:238	HRS	0		TSN 0					
WC#: 21.380	AFL	0		TSN 0					
PROC. REF: AMM 21-50-04PROC. REF: AMM 21-50-04									
<hr/>									
2150510 ^U	AUTO LOAD SHED MODULE							Component	ATA:21
PN:1240100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
2150512 ^U	AFT AXIAL BLOWER							Component	ATA:21
PN:BA128E-7	MOS/MSC	18-Jan-17	O/C	TSO 8					
SN:024	HRS	739.75		TSO 0					
	AFL	756		TSO 0					
<hr/>									
215061	COCKPIT REFRIGERANT SOLENOID VALVE							Component	ATA:21
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0600	HRS	0		TSN 0					
WC#: 21.390	AFL	0		TSN 0					
PROC. REF: AMM 21-50-17PROC. REF: AMM 21-50-17									
<hr/>									
215065	CABIN REFRIGERANT SOLENOID VALVE							Component	ATA:21
PN:390-385027-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0638	HRS	0		TSN 0					
WC#: 21.395	AFL	0		TSN 0					
PROC. REF: AMM 21-50-17PROC. REF: AMM 21-50-17									
<hr/>									
215071	FLIGHT DECK EVAPORATOR COIL							Component	ATA:21
PN:390-385020-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:433	HRS	0		TSN 0					
WC#: 21.115	AFL	0		TSN 0					
PROC. REF: AMM 21-50-19PROC. REF: AMM 21-50-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215091		CABIN COIL EVAPORATOR					Component ATA:21		
PN:390-385023-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:143	HRS	0		TSN 0					
WC#: 21.125	AFL	0		TSN 0					
PROC. REF: AMM 21-50-13PROC. REF: AMM 21-50-13									
215095		EVAPORATOR					Component ATA:21		
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
216001		CABIN TEMPERATURE CONTROLLER					Component ATA:21		
PN:390-385011-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:811	HRS	0		TSN 0					
WC#: 21.400	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01									
216002		COCKPIT TEMPERATURE CONTROLLER					Component ATA:21		
PN:390-385011-0009	MOS/MSC	23-Nov-20	O/C						
SN:849	HRS	1384.8							
WC#: 21.400	AFL	1293							
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01									
216011		LEFT HAND TEMPERATURE SWITCH					Component ATA:21		
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0681	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04PROC. REF: AMM 21-60-04									
216012		RIGHT HAND TEMPERATURE SWITCH					Component ATA:21		
PN:1173T0777-01	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0685	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04PROC. REF: AMM 21-60-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216021		COCKPIT (555750) VENT DUCT TEMPERATURE SENSOR					Component ATA:21		
PN:1300460-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:867	HRS	0		TSN 0					
WC#: 21.420	AFL	0		TSN 0					
PROC. REF: AMM 21-60-10PROC. REF: AMM 21-60-10									
216022		CABIN VENT DUCT TEMPERATURE SENSOR					Component ATA:21		
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.430	AFL	0		TSN 0					
PROC. REF: AMM 21-60-16PROC. REF: AMM 21-60-16									
216032		COCKPIT TEMPERATURE SENSOR					Component ATA:21		
PN:1300440-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.440	AFL	0		TSN 0					
PROC. REF: AMM 21-60-14PROC. REF: AMM 21-60-14									
216033		CABIN TEMPERATURE SENSOR					Component ATA:21		
PN:1300580-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:443	HRS	0		TSN 0					
WC#: 21.440	AFL	0		TSN 0					
PROC. REF: AMM 21-60-06PROC. REF: AMM 21-60-06									
216041		BAGGAGE HEAT CONTROLLER					Component ATA:21		
PN:390-385005-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:E11245045	HRS	0		TSN 0					
WC#: 21.450	AFL	0		TSN 0					
PROC. REF: AMM 21-40-02PROC. REF: AMM 21-40-02									
216045		BAGGAGE HEAT BLOWER					Component ATA:21		
PN:390-385005-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:122250166	HRS	0		TSN 0					
WC#: 21.460	AFL	0		TSN 0					
PROC. REF: AMM 21-40-01PROC. REF: AMM 21-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
2160508 ^U	TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
216051	NO. 1 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C	TSN 22					
SN:842	HRS	160.6		TSN 220.9					
WC#: 21.470	AFL	147		TSN 221					
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03									
<hr/>									
216052	NO. 2 MODULATING VALVE							Component	ATA:21
PN:390-385016-0001	MOS/MSC	09-Apr-14	O/C	TSN 22					
SN:824	HRS	160.6		TSN 220.9					
WC#: 21.470	AFL	147		TSN 221					
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03									
<hr/>									
300A13 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT HEAT SYSTEM							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.210	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
300A14 ^S	INSPECT BLEED AIR FLAPPER CHECK VALVES - TWO LOCATIONS							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.040	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
300A18 ^S	INSPECT RAM AIR DORSAL CHECK VALVES							Service	ATA:21
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 21.220	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A19^S INSPECT BLOWER DUCT CHECK VALVES Service ATA:21								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.230	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A20^S INSPECT BLEED AIR HEAT EXCHANGERS Service ATA:21								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.240	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A21^S INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR Service ATA:21								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 21.250	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A42 INSPECT AIR CONDITIONING COMPRESSOR MOTOR Service ATA:21								
PN:PN	MOS	28-Jun-22						
SN:UNKNOWN	HRS	1774.2						
WC#: 21.170	AFL	1522						
	ACH	1492.7	500 (+300)		1992.7	2292.7	355.5 (+300)	
PROC. REF: CMM 21-00-13PROC. REF: CMM 21-00-13								
300A46 INSPECT AIR CONDITIONING CONDENSER BLOWER MOTOR BRUSHES Service ATA:21								
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19						
SN:299	HRS	1256.4						
WC#: 21.480	AFL	1205						
	ACH	1246	1200	TAC 600	1846		208.8	
PROC. REF: CMM 21-11-09PROC. REF: CMM 21-11-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
300A47 INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR BRUSHES								Service ATA:21
PN:390-385034-0005	MOS	23-Nov-20						
SN:469	HRS	1384.8	3600 (+20)		4984.8	5004.8	2918 (+20)	
WC#: 21.490	AFL	1293						
PROC. REF: CMM 21-11-10PROC. REF: CMM 21-11-10								
OPS03^S OPERATIONAL TEST CABIN ALTITUDE HIGH SWITCH								Service ATA:21
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 21.080	AFL	1683						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
OPS04 FUNCTIONAL TEST LEFT HAND PRIMARY OUTFLOW VALVE								Service ATA:21
PN:390-384025-0005	MOS	29-Jun-21						AIRWORTHINESS
SN:0660	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	266.3 (+20)	
WC#: 21.195	AFL	1373						
PROC. REF: GENERIC NO REF, AMM 21-30-02PROC. REF: GENERIC NO REF, AMM 21-30-02								
OPS04 FUNCTIONAL TEST OF THE PRESSURIZATION MODE (DUMP) SWITCH								Service ATA:21
	MOS	29-Jun-21						AIRWORTHINESS
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	266.3 (+20)	
	AFL	1373						
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
OPS04 FUNCTIONAL TEST RIGHT HAND PRIMARY OUTFLOW VALVE								Service ATA:21
PN:390-384024-0005	MOS	29-Jun-21						AIRWORTHINESS
SN:0735A	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	266.3 (+20)	
WC#: 21.190	AFL	1373						
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
SPC17 CHANGE FORWARD ENVIRONMENTAL SYSTEM EVAPORATOR FILTER AND CHECK DRAIN								Service ATA:21
	MOS	30-Dec-22						
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)	
WC#: 21.130	AFL	1603						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
SPC18		CHANGE AFT ENVIRONMENTAL SYSTEM EVAPORATOR FILTER						Service	ATA:21
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)		
WC#: 21.150	AFL	1603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
TBO09		FORWARD COCKPIT EVAPORATOR BLOWER						Component	ATA:21
PN:390-385024-0005	MOS	10-Jul-23		TSO 0				OVERHAUL	
SN:448	HRS	1970.3	1600	TSO 0	3570.3		1503.5		
WC#: 21.110	AFL	1639		TSO 0					
PROC. REF: AMM 21-50-20PROC. REF: AMM 21-50-20									
TBO11		AFT CABIN EVAPORATOR BLOWER						Component	ATA:21
PN:390-385024-0005	MOS	29-Jun-21						OVERHAUL	
SN:285	HRS	1533.1	1600	TSO 0	3133.1		1066.3		
WC#: 21.120	AFL	1373							
PROC. REF: AMM 21-50-14PROC. REF: AMM 21-50-14									
TBO13		AIR CONDITIONING CONDENSER BLOWER MOTOR						Component	ATA:21
PN:BA128E-7 (390-385034-0007)	MOS	16-Dec-19		TSO 30				OVERHAUL	
SN:299	HRS	1256.4		TSO 434.57					
WC#: 21.200	AFL	1205		TSO 364					
	ACH	1246	2400	TSO 600	3046		1408.8		
PROC. REF: AMM 21-50-07PROC. REF: AMM 21-50-07									
TBO15		BLEED AIR HEAT EXCHANGER BLOWER MOTOR						Component	ATA:21
PN:390-385034-0005	MOS	23-Nov-20						OVERHAUL	
SN:469	HRS	1384.8	7200	TSO 0	8584.8		6518		
WC#: 21.250	AFL	1293							
PROC. REF: AMM 21-60-11PROC. REF: AMM 21-60-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
TBO18		AIR CONDITIONING COMPRESSOR MOTOR						Component	ATA:21
PN:PN	MOS	16-Dec-19		TSO 0				OVERHAUL	
SN:UNKNOWN	HRS	1256.43		TSO 0					
WC#: 21.170	AFL	1205		TSO 0					
	ACH	1246	2000	TSO 0	3246		1608.8		
PROC. REF: AMM 21-50-02PROC. REF: AMM 21-50-02									
ATA 22 - AUTO FLIGHT									
221001		ELEVATOR SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48FMR	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03									
221002		ELEVATOR SERVO						Component	ATA:22
PN:822-1168-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48GNH	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03									
221011		RUDDER SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03									
221012		RUDDER SERVO						Component	ATA:22
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BG3D	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03									
221021		AILERON SERVO MOUNT						Component	ATA:22
PN:622-5735-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V1LC	HRS	0		TSN 0					
WC#: 22.030	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221022 AILERON SERVO Component ATA:22								
PN:822-1168-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4BFYT	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221051 AUXILIARY ROLL TRIM CONTROLLER Component ATA:22								
PN:390-384061-0003	MOS/MSC	30-Aug-12	O/C	TSN 0				
SN:1122	HRS	11.1		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: AMM 27-10-06PROC. REF: AMM 27-10-06								
ATA 23 - COMMUNICATIONS								
231001 UPPER VHF COMM ANTENNA Component ATA:23								
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:323-1788	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231002 LOWER VHF COMM ANTENNA Component ATA:23								
PN:S65-8280-42	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:323-1789	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231011 NO. 1 VHF COMM TRANSCEIVER Component ATA:23								
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231012		NO. 2 VHF COMM TRANSCEIVER					Component		ATA:23
PN:822-1115-021	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01									
231015		HF RECEIVER					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02PROC. REF: AMM 23-11-02									
231021		CTL-23 CONTROL					Component		ATA:23
PN:822-2177-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BF4K	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01									
2310400 ^U		NO.1 VHF TRANSCEIVER					Component		ATA:23
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B36K	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310401 ^U		NO.2 VHF TRANSCEIVER					Component		ATA:23
PN:822-1468-102	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:48JBT	HRS	0		TSN 0					
	AFL	0		TSN 0					
231101		HF (KCU 951) CONTROLLER					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.130	AFL	0		TSN 0					
PROC. REF: AMM 23-11-01PROC. REF: AMM 23-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231301		RADIO TELEPHONE ANTENNA					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01									
231311		FLITEPHONE					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01									
231313		NO. 1 DATA ACQUISITION UNIT					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01									
231314		NO. 2 DATA ACQUISITION UNIT					Component		ATA:23
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01									
235001		NO. 1 AUDIO AMP					Component		ATA:23
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:71843	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03PROC. REF: AMM 23-30-03									
235002		NO. 2 AUDIO AMP					Component		ATA:23
PN:700-008	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:73519	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 23-30-03PROC. REF: AMM 23-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235011		PA AMP						Component	ATA:23
PN:MODEL 240	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4148	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
PROC. REF: AMM 23-30-02PROC. REF: AMM 23-30-02									
237001		COCKPIT VOICE RECORDER						Component	ATA:23
PN:2100-1020-51	MOS/MSC	19-Jul-14	O/C						
SN:000739454	HRS	208.9							
WC#: 23.010	AFL	207							
PROC. REF: AMM 23-70-01PROC. REF: AMM 23-70-01									
237014		UNDERWATER LOCATOR BEACON						Component	ATA:23
PN:KD120/90	MOS/MSC	12-Jan-18	O/C	TSN 0					
SN:AT101819	HRS	845		TSN 0					
WC#: 23.010	AFL	866		TSN 0					
PROC. REF: AMM 23-70-05PROC. REF: AMM 23-70-05									
237016		TEST UNDERWATER LOCATOR BEACON BATTERY AND UNIT						Service	ATA:23
	MOS	10-Jul-23	24 (+30d/-30d)		10-Jul-25	09-Aug-25	100 d (+30)		
	HRS	1970.3							
WC#: 23.010	AFL	1639							
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00									
237017		REPLACE UNDERWATER LOCATOR BEACON BATTERY						Service	ATA:23
PN:KD120/90	MOS	12-Jan-18	84		01-Jan-25		OVD	MANDATORY	
SN:AT101819	HRS	845							
WC#: 23.010	AFL	866							
Manufacture Date:: 01-Jan-18									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
237021		IMPACT SWITCH						Component	ATA:23
PN:6895D2X2.5-2.5	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:8748	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 23-70-03PROC. REF: AMM 23-70-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246001		NO. 1 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0961	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
246002		NO. 2 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0957	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
246003		NO. 3 AC/DC INVERTER						Component	ATA:24
PN:AC100-389-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0963	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
300A22 ^S		INSPECT MAIN BATTERY						Service	ATA:24
PN:RG-380E/44	MOS	11-Jun-24							
SN:41162880	HRS	2032	600 (+20)						
WC#: 24.050	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
300A23 ^S		INSPECT GROUNDING POINT OF LEFT/RIGHT GENERATORS BATTERY AND EXTERNAL POWER						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.015	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
300A24 ^S		INSPECT MAIN POWER BOX						Service	ATA:24
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 24.080	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
400A02 ^S INSPECT NO. 1 ENGINE STARTER/GENERATOR Service ATA:24								
PN:390-389001-0001	MOS	11-Jun-24						
SN:427AB	HRS	2032	600 (+20)					
WC#: 24.020	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
400A03 INSPECT NO. 1 ENGINE STARTER/GENERATOR BRUSHES Service ATA:24								
PN:390-389001-0001	MOS	23-Nov-20						
SN:427AB	HRS	1384.8	800 (+20)		2184.8	2204.8	118 (+20)	
	AFL	1293						
PROC. REF: CMM 24-30-00PROC. REF: CMM 24-30-00								
400B02 ^S INSPECT NO. 2 ENGINE STARTER/GENERATOR Service ATA:24								
PN:390-389001-0001	MOS	11-Jun-24						
SN:743AB	HRS	2032	600 (+20)					
WC#: 24.030	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
400B03 INSPECT NO. 2 ENGINE STARTER/GENERATOR BRUSHES Service ATA:24								
PN:390-389001-0001	MOS	23-Nov-20						
SN:743AB	HRS	1384.8	800 (+20)		2184.8	2204.8	118 (+20)	
	AFL	1293						
PROC. REF: CMM 24-30-00PROC. REF: CMM 24-30-00								
OPS05 OPERATIONAL TEST ELECTRICAL SYSTEM LATENT FAILURE Service ATA:24								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	2400 (+200)		2400	2600	333.2 (+200)	
WC#: 24.040	AFL	0						
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
SPC10 PERFORM LEVEL TEST OF STANDBY POWER SUPPLY Service ATA:24								
	MOS/MSC	27-Jun-12	A/R					
	HRS	0						
WC#: 24.160	AFL	0						
PROC. REF: CMM 24-32-17PROC. REF: CMM 24-32-17								
SPC13 ENERGY LEVEL TEST STANDBY POWER SUPPLY BATTERY Service ATA:24								
PN:390-384027-0001	MOS	17-Jun-24	12 (+30d/-30d)		17-Jun-25	17-Jul-25	77 d (+30)	
SN:1419	HRS	2032						
WC#: 24.140	AFL	1683						
PROC. REF: CMM 24-32-17PROC. REF: CMM 24-32-17								
SPC22 CAPACITY CHECK MAIN BATTERY Service ATA:24								
PN:RG-380E/44	MOS	19-Nov-24	3		19-Feb-25		OVD	
SN:41162880	HRS	2064.9						
WC#: 24.050	AFL	1712						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
TBO16 NO. 1 ENGINE STARTER/GENERATOR Component ATA:24								
PN:390-389001-0001	MOS	23-Nov-20		TSO 0				OVERHAUL
SN:427AB	HRS	1384.8	1400	TSO 0	2784.8		718	
WC#: 24.020	AFL	1293		TSO 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
TBO16 NO. 2 ENGINE STARTER/GENERATOR Component ATA:24								
PN:390-389001-0001	MOS	23-Nov-20		TSO 0				OVERHAUL
SN:743AB	HRS	1384.8	1400	TSO 0	2784.8		718	
WC#: 24.030	AFL	1293		TSO 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
TBO17 MAIN BATTERY Component ATA:24								
PN:RG-380E/44	MOS/MSC	03-Jul-21	O/C	TSN 2				
SN:41162880	HRS	1533.1		TSN 0				
WC#: 24.050	AFL	1373		TSN 0				
PROC. REF: CMM 24-30-71PROC. REF: CMM 24-30-71								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
TBO19		STANDBY BATTERY						Component	ATA:24
PN:100-0206-01	MOS	29-Jun-21	48	TSO 0	29-Jun-25		89 d		
SN:1419	HRS	1533.1							
WC#: 24.100	AFL	1373							
PROC. REF: AMM 24-30-05PROC. REF: AMM 24-30-05									
ATA 25 - EQUIPMENT/FURNISHINGS									
200A08 ^S		INSPECT FLIGHT CREW SEATS						Service	ATA:25
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 25.010	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
200B05 ^S		INSPECT SEAT ATTACHMENT						Service	ATA:25
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 25.030	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
250001 ^U		FIRST KIT AID INSPECTION REPLACEMENT						Component	ATA:25
PN:42 KIT	MOS/MSC	10-Jul-23	DUE	TSN 0	17-Nov-25 (M)		230 d		
SN:UNKNOWN	HRS	1970.3		TSN 0					
	AFL	1639		TSN 0					
Expiry Date: : 17-Nov-25									
ATA 25 - EQUIPMENT/FURNISHINGS									
2510500 ^U		LIFT DUMP SWITCH ASSEMBLY						Component	ATA:25
PN:390-384069-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
2510505 ^U LH HAND MICROPHONE REEL ASSEMBLY Component ATA:25								
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2550506 ^U RH HAND MICROPHONE REEL ASSEMBLY Component ATA:25								
PN:390-384056-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
256001 EMERGENCY LOCATOR TRANSMITTER Component ATA:25								
PN:453-5000-(366)	MOS/MSC	19-Nov-24	O/C	TSN 0				
SN:210-15033	HRS	2064.9		TSN 0				
WC#: 25.040	AFL	1712		TSN 0				
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256004 EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY Component ATA:25								
PN:PN	MOS/MSC	19-Nov-24	O/C	TSN 0				
SN:UNKNOWN	HRS	2064.9		TSN 0				
	AFL	1712		TSN 0				
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256011 ELT BLADE ANTENNA Component ATA:25								
PN:110-337	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:346056	HRS	0		TSN 0				
WC#: 25.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256021 EMERGENCY EXIT PULL HANDLE Component ATA:25								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256041		PILOT LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	10-Jul-23	O/C	TSN 0					
SN:23010140072	HRS	1970.3		TSN 0					
WC#: 25.110	AFL	1639		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256042		COPILOT LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22111120001	HRS	1906.5		TSN 0					
WC#: 25.110	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256051		NO. 1 LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22032020043	HRS	1906.5		TSN 0					
WC#: 25.120	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256052		NO. 2 LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	30-Dec-22	O/C	TSN 0					
SN:22031620038	HRS	1906.5		TSN 0					
WC#: 25.120	AFL	1603		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256053		NO. 3 LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C						
SN:22031620015	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256054		NO. 4 LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	O/C						
SN:23010140060	HRS								
WC#: 25.130	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256055	NO. 5 LIFE VEST							Component	ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	O/C						
SN:221203450066	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256056	NO. 6 LIFE VEST							Component	ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	O/C						
SN:254188	HRS								
WC#: 25.140	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256401 ^U	LIFE RAFT							Component	ATA:25
PN:RAF118-301	MOS/MSC	31-Jan-23	O/C	TSO 0					
SN:1122125034H2/31191 20415	HRS	1922		TSO 0					
	AFL	1613		TSO 0					
257021	MUFFIN FAN							Component	ATA:25
PN:011868	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:108451632	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
2570500 ^U	MOUNTING TRAY							Component	ATA:25
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:18PNY2	HRS	0		TSN 0					
	AFL	0		TSN 0					
SPC02	REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY BATTERY							Service	ATA:25
PN:PN	MOS/MSC	19-Nov-24	DUE		01-Oct-29 (M)		1644 d	MANDATORY	
SN:UNKNOWN	HRS	2064.9							
WC#: 25.040	AFL	1712							
Expiry Date: : 01-Oct-29									
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC04 RECERTIFY COPILOT LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC		N/A					
SN:22111120001	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY NO. 1 LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC		N/A					
SN:22032020043	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY NO. 2 LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC		N/A					
SN:22031620038	HRS							
WC#: 25.120	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY NO. 3 LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A					
SN:22031620015	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY NO. 4 LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC	04-Jun-24	N/A					
SN:23010140060	HRS							
WC#: 25.130	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY NO. 5 LIFE VEST GA-12								Service ATA:25
PN:P0640-101	MOS/MSC	04-Jun-24	N/A					
SN:221203450066	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC04 RECERTIFY NO. 6 LIFE VEST GA-12								Service ATA:25
PN:P01074-201	MOS/MSC	04-Jun-24	N/A					
SN:254188	HRS							
WC#: 25.140	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC04 RECERTIFY PILOT LIFE VEST GA-12								Service ATA:25
PN:P01074-113	MOS/MSC		N/A					
SN:23010140072	HRS							
WC#: 25.110	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY COPILOT LIFE VEST								Service ATA:25
PN:P01074-113	MOS	23-Dec-22	60 (+30d/-30d)		01-Dec-27	31-Dec-27	974 d (+30)	
SN:22111120001	HRS							
WC#: 25.110	AFL							
Calibration Date: : 01-Dec-22								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 1 LIFE VEST								Service ATA:25
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		25-Mar-27	24-Apr-27	723 d (+30)	
SN:22032020043	HRS							
WC#: 25.120	AFL							
Calibration Date: : 25-Mar-22								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 2 LIFE VEST								Service ATA:25
PN:P01074-113	MOS	21-Dec-22	60 (+30d/-30d)		21-Dec-27	20-Jan-28	994 d (+30)	
SN:22031620038	HRS							
WC#: 25.120	AFL							
Calibration Date: : 21-Dec-22								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC06 RECERTIFY NO. 3 LIFE VEST Service ATA:25								
PN:P01074-113	MOS	25-Mar-22	60 (+30d/-30d)		25-Mar-27	24-Apr-27	723 d (+30)	
SN:22031620015	HRS							
WC#: 25.130	AFL							
Calibration Date: : 25-Mar-22								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 4 LIFE VEST Service ATA:25								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1036 d (+30)	
SN:23010140060	HRS							
WC#: 25.130	AFL							
Calibration Date: : 01-Feb-23								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 5 LIFE VEST Service ATA:25								
PN:P0640-101	MOS	20-Dec-22	60 (+30d/-30d)		20-Dec-27	19-Jan-28	993 d (+30)	
SN:221203450066	HRS							
WC#: 25.140	AFL							
Calibration Date: : 20-Dec-22								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY NO. 6 LIFE VEST Service ATA:25								
PN:P01074-201	MOS	19-Jun-23	60 (+30d/-30d)		19-Jun-28	19-Jul-28	1175 d (+30)	
SN:254188	HRS							
WC#: 25.140	AFL							
Calibration Date: : 19-Jun-23								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06 RECERTIFY PILOT LIFE VEST Service ATA:25								
PN:P01074-113	MOS	01-Feb-23	60 (+30d/-30d)		01-Feb-28	02-Mar-28	1036 d (+30)	
SN:23010140072	HRS							
WC#: 25.110	AFL							
Calibration Date: : 01-Feb-23								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC07 CHECK FIRST AID KIT Service ATA:25								
	MOS	17-Jun-24	12 (+30d/-30d)		17-Jun-25	17-Jul-25	77 d (+30)	
	HRS	2032						
WC#: 25.070	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC15 INSPECT EMERGENCY LOCATOR TRANSMITTER EMERGENCY LOCATOR TRANSMITTER FAR 91.207(D) Service ATA:25								
PN:453-5000-(366)	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	232 d (+30)	
SN:210-15033	HRS	2064.9						
WC#: 25.040	AFL	1712						
PROC. REF: GENERIC NO REF, FAR 91-207(D)PROC. REF: GENERIC NO REF, FAR 91-207(D) WO#: MP-7833								
ATA 26 - FIRE PROTECTION								
200A01 HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER Service ATA:26								
PN:C352TS	MOS	29-Jun-21	144 (+30d/-30d)		01-Jan-33	31-Jan-33	2832 d (+30)	MANDATORY
SN:G-40531726	HRS							
WC#: 26.060	AFL							
HydroCheck Date: : 01-Jan-21								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261001 FIRE DETECTION CONTROLLER Component ATA:26								
PN:477-90005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0121-008	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01								
262001 ENGINE FIRE BOTTLE EXTINGUISHER Component ATA:26								
PN:30400018-1	MOS/MSC	09-Jun-16	O/C					
SN:52054B1	HRS	607.7						
WC#: 26.040	AFL	627						
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262010		ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:13083-5	MOS	14-Nov-23	72		25-Jul-29		1576 d	LIFE LIMIT	
SN:N/A	HRS	2022.5		TSN 0					
WC#: 26.040	AFL	1675		TSN 0					
Manufacture Date:: 25-Jul-23									
PROC. REF: AMM 26-20-02PROC. REF: AMM 26-20-02									
262011		ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:13083-5	MOS	14-Nov-23	72		01-Apr-29		1461 d	LIFE LIMIT	
SN:N/A	HRS	2022.5		TSN 0					
WC#: 26.040	AFL	1675		TSN 0					
Manufacture Date:: 01-Apr-23									
PROC. REF: AMM 26-20-02PROC. REF: AMM 26-20-02									
262013		REPLACE ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27		953 d	SERVICE LIFE LIMIT	
SN:N/A	HRS								
WC#: 26.040	AFL								
Installation Date: : 10-Nov-23									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262014		REPLACE ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service ATA:26
PN:13083-5	MOS	14-Nov-23	48		10-Nov-27		953 d	SERVICE LIFE LIMIT	
SN:N/A	HRS	2022.5							
WC#: 26.040	AFL	1675							
Installation Date: : 10-Nov-23									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
262101		PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	29-Jun-21	O/C						
SN:G-40531726	HRS	1533.1							
WC#: 26.060	AFL	1373							
PROC. REF: AMM 26-20-03PROC. REF: AMM 26-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
300A26	VISUAL AND OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PLUMBING							Service	ATA:26
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1200 (+20/-20)		2974.2	2994.2	907.4 (+20)		
WC#: 26.040	AFL	1522							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
300A27 ^S	INSPECT BLEED AIR LEAK DETECTION SENSING ELEMENTS							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.010	AFL	1683						PKG:6	
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00									
400A04 ^S	INSPECT NO. 1 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400B04 ^S	INSPECT NO. 2 ENGINE FIRE DETECTION LOOP AND TUBING							Service	ATA:26
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 26.020	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
LIMITS01	HYDROSTATIC TEST ENGINE FIRE BOTTLE EXTINGUISHER							Service	ATA:26
PN:30400018-1	MOS	19-Nov-20	60		19-Nov-25		232 d	MANDATORY	
SN:52054B1	HRS								
WC#: 26.040	AFL								
HydroCheck Date: : 19-Nov-20									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
LIMITS03		HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C352TS	MOS	29-Jun-21	144		01-Jan-33		2832 d	MANDATORY	
SN:G-40531726	HRS								
WC#: 26.060	AFL								
HydroCheck Date: : 01-Jan-21									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
OPS06		OPERATIONAL TEST FIRE DETECTION CONTROLLER AND SENSOR CABLE						Service	ATA:26
	MOS	21-Jun-19							
	HRS	1200.17	1200 (+20)		2400.17	2420.17	333.4 (+20)		
WC#: 26.030	AFL	1162							
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00									
OPS07		ENGINE FIRE EXTINGUISHING SYSTEM						Service	ATA:26
	MOS	21-Jun-19						AIRWORTHINESS	
	HRS	1200.17	1200 (+20/-20)		2400.17	2420.17	333.4 (+20)		
WC#: 26.050	AFL	1162							
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
SPC08		WEIGHT CHECK PORTABLE FIRE EXTINGUISHER						Service	ATA:26
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	232 d (+30)	MANDATORY	
	HRS	2064.9							
WC#: 26.060	AFL	1712							
WeightCheck Date : : 19-Nov-24									
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00									
ATA 27 - FLIGHT CONTROLS									
100A01 ^S		INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS						Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.160	AFL	1683							
PKG:7									
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
100A02 ^S	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.150	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:7									
100A03 ^S	INSPECT RUDDER PEDALS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.260	AFL	1683							
PROC. REF: AMM 27-00-00, AMM 27-20-00PROC. REF: AMM 27-00-00, AMM 27-20-00									
PKG:7									
100B04 ^S	INSPECT FLIGHT CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.720	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:7									
100B05 ^S	INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.710	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:7									
100B06 ^S	CHECK AILERON CONTROL CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.030	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
100B12 ^S	CHECK ELEVATOR CONTROL CABLES							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.355	AFL		1683						
PROC. REF: AMM 27-00-00, AMM 27-30-00PROC. REF: AMM 27-00-00, AMM 27-30-00									
PKG:6									
100B13 ^S	CHECK RUDDER CONTROL CABLES							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.255	AFL		1683						
PROC. REF: AMM 27-00-00, AMM 27-20-00PROC. REF: AMM 27-00-00, AMM 27-20-00									
PKG:6									
200A10 ^S	INSPECT CONTROL COLUMN							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.130	AFL		1683						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00									
PKG:6									
200A11 ^S	INSPECT RUDDER PEDALS							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.190	AFL		1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
PKG:6									
200D03 ^S	CHECK AILERON AUTOPILOT SERVO BRIDLE CABLE							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.020	AFL		1683						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270001		LEFT PILOT POSITION SENSOR					Component	ATA:27	
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:M3521	HRS	0		TSN 0					
WC#: 27.730	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
270002		RIGHT CO-PILOT POSITION SENSOR					Component	ATA:27	
PN:390-381012-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:M8811	HRS	0		TSN 0					
WC#: 27.730	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
270011		LEFT CONTROL WHEEL					Component	ATA:27	
PN:390-382052-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0202	HRS	0		TSN 0					
WC#: 27.740	AFL	0		TSN 0					
PROC. REF: AMM 27-10-10PROC. REF: AMM 27-10-10									
270012		RIGHT CONTROL WHEEL					Component	ATA:27	
PN:390-382052-0010	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0197	HRS	0		TSN 0					
WC#: 27.740	AFL	0		TSN 0					
PROC. REF: AMM 27-10-10PROC. REF: AMM 27-10-10									
271001		LEFT AILERON TRIM TAB ACTUATOR					Component	ATA:27	
PN:390-381009-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:150	HRS	0		TSN 0					
WC#: 27.750	AFL	0		TSN 0					
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02									
271002		RIGHT AILERON TRIM TAB ACTUATOR					Component	ATA:27	
PN:390-381009-0010	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:164	HRS	0		TSN 0					
WC#: 27.750	AFL	0		TSN 0					
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271011		LEFT AILERON					Component		ATA:27
PN:390-130001-0023	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740709473	HRS	0		TSN 0					
WC#: 27.760	AFL	0		TSN 0					
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01									
271012		RIGHT AILERON					Component		ATA:27
PN:390-130001-0024	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S740709472	HRS	0		TSN 0					
WC#: 27.760	AFL	0		TSN 0					
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01									
272001		RUDDER					Component		ATA:27
PN:390-630010-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S7H0008	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01									
272005		RUDDER TRIM TAB					Component		ATA:27
PN:390-630050-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.230	AFL	0		TSN 0					
PROC. REF: AMM 27-20-02PROC. REF: AMM 27-20-02									
272011		RUDDER TRIM TAB ACTUATOR					Component		ATA:27
PN:390-386003-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0335	HRS	0		TSN 0					
WC#: 27.780	AFL	0		TSN 0					
PROC. REF: AMM 27-20-03PROC. REF: AMM 27-20-03									
272021		LEFT INBOARD RUDDER BOOST PRESSURE TRANSDUCER					Component		ATA:27
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7499-11-467	HRS	0		TSN 0					
WC#: 27.790	AFL	0		TSN 0					
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272022 LEFT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER Component ATA:27								
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:7533-9-385	HRS	0		TSN 0				
WC#: 27.790	AFL	0		TSN 0				
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272031 RIGHT INBOARD RUDDER BOOST PRESSURE TRANSDUCER Component ATA:27								
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:7533-9-487	HRS	0		TSN 0				
WC#: 27.800	AFL	0		TSN 0				
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272032 RIGHT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER Component ATA:27								
PN:APTE320-1000-300A	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:7533-9-476	HRS	0		TSN 0				
WC#: 27.800	AFL	0		TSN 0				
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272041 VERTICAL STABILIZER ASSEMBLY Component ATA:27								
PN:390-640010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:RB-293	HRS	0		TSN 0				
WC#: 27.770	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273001 LEFT ELEVATOR Component ATA:27								
PN:390-610100-0017	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S7H0004	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
273002 RIGHT ELEVATOR Component ATA:27								
PN:390-610100-0018	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S70140	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273011		ELEVATOR TAB GEARBOX					Component		ATA:27
PN:390-526251-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0003	HRS	0		TSN 0					
WC#: 27.810	AFL	0		TSN 0					
PROC. REF: AMM 27-30-10PROC. REF: AMM 27-30-10									
273101		LEFT AOA TRANSMITTER					Component		ATA:27
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01177	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01									
273102		RIGHT AOA TRANSMITTER					Component		ATA:27
PN:SLZ8060-5	MOS/MSC	01-Sep-14	O/C	TSN 27					
SN:AB01188	HRS	237		TSN 237					
WC#: 27.820	AFL	237		TSN 237					
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01									
274001		PITCH TRIM CONTROL UNIT					Component		ATA:27
PN:390-384028-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3069	HRS	0		TSN 0					
WC#: 27.830	AFL	0		TSN 0					
PROC. REF: AMM 27-40-06PROC. REF: AMM 27-40-06									
274006		UPPER YOKE SCISSOR FITTING					Component		ATA:27
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.460	AFL	0							
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01									
274007		LOWER YOKE SCISSOR FITTING					Component		ATA:27
PN:390-610110/390-600115	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.470	AFL	0							
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274011		HORIZONTAL STABILIZER ASSEMBLY						Component	ATA:27
PN:390-620000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:S750671463	HRS	0		TSN 0					
WC#: 27.840	AFL	0		TSN 0					
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01									
274020		HORIZONTAL CENTER FITTING						Component	ATA:27
PN:390-620170	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 27.490	AFL	0							
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01									
274021		LEFT HORIZONTAL STABILIZER POTENTIOMETER						Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0735	HRS	0		TSN 0					
WC#: 27.850	AFL	0		TSN 0					
PROC. REF: AMM 27-40-03PROC. REF: AMM 27-40-03									
274022		RIGHT HORIZONTAL STABILIZER POTENTIOMETER						Component	ATA:27
PN:390-386043-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0713	HRS	0		TSN 0					
WC#: 27.850	AFL	0		TSN 0					
PROC. REF: AMM 27-40-03PROC. REF: AMM 27-40-03									
275001		FLAP POTENTIOMETER						Component	ATA:27
PN:390-381404-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:432	HRS	0		TSN 0					
WC#: 27.860	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
275011		FLAP CONTROL UNIT						Component	ATA:27
PN:390-381401-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:K0386	HRS	0		TSN 0					
WC#: 27.860	AFL	0		TSN 0					
PROC. REF: AMM 27-50-08PROC. REF: AMM 27-50-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275021 LEFT OUTBOARD FLAP ASSEMBLY								Component ATA:27
PN:390-160002-0019	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S740542014	HRS	0		TSN 0				
WC#: 27.870	AFL	0		TSN 0				
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								
275022 RIGHT OUTBOARD FLAP ASSEMBLY								Component ATA:27
PN:390-160002-0020	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S740634707	HRS	0		TSN 0				
WC#: 27.870	AFL	0		TSN 0				
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								
275023 LEFT INBOARD FLAP ASSEMBLY								Component ATA:27
PN:390-160001-0015	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S740635927	HRS	0		TSN 0				
WC#: 27.880	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
275024 RIGHT INBOARD FLAP ASSEMBLY								Component ATA:27
PN:390-160001-0016	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:S740668364	HRS	0		TSN 0				
WC#: 27.880	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
275041 LEFT NO. 1 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:G0625	HRS	0		TSN 0				
WC#: 27.890	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275042 LEFT NO. 2 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0019	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:G0331	HRS	0		TSN 0				
WC#: 27.890	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275043 LEFT NO. 3 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0017	MOS/MSC	30-Nov-23	O/C	TSN 137				
SN:G0656	HRS	2023.6		TSN 2023.6				
WC#: 27.890	AFL	1676		TSN 1676				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275044 LEFT NO.5 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C					
SN:H0660	HRS	2023.6						
WC#: 27.890	AFL	1676						
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275061 RIGHT NO. 1 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0017	MOS/MSC	07-Feb-24	O/C					
SN:2A8206G	HRS	2027						
WC#: 27.900	AFL	1679						
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275062 RIGHT NO. 2 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0020	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:G0328	HRS	0		TSN 0				
WC#: 27.900	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275063 RIGHT NO. 3 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381402-0018	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:G0665	HRS	0		TSN 0				
WC#: 27.900	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275064 RIGHT NO. 5 FLAP ACTUATOR (MANDATORY)								Component ATA:27
PN:390-381403-0011	MOS/MSC	30-Nov-23	O/C	TSN 137				
SN:H0658	HRS	2023.6		TSN 2023.6				
WC#: 27.900	AFL	1676		TSN 1676				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276001		SPOILER CONTROL UNIT					Component		ATA:27
PN:390-384011-0019	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0345	HRS	0		TSN 0					
WC#: 27.910	AFL	0		TSN 0					
PROC. REF: AMM 27-60-05PROC. REF: AMM 27-60-05									
276011		LEFT SPOILER (ROLL CONTROL) PANEL					Component		ATA:27
PN:390-381039-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0234	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276012		RIGHT SPOILER (ROLL CONTROL) PANEL					Component		ATA:27
PN:390-381039-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
WC#: 27.920	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276021		LEFT SPOILER SPEED BRAKE PANEL					Component		ATA:27
PN:390-381038-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0237	HRS	0		TSN 0					
WC#: 27.930	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276022		RIGHT SPOILER SPEED BRAKE PANEL					Component		ATA:27
PN:390-381038-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
WC#: 27.930	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276031		SPOILER CONTROL MODULE					Component		ATA:27
PN:390-381006-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:327	HRS	0		TSN 0					
WC#: 27.940	AFL	0		TSN 0					
PROC. REF: AMM 27-60-01PROC. REF: AMM 27-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276041		LEFT UPLOCK RELEASE ACTUATOR					Component	ATA:27	
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1976	HRS	0		TSN 0					
WC#: 27.950	AFL	0		TSN 0					
PROC. REF: AMM 27-60-13PROC. REF: AMM 27-60-13									
276042		RIGHT UPLOCK RELEASE ACTUATOR					Component	ATA:27	
PN:390-381201-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1977	HRS	0		TSN 0					
WC#: 27.950	AFL	0		TSN 0					
PROC. REF: AMM 27-60-13PROC. REF: AMM 27-60-13									
276051		LEFT LIFT DUMP ACTUATOR					Component	ATA:27	
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0641	HRS	0		TSN 0					
WC#: 27.960	AFL	0		TSN 0					
PROC. REF: AMM 27-60-02PROC. REF: AMM 27-60-02									
276052		RIGHT LIFT DUMP ACTUATOR					Component	ATA:27	
PN:390-381008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0636	HRS	0		TSN 0					
WC#: 27.960	AFL	0		TSN 0					
PROC. REF: AMM 27-60-02PROC. REF: AMM 27-60-02									
276061		LEFT BLOWDOWN ACTUATOR					Component	ATA:27	
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03PROC. REF: AMM 27-60-03									
276062		RIGHT BLOWDOWN ACTUATOR					Component	ATA:27	
PN:390-381010-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0654	HRS	0		TSN 0					
WC#: 27.970	AFL	0		TSN 0					
PROC. REF: AMM 27-60-03PROC. REF: AMM 27-60-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276071		LEFT ROLL SPOILER ACTUATOR					Component ATA:27		
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0561	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									
276072		RIGHT ROLL SPOILER ACTUATOR					Component ATA:27		
PN:390-381007-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0628	HRS	0		TSN 0					
WC#: 27.980	AFL	0		TSN 0					
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04									
276081		LEFT SPOILER POSITION SENSOR					Component ATA:27		
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01385	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10PROC. REF: AMM 27-60-10									
276082		RIGHT SPOILER POSITION SENSOR					Component ATA:27		
PN:390-381011-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:01384	HRS	0		TSN 0					
WC#: 27.990	AFL	0		TSN 0					
PROC. REF: AMM 27-60-10PROC. REF: AMM 27-60-10									
276091		LEFT SPOILER (LIFT DUMP) PANEL					Component ATA:27		
PN:390-381037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0237	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
276092		RIGHT SPOILER (LIFT DUMP) PANEL					Component ATA:27		
PN:390-381037-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:H0008	HRS	0		TSN 0					
WC#: 27.995	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300A02 VISUAL CHECK ELEVATOR AND ATTACHMENT STRUCTURE Service ATA:27								
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1173 d (+30)	AIRWORTHINESS
	HRS	2032	1200 (+20/-20)		3232	3252	1165.2 (+20)	
WC#: 27.300	AFL	1683						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
300A04 VISUAL CHECK LOWER YOKE SCISSOR FITTING Service ATA:27								
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1173 d (+30)	AIRWORTHINESS
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1165.2 (+20)	
WC#: 27.470	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A04 VISUAL CHECK UPPER YOKE SCISSOR FITTING Service ATA:27								
PN:390-610110/390-600115	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1173 d (+30)	AIRWORTHINESS
SN:UNKNOWN	HRS	2032	1200 (+20/-20)		3232	3252	1165.2 (+20)	
WC#: 27.460	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A05 INSPECT PITCH TRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHING AND STRUCTURE Service ATA:27								
	MOS	28-Jun-22						AIRWORTHINESS
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	107.4 (+20)	
WC#: 27.480	AFL	1522						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
300A06 VISUAL CHECK RUDDER ATTACHMENT STRUCTURE Service ATA:27								
	MOS	17-Jun-24	48 (+30d/-30d)		17-Jun-28	17-Jul-28	1173 d (+30)	AIRWORTHINESS
	HRS	2032	1200 (+20/-20)		3232	3252	1165.2 (+20)	
WC#: 27.250	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A09 VISUAL/EDDY CURRENT INSPECT CENTER HORIZONTAL FITTING Service ATA:27								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)	
WC#: 27.500	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01									
300A28 ^S	INSPECT RUDDER/ELEVATOR FLIGHT CONTROL CABLES							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.240	AFL		1683						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
300B02 ^S	INSPECT RUDDER							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.250	AFL		1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
300B03 ^S	INSPECT RUDDER TRIM TAB							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.230	AFL		1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
300B04 ^S	INSPECT RUDDER TRIM ACTUATOR AND LINKAGE							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.210	AFL		1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
300B05 ^S	INSPECT RUDDER TRIM TAB HINGE							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.230	AFL		1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300B06 ^S	INSPECT RUDDER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.180	AFL	1683						PKG:6	
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
300B07 ^S	INSPECT RUDDER AUTOPILOT SERVO AND BRIDLE CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.170	AFL	1683						PKG:6	
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00									
300B08 ^S	INSPECT RUDDER QUADRANT, BELLCRANK, STOP BOLTS, TORQUE TUBE, RUDDER COUNTER BALANCE AND CENTERING SPRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.200	AFL	1683						PKG:6	
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00									
300B09 ^S	PERFORM RUDDER TRIM TAB FREEPLAY INSPECTION							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.220	AFL	1683						PKG:6	
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00									
300B10 ^S	INSPECT ELEVATOR AUTOPILOT SERVO AND BRIDLE CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.310	AFL	1683						PKG:6	
PROC. REF: AMM 20-14-00, AMM 27-30-00PROC. REF: AMM 20-14-00, AMM 27-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300B11 ^S	INSPECT ELEVATOR CABLES							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.320	AFL		1683						
PROC. REF: AMM 20-14-00, AMM 27-30-00PROC. REF: AMM 20-14-00, AMM 27-30-00									
PKG:6									
300B12 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM, ELEVATOR QUADRANT, PUSHROD, CONNECTING BOLTS, AND STOP BOLTS							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.330	AFL		1683						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
PKG:6									
300B13 ^S	INSPECT VERTICAL STABILIZER FRONT AND REAR SPAR ATTACHMENT							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 55.020	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									
300B17 ^S	INSPECT RUDDER CABLE TENSION							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
	AFL		1683						
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00									
PKG:6									
300C02 ^S	INSPECT ELEVATOR CONTROL LINKAGE							Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.340	AFL		1683						
PROC. REF: AMM 27-00-00, AMM 27-30-00PROC. REF: AMM 27-00-00, AMM 27-30-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300C03	INSPECT PITCH TRIM ACTUATOR SYSTEM, PITCHTRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHINGS, AND STRUCTURE							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	400 (+20/-20)		2174.2	2194.2	107.4 (+20)		
WC#: 27.450	AFL	1522							
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
300C04 ^S	INSPECT ELEVATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.350	AFL	1683						PKG:6	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C05 ^S	INSPECT ELEVATOR HINGES AND HINGE BOLTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.360	AFL	1683						PKG:6	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C06 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TABS AND HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.370	AFL	1683						PKG:6	
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C07	VISUAL CHECK ELEVATOR TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	239.7 (+20)		
WC#: 27.380	AFL	1603							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
300C09 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB GEAR BOXES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.390	AFL	1683							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C10 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB JACK SCREW							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.400	AFL	1683							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C11 ^S	INSPECT ELEVATOR TRIM TAB JACK SCREW FLEX SHAFT							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.410	AFL	1683							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00									
300C12 ^S	VISUALLY CHECK AFT PIVOT FITTING ASSEMBLY							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.520	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
300C17 ^S	INSPECT HORIZONTAL ATTACHMENT PIN							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.530	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C01 ^S	INSPECT LEFT WING FLAP DOORS (540LL, 540NL, 230HL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
PROC. REF: AMM 06-50-02, AMM 06-50-05PROC. REF: AMM 06-50-02, AMM 06-50-05									
PKG:6									
500C03 ^S	INSPECT LEFT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
PKG:6									
500C04 ^S	INSPECT LEFT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:6									
500C06 ^S	INSPECT LEFT WING AILERON AUTOPILOT SERVO AND CABLE							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.080	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00									
PKG:6									
500C07	INSPECT LEFT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	30-Dec-22							
	HRS	1906.5	400 (+20)		2306.5	2326.5	239.7 (+20)		
	AFL	1603							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C08 ^S	INSPECT LEFT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
PKG:6									
500C09 ^S	INSPECT LEFT WING AILERON HINGES AND ATTACH POINTS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.100	AFL	1683							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
PKG:6									
500C10	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1533.2 (+200)		
WC#: 27.120	AFL	0							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
500C11	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service	ATA:27
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	3600 (+200)		3600	3800	1533.2 (+200)		
WC#: 27.140	AFL	0							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
500C12 ^S	INSPECT LEFT WING AILERON DRY BAY (530LL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.070	AFL	1683							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C13 ^S	INSPECT LEFT WING FLAP							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.580	AFL	1683						PKG:6	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
500C15	INSPECT LEFT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service	ATA:27
	MOS	11-Jun-24						AIRWORTHINESS	
	HRS	2032	200 (+20/-20)		2232	2252	165.2 (+20)		
WC#: 27.590	AFL	1683						PKG:6	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
500C16 ^S	INSPECT LEFT WING FLAP ACTUATOR WIRING							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.600	AFL	1683						PKG:6	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
500C17 ^S	INSPECT LEFT WING FLAP ROLLERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.610	AFL	1683						PKG:6	
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
500C19 ^S	INSPECT LEFT WING SPOILERS							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.650	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
500C20 ^S	INSPECT LEFT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
500C21 ^S	INSPECT LEFT WING SPOILER DRY BAY (530EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
500C22 ^S	INSPECT LEFT WING SPOILER ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.700	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
500C23 ^S	INSPECT LEFT WING SPOILER BLOWDOWN ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.670	AFL	1683						PKG:7	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
500C24	INSPECT LEFT WING LIFT DUMP ACTUATOR							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	707.4 (+20)		
WC#: 27.690	AFL	1522							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
600C01 ^S	INSPECT RIGHT WING FLAP DOORS (640LL, 640NL, 230KR)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.570	AFL	1683							
PROC. REF: AMM 06-50-02, AMM 06-50-05PROC. REF: AMM 06-50-02, AMM 06-50-05									
PKG:6									
600C03 ^S	INSPECT RIGHT WING SPOILER HYDRAULIC LINES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.640	AFL	1683							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
PKG:6									
600C04 ^S	INSPECT RIGHT WING AILERON CABLES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.060	AFL	1683							
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00									
PKG:6									
600C07	INSPECT RIGHT AILERON TRIM TAB SYSTEM							Service	ATA:27
	MOS	28-Jun-22							
	HRS	1774.2	400 (+20)		2174.2	2194.2	107.4 (+20)		
WC#: 27.110	AFL	1522							
PROC. REF: AMM 27-00-00, AMM 27-10-00PROC. REF: AMM 27-00-00, AMM 27-10-00									
600C08 ^S	INSPECT RIGHT WING AILERON TRIM TAB							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.090	AFL	1683							
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C09 ^S INSPECT RIGHT WING AILERON HINGES AND ATTACH POINTS Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.100	AFL	1683						PKG:6
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C10 INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB Service ATA:27								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	1533.2 (+200)	
WC#: 27.120	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C11 INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR Service ATA:27								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	1533.2 (+200)	
WC#: 27.140	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C12 ^S INSPECT RIGHT WING AILERON DRY BAY (630LL) Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.070	AFL	1683						PKG:6
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C13 ^S INSPECT RIGHT WING FLAP Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.580	AFL	1683						PKG:6
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C15 INSPECT RIGHT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS Service ATA:27								
	MOS	11-Jun-24						AIRWORTHINESS
	HRS	2032	200 (+20/-20)		2232	2252	165.2 (+20)	
WC#: 27.590	AFL	1683						PKG:6
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								
600C16^S INSPECT RIGHT WING FLAP ACTUATOR WIRING Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.600	AFL	1683						PKG:6
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								
600C17^S INSPECT RIGHT WING FLAP ROLLERS Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.610	AFL	1683						PKG:6
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								
600C18^S INSPECT RIGHT WING FLAP POSITION TRANSMITTER Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.620	AFL	1683						PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600C19^S INSPECT RIGHT WING SPOILERS Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.650	AFL	1683						PKG:6
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
600C20 ^S	INSPECT RIGHT WING SPOILER HINGES							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.660	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
600C21 ^S	INSPECT RIGHT WING SPOILER DRY BAY (630EL)							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.680	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
600C22 ^S	INSPECT RIGHT WING SPOILER ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 27.700	AFL	1683						PKG:6	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
600C23 ^S	INSPECT RIGHT WING SPOILER BLOWDOWN ACTUATOR							Service	ATA:27
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 27.670	AFL	1683						PKG:7	
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									
600C24	INSPECT RIGHT WING LIFT DUMP ACTUATOR							Service	ATA:27
	MOS	28-Jun-22						AIRWORTHINESS	
	HRS	1774.2	1000 (+20/-20)		2774.2	2794.2	707.4 (+20)		
WC#: 27.690	AFL	1522							
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
LIMITS07 PITCH TRIM ACTUATOR								Component ATA:27
PN:DL4256M1	MOS	29-Jan-19		TSO 0, TSR 79				LIFE LIMIT
SN:0093	HRS	1082.1	6000	TSO 1887, TSR 0	5195.1		3128.3	
WC#: 27.440	AFL	1070		TSO 0				
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								
OPS08^S ADJUSTMENT/CHECK AILERON SYSTEM								Service ATA:27
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.010	AFL	1683						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
OPS09^S FUNCTIONAL TEST ROLL TRIM								Service ATA:27
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.050	AFL	1683						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
OPS10^S FUNCTIONAL CHECK RUDDER SYSTEM								Service ATA:27
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.040	AFL	1683						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
OPS11 OPERATIONAL TEST RUDDER BOOST								Service ATA:27
	MOS	29-Jun-21						AIRWORTHINESS
	HRS	1533.1	800 (+20/-20)		2333.1	2353.1	266.3 (+20)	
WC#: 27.270	AFL	1373						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
OPS12 ^S OPERATIONAL TEST RUDDER SYSTEM Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.280	AFL	1683						PKG:6
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
OPS13 ^S FUNCTIONAL TEST ELEVATOR Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.420	AFL	1683						PKG:6
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
OPS14 ^S OPERATIONAL TEST G SWITCH Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.430	AFL	1683						PKG:6
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00								
OPS15 ^S OPERATIONAL CHECK HORIZONTAL STABILIZERS NORMAL Service ATA:27								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 27.550	AFL	1683						PKG:6
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
OPS16 OPERATIONAL TEST TAKE-OFF CONFIGURATION WARNING Service ATA:27								
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	39.7 (+20)	
WC#: 27.560	AFL	1603						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
OPS17^S		FUNCTIONAL TEST FLAP SYSTEM						Service	ATA:27
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 27.630	AFL		1683						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00									
ATA 28 - FUEL									
200D04^S		REPLACE FUEL DISTRIBUTION FILTER ELEMENTS						Service	ATA:28
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 28.070	AFL		1683						
PROC. REF: AMM 28-20-08PROC. REF: AMM 28-20-08									
281001 REFUEL/DEFUEL ADAPTER Component ATA:28									
PN:390-389023-0001	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.110	AFL		0		TSN 0				
PROC. REF: AMM 28-10-10PROC. REF: AMM 28-10-10									
281011 PRECHECK VALVE Component ATA:28									
PN:61618-1	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:922	HRS		0		TSN 0				
WC#: 28.120	AFL		0		TSN 0				
PROC. REF: AMM 28-10-11PROC. REF: AMM 28-10-11									
281021 FUEL CAP Component ATA:28									
PN:PN	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 28.130	AFL		0		TSN 0				
PROC. REF: AMM 28-10-10PROC. REF: AMM 28-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281071 NO. 1 OUTBOARD CHECK VALVE Component ATA:28								
PN:101-389011-109	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0650	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-10-04PROC. REF: AMM 28-10-04								
281072 NO. 2 OUTBOARD CHECK VALVE Component ATA:28								
PN:101-389011-109	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0648	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: AMM 28-10-04PROC. REF: AMM 28-10-04								
281081 LEFT WING FORWARD INBOARD FLOAT CHECK VALVE Component ATA:28								
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1318	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281082 LEFT WING AFT INBOARD FLOAT CHECK VALVE Component ATA:28								
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1312	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281083 RIGHT WING FORWARD FLOAT VALVE Component ATA:28								
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1313	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281084 RIGHT WING AFT FLOAT VALVE Component ATA:28								
PN:118-381002-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1315	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281091 NO. 1 OUTBOARD FLOAT CHECK VALVE								Component ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:765	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281092 NO. 2 OUTBOARD FLOAT CHECK VALVE								Component ATA:28
PN:128-389031-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:757	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
282011 NO. 1 FUEL FILTER								Component ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:B2000	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07								
282012 NO. 2 FUEL FILTER								Component ATA:28
PN:45AS48014-005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:B2011	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07								
282041 NO. 1 FUEL SHUTOFF VALVE								Component ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11-10199	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09PROC. REF: AMM 28-20-09								
282042 NO. 2 FUEL SHUTOFF VALVE								Component ATA:28
PN:118-389005-5	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:10-1211350	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09PROC. REF: AMM 28-20-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282051		NO. 1 FUEL BOOST PUMP							Component ATA:28
PN:118-389006-7	MOS/MSC	14-Jul-23	O/C	TSN 0					
SN:8AR32	HRS	1970.3		TSN 0					
WC#: 28.200	AFL	1639		TSN 0					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
282052		NO. 2 FUEL BOOST PUMP							Component ATA:28
PN:118-389006-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11BF23	HRS	0		TSN 0					
WC#: 28.200	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
282061		NO. 1 MAIN TANK JET PUMP							Component ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0605	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02PROC. REF: AMM 28-20-02									
282062		NO. 2 MAIN TANK JET PUMP							Component ATA:28
PN:118-389007-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0608	HRS	0		TSN 0					
WC#: 28.210	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02PROC. REF: AMM 28-20-02									
282071		NO. 1 TRANSFER JET PUMP							Component ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0621	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05PROC. REF: AMM 28-20-05									
282072		NO. 2 TRANSFER JET PUMP							Component ATA:28
PN:128-389033-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0623	HRS	0		TSN 0					
WC#: 28.220	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282081	LEFT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0247	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13PROC. REF: AMM 28-10-13									
282082	RIGHT REFUEL/DEFUEL VALVE ASSEMBLY							Component	ATA:28
PN:390-920128-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0262	HRS	0		TSN 0					
WC#: 28.300	AFL	0		TSN 0					
PROC. REF: AMM 28-10-13PROC. REF: AMM 28-10-13									
282091	LEFT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-9	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:117	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12PROC. REF: AMM 28-10-12									
282092	RIGHT PILOT CUTOFF VALVE ASSEMBLY							Component	ATA:28
PN:132-389002-11	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:110	HRS	0		TSN 0					
WC#: 28.310	AFL	0		TSN 0					
PROC. REF: AMM 28-10-12PROC. REF: AMM 28-10-12									
282101	WING CROSS TRANSFER PUMP							Component	ATA:28
PN:390-389016-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06PROC. REF: AMM 28-20-06									
284001	NO. 1 FUEL QUANTITY INDICATOR							Component	ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AAD1632	HRS	0		TSN 0					
WC#: 28.230	AFL	0		TSN 0					
PROC. REF: AMM 28-40-02PROC. REF: AMM 28-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284002 NO. 2 FUEL QUANTITY INDICATOR								Component ATA:28
PN:390-382032-0011	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AAD1629	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: AMM 28-40-02PROC. REF: AMM 28-40-02								
284011 LEFT NO. 1 FUEL PROBE								Component ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0842-0004	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284012 LEFT NO. 2 FUEL PROBE								Component ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0835-0011	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284013 LEFT NO. 3 FUEL PROBE								Component ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0852-0008	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284014 LEFT NO. 4 FUEL PROBE								Component ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0852-0012	HRS	0		TSN 0				
WC#: 28.240	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284021 RIGHT NO. 1 FUEL PROBE								Component ATA:28
PN:390-389009-0021	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0821-0005	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284022 RIGHT NO. 2 FUEL PROBE								Component ATA:28
PN:390-389009-0025	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0835-0016	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284023 RIGHT NO. 3 FUEL PROBE								Component ATA:28
PN:390-389009-0017	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0852-0011	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284024 RIGHT NO. 4 FUEL PROBE								Component ATA:28
PN:390-389009-0019	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0852-0014	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284041 NO. 1 LOW LEVEL SENSOR								Component ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:843	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-40-04PROC. REF: AMM 28-40-04								
284042 NO. 2 LOW LEVEL SENSOR								Component ATA:28
PN:390-389028-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:807	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-40-04PROC. REF: AMM 28-40-04								
284051 NO. 1 FUEL PRESSURE SWITCH								Component ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:J029840	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05PROC. REF: AMM 28-40-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284052	NO. 2 FUEL PRESSURE SWITCH							Component	ATA:28
PN:45AS48008-015	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:J033633	HRS	0		TSN 0					
WC#: 28.270	AFL	0		TSN 0					
PROC. REF: AMM 28-40-05PROC. REF: AMM 28-40-05									
284061	CROSS TRANSFER FLOW SWITCH							Component	ATA:28
PN:V10F2-17	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:459	HRS	0		TSN 0					
WC#: 28.280	AFL	0		TSN 0					
PROC. REF: AMM 28-40-06PROC. REF: AMM 28-40-06									
284071	LEFT PRESSURE RELIEF VALVE							Component	ATA:28
PN:132-389009-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1033	HRS	0		TSN 0					
WC#: 28.290	AFL	0		TSN 0					
PROC. REF: AMM 28-10-03PROC. REF: AMM 28-10-03									
284072	RIGHT PRESSURE RELIEF VALVE							Component	ATA:28
PN:132-389007-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1038	HRS	0		TSN 0					
WC#: 28.290	AFL	0		TSN 0					
PROC. REF: AMM 28-10-03PROC. REF: AMM 28-10-03									
500B02 ^S	INSPECT LEFT FUEL DIVERTER VALVE (520DL)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683							
PROC. REF: AMM 28-20-13PROC. REF: AMM 28-20-13									
500B03 ^S	INSPECT LEFT FUEL VENT SYSTEM VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
500B04 ^S	INSPECT LEFT FUEL VENT SYSTEM TUBES/HOSES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683						PKG:7	
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
500B05 ^S	INSPECT LEFT FLAME ARRESTOR (VENT LINE)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683						PKG:7	
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
500B06 ^S	INSPECT LEFT PRESSURE AND VACUUM RELIEF VALVE							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683						PKG:7	
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
500B10 ^S	INSPECT LEFT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683						PKG:7	
PROC. REF: AMM 28-00-00PROC. REF: AMM 28-00-00									
600B02 ^S	INSPECT RIGHT FUEL DIVERTER VALVE (620DL)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.080	AFL	1683						PKG:7	
PROC. REF: AMM 28-20-13PROC. REF: AMM 28-20-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
600B03 ^S	INSPECT RIGHT FUEL VENT SYSTEM VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.030	AFL	1683							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
PKG:7									
600B04 ^S	INSPECT RIGHT FUEL VENT SYSTEM TUBES/HOSES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.040	AFL	1683							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
PKG:7									
600B05 ^S	INSPECT RIGHT FLAME ARRESTOR (VENT LINE)							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.050	AFL	1683							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
PKG:7									
600B06 ^S	INSPECT RIGHT PRESSURE AND VACUUM RELIEF VALVE							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 28.060	AFL	1683							
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00									
PKG:7									
600B10 ^S	INSPECT RIGHT WING FUEL DRAIN VALVES							Service	ATA:28
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.200	AFL	1683							
PROC. REF: AMM 28-00-00PROC. REF: AMM 28-00-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
OPS18 ^S OPERATIONAL TEST FUEL INDICATING SYSTEM								Service ATA:28
	MOS		11-Jun-24					
	HRS		2032		1200 (+20)			
WC#: 28.100	AFL		1683					
PROC. REF: AMM 28-40-00PROC. REF: AMM 28-40-00								
ATA 29 - HYDRAULIC POWER								
290001 NO. 1 SHUT-OFF VALVE								Component ATA:29
PN:45AS65014-003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:11-073035	HRS		0		TSN 0			
WC#: 29.040	AFL		0		TSN 0			
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03								
290002 NO. 2 SHUT-OFF VALVE								Component ATA:29
PN:45AS65014-003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:11-073042	HRS		0		TSN 0			
WC#: 29.040	AFL		0		TSN 0			
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03								
291001 HYDRAULIC PACKAGE								Component ATA:29
PN:390-384403-0009	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:0205	HRS		0		TSN 0			
WC#: 29.010	AFL		0		TSN 0			
PROC. REF: AMM 29-10-02PROC. REF: AMM 29-10-02								
291011 NO. 1 ENGINE HYDRAULIC PUMP								Component ATA:29
PN:390-389022-0003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:K0632	HRS		0		TSN 0			
WC#: 29.070	AFL		0		TSN 0			
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01								
291012 NO. 2 ENGINE HYDRAULIC PUMP								Component ATA:29
PN:390-389022-0003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:UNKNOWN	HRS		0		TSN 0			
WC#: 29.070	AFL		0		TSN 0			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
<hr/>									
2910504 ^U	LH PULSATION DAMPENER							Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
2910505 ^U	RH PULSATION DAMPENER							Component	ATA:29
PN:9012160100-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
2910510 ^U	LH HYDRAULIC TUBE							Component	ATA:29
PN:390-580035-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
293001	HYDRAULIC PRESSURE INDICATOR							Component	ATA:29
PN:390-382009-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:11G72	HRS	0		TSN 0					
WC#: 29.050	AFL	0		TSN 0					
PROC. REF: AMM 29-30-01PROC. REF: AMM 29-30-01									
<hr/>									
300A29 ^S	INSPECT HYDRAULIC PACKAGE							Service	ATA:29
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 29.010	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
300A30 ^S	INSPECTION/CHECK HYDRAULIC PACKAGE INLET AIR FILTER/CHECK VALVE							Service	ATA:29
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 29.010	AFL		1683						
PROC. REF: AMM 29-10-11PROC. REF: AMM 29-10-11									
LIMITS11									
REPLACE LEFT ENGINE HYDRAULIC PUMP (P/N 390-580035-1 OR P/N 390-580035-5) TUBE							Component	ATA:29	
PN:PN	MOS		27-Jun-12		TSN 0			LIFE LIMIT	
SN:UNKNOWN	HRS		0	2500	TSN 0	2500	433.2		
WC#: 29.060	AFL		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
SPC23									
REPLACE HYDRAULIC PACKAGE PRESSURE AND RETURN FILTERS, PERFORM LEAK AND OPS CHECK							Service	ATA:29	
	MOS		30-Dec-22					AIRWORTHINESS	
	HRS		1906.5	400 (+20)	2306.5	2326.5	239.7 (+20)		
WC#: 29.030	AFL		1603						
PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08									
ATA 30 - ICE AND RAIN PROTECTION									
100E06	INSPECT FRONT AND SIDE WINDSHIELDS							Service	ATA:30
	MOS		30-Dec-22					AIRWORTHINESS	
	HRS		1906.5	200 (+20)	2106.5	2126.5	39.7 (+20)		
WC#: 30.160	AFL		1603						
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00									
200D06 ^S									
INSPECT ANTI-ICE DUCTS							Service	ATA:30	
	MOS		11-Jun-24						
	HRS		2032	1200 (+20)					
WC#: 30.010	AFL		1683						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300A31 ^S	INSPECT ANTI-ICE CROSS FEED VALVE							Service	ATA:30
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 30.020	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
300C14 ^S	INSPECT ENERGY STORAGE BANK							Service	ATA:30
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 30.030	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
300C18	REPLACE LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
	MOS		27-Jun-12	TAC 0				LIFE LIMIT	
	HRS		0	5400	5400		3333.2		
WC#: 30.100	AFL		0	TAC 0					
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS		27-Jun-12	TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	5400	5400		3333.2		
	AFL		0	TAC 0					
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS		27-Jun-12	TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	5400	5400		3333.2		
	AFL		0	TAC 0					
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
PN:PN	MOS		27-Jun-12	TAC 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	5400	5400		3333.2		
	AFL		0	TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18 REPLACE LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
	MOS	27-Jun-12		TAC 0				LIFE LIMIT
	HRS	0	5400		5400		3333.2	
WC#: 30.100	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18 REPLACE RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY) Service ATA:30								
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18 REPLACE RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)								Service ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)								Service ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18 REPLACE RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)								Service ATA:30
PN:PN	MOS	27-Jun-12		TAC 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	5400	TAC 0	5400		3333.2	
	AFL	0		TAC 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301001 ANTI-ICE CROSSFEED VALVE								Component ATA:30
PN:390-385013-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0310	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
301011 NO. 1 EJECTOR PUMP								Component ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0610	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02PROC. REF: AMM 30-10-02								
301012 NO. 2 EJECTOR PUMP								Component ATA:30
PN:390-385041-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0618	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02PROC. REF: AMM 30-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301021 DE-ICING CONTROL UNIT								Component ATA:30
PN:390-384013-0007	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0387	HRS	0		TSN 0				
WC#: 30.200	AFL	0		TSN 0				
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01								
301031 LEFT HAND PRESSURE REGULATOR AND SOLENOID VALVE								Component ATA:30
PN:390-385036-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0714	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-10-09PROC. REF: AMM 30-10-09								
301032 RIGHT HAND PRESSURE REGULATOR AND SOLENOID VALVE								Component ATA:30
PN:390-385036-0011	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0723	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-10-09PROC. REF: AMM 30-10-09								
301101 NO. 1 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY								Component ATA:30
PN:390-620097-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:319	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								
301102 NO. 2 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY								Component ATA:30
PN:390-620097-0004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:320	HRS	0		TSN 0				
WC#: 30.210	AFL	0		TSN 0				
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								
301111 NO. 1 ENERGY STORAGE BANK								Component ATA:30
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0616	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: AMM 30-11-02PROC. REF: AMM 30-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301112 NO. 2 ENERGY STORAGE BANK Component ATA:30								
PN:390-386000-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0618	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: AMM 30-11-02PROC. REF: AMM 30-11-02								
301120 LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301121 LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301122 LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301123 LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301124 LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301125 LEFT NO. 3 REPLACE ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301126 LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301127 LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301128 LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301129 LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301130 LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301131 LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301132 RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301133 RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301134 RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301135 RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301136 RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR Component ATA:30								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301137 RIGHT NO. 3 RIGHT ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301138 RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301139 RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301140 RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301141 RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301142 RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301143 RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR								Component ATA:30
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
308001 NO. 1 ICE DETECTOR								Component ATA:30
PN:0871KK3	MOS/MSC	29-Sep-23	O/C	TSR 0				
SN:0544	HRS	2012.2		TSR 0				
WC#: 30.220	AFL	1666		TSR 0				
PROC. REF: AMM 30-80-01PROC. REF: AMM 30-80-01								
308002 NO. 2 ICE DETECTOR								Component ATA:30
PN:0871KK2	MOS/MSC	17-Jul-17	O/C	TSN 0				
SN:0853	HRS	852.5		TSN 0				
WC#: 30.220	AFL	866		TSN 0				
PROC. REF: AMM 30-80-01PROC. REF: AMM 30-80-01								
OPS20 OPERATIONAL TEST WING ANTI-ICE CROSS FEED VALVE AND ANTI-ICE SWITCHES								Service ATA:30
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	239.7 (+20)	
WC#: 30.180	AFL	1603						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
OPS21 OPERATIONAL TEST STRUCTURE OVER TEMPERATURE SWITCH								Service ATA:30
	MOS	29-May-15						AIRWORTHINESS
	HRS	394	3600 (+200)		3994	4194	1927.2 (+200)	
WC#: 30.070	AFL	394						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
OPS22 OPERATIONAL TEST LEADING EDGE OVER TEMPERATURE SWITCH								Service ATA:30
	MOS	29-May-15						AIRWORTHINESS
	HRS	394	3600 (+200)		3994	4194	1927.2 (+200)	
WC#: 30.080	AFL	394						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
OPS23 ^S OPERATIONAL TEST AUTO MODE Service ATA:30								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 30.090	AFL	1683						PKG:7
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
OPS24 ^S OPERATIONAL TEST MANUAL MODE (EMED) Service ATA:30								
	MOS	11-Jun-24						AIRWORTHINESS
	HRS	2032	1200 (+20/-20)					
WC#: 30.090	AFL	1683						PKG:7
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
OPS26 ^S OPERATIONAL CHECK TT2 SENSOR Service ATA:30								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.120	AFL	1683						PKG:6
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
OPS27 OPERATIONAL TEST ENGINE ANTI-ICE PRESSURE SWITCH Service ATA:30								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	1533.2 (+200)	
WC#: 30.130	AFL	0						
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
OPS28 ^S OPERATIONAL TEST PITOT STATIC PROBE HEAT Service ATA:30								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 30.140	AFL	1683						PKG:6
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
OPS30 ^S OPERATIONAL TEST FRONT AND SIDE WINDSHIELD HEAT								Service ATA:30
	MOS		11-Jun-24					
	HRS		2032		600 (+20)			
WC#: 30.170	AFL		1683					
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								

PKG:6

ATA 31 - INDICATING/RECORDING SYSTEMS								
311011 CABIN BRIEFER								Component ATA:31
PN:930-001	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:UNKNOWN	HRS		0		TSN 0			
WC#: 31.180	AFL		0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

311013 DIFFERENTIAL PRESSURE GAUGE INDICATOR								Component ATA:31
PN:390-382025-0001	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:508334	HRS		0		TSN 0			
WC#: 31.030	AFL		0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

311041 PITCH TRIM INDICATOR								Component ATA:31
PN:390-382034-0005	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:11G213	HRS		0		TSN 0			
WC#: 31.050	AFL		0		TSN 0			
PROC. REF: AMM 27-40-04PROC. REF: AMM 27-40-04								

311051 RUDDER TRIM INDICATOR								Component ATA:31
PN:390-382035-0003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:08F341	HRS		0		TSN 0			
WC#: 31.050	AFL		0		TSN 0			
PROC. REF: AMM 27-20-04PROC. REF: AMM 27-20-04								

3110517 ^U RUDDER TRIM SWITCH								Component ATA:31
PN:88415-1	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:UNKNOWN	HRS		0		TSN 0			
	AFL		0		TSN 0			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
3110525 U PILOT AUDIO CONTROL PANEL Component ATA:31								
PN:806-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110526 U CO-PILOT AUDIO CONTROL PANEL Component ATA:31								
PN:807-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110530 U NO. 1 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110531 U NO. 2 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110532 U NO. 3 DISPLAY MOUNT Component ATA:31								
PN:822-1140-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110535 U LH DME RECEIVER Component ATA:31								
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
3110536 ^U RH DME RECEIVER Component ATA:31								
PN:822-1828-112	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3110542 ^U CURSUR CONTROL PANEL Component ATA:31								
PN:822-1746-012	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
311061 ROLL TRIM INDICATOR Component ATA:31								
PN:390-382036-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11G20	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-10-04PROC. REF: AMM 27-10-04								
311071 FLAP INDICATOR Component ATA:31								
PN:390-382037-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:08E406	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311075 ANNUNCIATOR Component ATA:31								
PN:390-382004-0013	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: AMM 31-10-01PROC. REF: AMM 31-10-01								
311091 NO. 1 DC LOAD INDICATOR Component ATA:31								
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11H204	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
311092 NO. 2 DC LOAD INDICATOR Component ATA:31								
PN:390-382030-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:11H208	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311097 DC VOLTMETER Component ATA:31								
PN:390-382031-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:08H878	HRS	0		TSN 0				
WC#: 31.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313031 MATRIX SWITCH Component ATA:31								
PN:851-38606-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0398	HRS	0		TSN 0				
WC#: 21.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314001 MAINTENANCE DIAGNOSTIC COMPUTER Component ATA:31								
PN:822-1987-005	MOS/MSC	03-Jul-24	O/C	TSR 0				
SN:46MTC	HRS	2038		TSR 0				
WC#: 31.100	AFL	1690		TSR 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314011 ICC-3000 COMPUTER Component ATA:31								
PN:822-1129-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:48CMH	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314021 IEC-3001 CARD CAGE Component ATA:31								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314031 NO. 1 PWR-3000 CARD CAGE Component ATA:31								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314032 NO. 2 PWR-3000 CARD CAGE Component ATA:31								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314041 NO. 1 IOC-3100 CARD CAGE Component ATA:31								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314042 NO. 2 IOC-3100 CARD CAGE Component ATA:31								
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314051 NO. 1 DATA CONCENTRATOR UNIT Component ATA:31								
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C					
SN:3YBLW	HRS	1082.17						
WC#: 31.150	AFL	1070						
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02								
314052 NO. 2 DATA CONCENTRATOR UNIT Component ATA:31								
PN:822-1132-002	MOS/MSC	29-Jan-19	O/C					
SN:3YBLV	HRS	1082.17						
WC#: 31.150	AFL	1070						
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
314061		NO. 1 OPTION CONTROL MODULE						Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:44F4H	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
314062		NO. 2 OPTION CONTROL MODULE						Component	ATA:31
PN:822-1484-252	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4B1PN	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
315001		AURAL WARNING GENERATOR						Component	ATA:31
PN:630-007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:1783	HRS	0		TSN 0					
WC#: 31.170	AFL	0		TSN 0					
PROC. REF: AMM 31-50-03PROC. REF: AMM 31-50-03									
OPS31		TEST FLAPS AND SPOILERS TAKEOFF CONFIGURATION WARNING						Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	39.7 (+20)		
WC#: 31.020	AFL	1603							
PROC. REF: AMM 31-50-00PROC. REF: AMM 31-50-00									
OPS37		CHECK DCU AURAL WARNING						Service	ATA:31
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	39.7 (+20)		
WC#: 31.010	AFL	1603							
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02									
ATA 32 - LANDING GEAR									
100A04 ^S		INSPECT BRAKE CONTROL CABLE, LINKAGE, AND CONNECTORS - PARKING BRAKE						Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 32.240	AFL	1683							

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
100A05 ^S	INSPECT STEERING BELLCRANKS AND PUSHRODS							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 32.340	AFL		1683						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00									
100A06 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 32.100	AFL		1683						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									
100A07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION FORWARD QUADRANT							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 32.020	AFL		1683						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									
100A08 ^S	INSPECT BRAKE LINKAGE							Service	ATA:32
	MOS/MSC		11-Jun-24		N/A				
	HRS		2032						
WC#: 32.250	AFL		1683						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00									
100B07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 32.010	AFL		1683						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
200D07^S INSPECT BRAKE ASSEMBLIES - BRAKE SYSTEM Service ATA:32								
	MOS		11-Jun-24					
	HRS		2032	600 (+20)				
WC#: 32.320	AFL		1683					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
200D08 INSPECT ANTI-SKID SYSTEM Service ATA:32								
	MOS		30-Dec-22					AIRWORTHINESS
	HRS		1906.5	400 (+20/-20)	2306.5	2326.5	239.7 (+20)	
	AFL		1603					
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
320001 LANDING GEAR CONTROL Component ATA:32								
PN:390-382011-0003	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:327	HRS		0		TSN 0			
WC#: 32.410	AFL		0		TSN 0			
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								
320011 LANDING GEAR SELECTOR VALVE Component ATA:32								
PN:390-381200-0007	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:0313	HRS		0		TSN 0			
WC#: 32.420	AFL		0		TSN 0			
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02								
321001 LEFT MAIN LANDING GEAR DOOR ACTUATOR Component ATA:32								
PN:390-381202-0005	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:0629	HRS		0		TSN 0			
WC#: 32.430	AFL		0		TSN 0			
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								
321002 RIGHT MAIN LANDING GEAR DOOR ACTUATOR Component ATA:32								
PN:390-381202-0006	MOS/MSC		27-Jun-12	O/C	TSN 0			
SN:0611	HRS		0		TSN 0			
WC#: 32.430	AFL		0		TSN 0			
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321011		LEFT MAIN LANDING GEAR ASSEMBLY						Component	ATA:32
PN:390-110084	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01									
321012		RIGHT MAIN LANDING GEAR ASSEMBLY						Component	ATA:32
PN:390-110084	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01									
321021		LEFT MAIN LANDING GEAR RESTRICTOR						Component	ATA:32
PN:390-388113-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0334	HRS	0		TSN 0					
WC#: 32.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321022		RIGHT MAIN LANDING GEAR RESTRICTOR						Component	ATA:32
PN:390-388114-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0327	HRS	0		TSN 0					
WC#: 32.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
321031		LEFT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY						Component	ATA:32
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:766	HRS	0		TSN 0					
WC#: 32.450	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13									
321032		RIGHT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY						Component	ATA:32
PN:390-381203-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:759	HRS	0		TSN 0					
WC#: 32.450	AFL	0		TSN 0					
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321041 LEFT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY								Component ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:771	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
321042 RIGHT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY								Component ATA:32
PN:390-381204-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:757	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
321052 VALVE PACKAGE CABLE ASSEMBLY								Component ATA:32
PN:390-381205-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:414	HRS	0		TSN 0				
WC#: 32.650	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
322001 NOSE LANDING GEAR DOWNLOCK ACTUATOR								Component ATA:32
PN:390-384112-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0317	HRS	0		TSN 0				
WC#: 32.470	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
322011 NOSE LANDING GEAR ASSY								Component ATA:32
PN:390-820001-0003	MOS/MSC	28-Jun-22	O/C	TSR 0				
SN:09071101ICT	HRS	1774.2		TSR 0				
WC#: 32.480	AFL	1522		TSR 0				
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
323001 NOSE LANDING GEAR RETRACT ACTUATOR								Component ATA:32
PN:390-388200-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0299	HRS	0		TSN 0				
WC#: 32.490	AFL	0		TSN 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323011 NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2207	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06								
323031 LEFT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2230	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08PROC. REF: AMM 32-30-08								
323032 RIGHT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2239	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08PROC. REF: AMM 32-30-08								
323041 LEFT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2175	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12PROC. REF: AMM 32-30-12								
323042 RIGHT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR Component ATA:32								
PN:390-381201-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:2092	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12PROC. REF: AMM 32-30-12								
323051 LEFT MAIN LANDING GEAR RETRACT ACTUATOR Component ATA:32								
PN:390-388100-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0747	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323052 RIGHT MAIN LANDING GEAR RETRACT ACTUATOR								Component ATA:32
PN:390-388100-0010	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:693	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07								
323061 MAIN LANDING GEAR EXTEND VALVE								Component ATA:32
PN:390-388112-0009	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0379	HRS	0		TSN 0				
WC#: 32.530	AFL	0		TSN 0				
PROC. REF: AMM 32-30-14PROC. REF: AMM 32-30-14								
323071 MAIN LANDING GEAR EMERGENCY CABLE ASSEMBLY								Component ATA:32
PN:390-384317-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:391	HRS	0		TSN 0				
WC#: 32.540	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
324001 POWER BRAKE VALVE								Component ATA:32
PN:390-384079-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:290	HRS	0		TSN 0				
WC#: 32.550	AFL	0		TSN 0				
PROC. REF: AMM 32-40-05PROC. REF: AMM 32-40-05								
324011 HYDRAULIC ACCUMULATOR								Component ATA:32
PN:390-384106-0003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0391	HRS	0		TSN 0				
WC#: 32.560	AFL	0		TSN 0				
PROC. REF: AMM 32-40-13PROC. REF: AMM 32-40-13								
324021 PARKING BRAKE VALVE								Component ATA:32
PN:390-384114-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:0411	HRS	0		TSN 0				
WC#: 32.570	AFL	0		TSN 0				
PROC. REF: AMM 32-40-15PROC. REF: AMM 32-40-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324031 NOSE LANDING GEAR WHEEL Component ATA:32								
PN:3-1586	MOS/MSC	11-Jun-24	O/C		TSO 0			
SN:0070	HRS	2032			TSO 0			
WC#: 32.580	AFL	1683			TSO 0			
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
324041 NOSE LANDING GEAR TIRE Component ATA:32								
PN:019-611-0	MOS/MSC	11-Jun-24	O/C		TSN 0			
SN:2256T00408	HRS	2032			TSN 0			
WC#: 32.580	AFL	1683			TSN 0			
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
3240502 ^U POWER BRAKE VALVE Component ATA:32								
PN:390-384300-0003	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
324051 LEFT MAIN LANDING GEAR WHEEL ASSY Component ATA:32								
PN:3-1576	MOS/MSC	11-Jun-24	O/C		TSN 144, TSO 0			
SN:0851	HRS	2032			TSN 2032, TSO 0			
WC#: 32.590	AFL	1683			TSN 1683, TSO 0			
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
3240515 ^U LH MASTER CYLINDER ASSEMBLY Component ATA:32								
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
3240516 ^U LH MASTER CYLINDER ASSEMBLY Component ATA:32								
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3240517 ^U RH MASTER CYLINDER ASSEMBLY Component ATA:32								
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3240518 ^U RH MASTER CYLINDER ASSEMBLY Component ATA:32								
PN:390-385800-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324052 RIGHT MAIN LANDING GEAR WHEEL ASSY Component ATA:32								
PN:3-1576	MOS/MSC	11-Jun-24	O/C	TSN 144, TSO 0				
SN:0834	HRS	2032		TSN 2032, TSO 0				
WC#: 32.600	AFL	1683		TSN 1683, TSO 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
3240520 ^U ACCUMULATOR ASSEMBLY Component ATA:32								
PN:390-384083-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3240525 ^U PULSE DAMPENER ASSEMBLY Component ATA:32								
PN:390-384080-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3240526 ^U PRESSURE REGULATING VALVE Component ATA:32								
PN:390-384082-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
3240527 U PRESSURE GAUGE Component ATA:32								
PN:90-900-1048	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324061 LEFT MAIN LANDING GEAR TIRE Component ATA:32								
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0				
SN:3346P00019	HRS	2032		TSN 0				
WC#: 32.590	AFL	1683		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324062 RIGHT MAIN LANDING GEAR TIRE Component ATA:32								
PN:026-618-0	MOS/MSC	11-Jun-24	O/C	TSN 0				
SN:3345P00157	HRS	2032		TSN 0				
WC#: 32.600	AFL	1683		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324071 LEFT MAIN LANDING GEAR BRAKE ASSEMBLY Component ATA:32								
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0				
SN:0936	HRS	1774.2		TSO 0				
WC#: 32.660	AFL	1522		TSO 0				
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								
324072 RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY Component ATA:32								
PN:390-388103-0007	MOS/MSC	28-Jun-22	O/C	TSO 0				
SN:0105	HRS	1774.2		TSO 0				
WC#: 32.660	AFL	1522		TSO 0				
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								
324101 ANTI-SKID CONTROL UNIT Component ATA:32								
PN:390-384032-0005	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:449A	HRS	0		TSN 0				
WC#: 32.610	AFL	0		TSN 0				
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
325001 NOSE LANDING GEAR STEERING DAMPENER								Component ATA:32
PN:45100-41	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:062311-01	HRS	0		TSN 0				
WC#: 32.620	AFL	0		TSN 0				
PROC. REF: AMM 32-50-07PROC. REF: AMM 32-50-07								
32NDT1 NDT INSPECT NOSE LANDING GEAR WHEEL								Service ATA:32
PN:3-1586	MOS/MSC	11-Jun-24	A/R					
SN:0070	HRS	2032						
WC#: 32.580	AFL	1683						
PROC. REF: GENERIC NO REF, CMM 32-47-25PROC. REF: GENERIC NO REF, CMM 32-47-25								
32NDT2 NDT INSPECT LEFT MAIN LANDING GEAR WHEEL ASSY								Service ATA:32
PN:3-1576	MOS/MSC	11-Jun-24	A/R					
SN:0851	HRS	2032						
WC#: 32.590	AFL	1683						
PROC. REF: GENERIC NO REF, CMM 32-45-27PROC. REF: GENERIC NO REF, CMM 32-45-27								
32NDT3 NDT INSPECT RIGHT MAIN LANDING GEAR WHEEL ASSY								Service ATA:32
PN:3-1576	MOS/MSC	11-Jun-24	A/R					
SN:0834	HRS	2032						
WC#: 32.600	AFL	1683						
PROC. REF: GENERIC NO REF, CMM 32-45-27PROC. REF: GENERIC NO REF, CMM 32-45-27								
700A03 ^S INSPECT NOSE LANDING GEAR STRUT ASSEMBLY								Service ATA:32
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.110	AFL	1683						
PROC. REF: AMM 32-20-00, AMM 12-10-25PROC. REF: AMM 32-20-00, AMM 12-10-25								
700A04 ^S INSPECT NOSE LANDING GEAR DRAG STRUT ASSEMBLY								Service ATA:32
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.140	AFL	1683						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
700A05 ^S	INSPECT NOSE LANDING GEAR SHIMMY DAMPER							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.150	AFL	1683						PKG:6	
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									
700A06 ^S	INSPECT NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR ALTERNATE EXTENSION CABLE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.170	AFL	1683						PKG:6	
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									
700A07 ^S	INSPECT NOSE LANDING GEAR UPLOCK ASSEMBLY							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.180	AFL	1683						PKG:6	
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									
700A10 ^S	INSPECT NOSE WHEEL STEERING SYSTEM							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.350	AFL	1683						PKG:6	
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00									
700A12 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.160	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
700A13	VISUAL AND NDI (MAGNETIC PARTICLE) OF NOSE LANDING GEAR STRUCTURE							Service	ATA:32
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)		
WC#: 32.130	AFL	0	5000		5000		3286		
PROC. REF: CMM 32-20-01, AMM 20-26-00PROC. REF: CMM 32-20-01, AMM 20-26-00									
<hr/>									
700A14 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
700A15	INSPECT NOSE LANDING GEAR UPPER DRAG BRACE							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)		3232	3252	1165.2 (+20)		
	AFL	1683							
PROC. REF: CMM 32-25-01PROC. REF: CMM 32-25-01									
<hr/>									
700B05 ^S	INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.030	AFL	1683							
PROC. REF: AMM 12-10-25PROC. REF: AMM 12-10-25									
<hr/>									
700B06 ^S	INSPECT LEFT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES							Service	ATA:32
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 32.370	AFL	1683							
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700B07 ^S INSPECT LEFT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32								
	MOS		11-Jun-24					
	HRS		2032		600 (+20)			
WC#: 32.190	AFL		1683					
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
700B17 ^S INSPECT LEFT LANDING GEAR SQUAT SWITCH Service ATA:32								
	MOS		11-Jun-24					
	HRS		2032		600 (+20)			
WC#: 32.390	AFL		1683					
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								
700B18 ^S INSPECT LEFT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES Service ATA:32								
	MOS		11-Jun-24					
	HRS		2032		600 (+20)			
	AFL		1683					
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								
700B21 VISUAL AND NDI(MAGNETIC PARTICLE) LEFT MAIN LANDING GEAR ASSEMBLY Service ATA:32								
PN:390-110084	MOS		27-Jun-12					AIRWORTHINESS
SN:UNKNOWN	HRS		0		6000 (+200)	6200	3933.2 (+200)	
WC#: 32.070	AFL		0		5000	5000	3286	
PROC. REF: CMM 32-10-01, AMM 20-26-00PROC. REF: CMM 32-10-01, AMM 20-26-00								
700B22 ^S INSPECT LEFT LANDING GEAR WHEEL WELL Service ATA:32								
	MOS		11-Jun-24					
	HRS		2032		600 (+20)			
	AFL		1683					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
700C05 ^S	INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 32.030	AFL		1683						
PROC. REF: AMM 12-10-25PROC. REF: AMM 12-10-25									
PKG:6									
700C06 ^S	INSPECT RIGHT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 32.370	AFL		1683						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00									
PKG:6									
700C07 ^S	INSPECT RIGHT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 32.190	AFL		1683						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00									
PKG:6									
700C17 ^S	INSPECT RIGHT LANDING GEAR SQUAT SWITCH							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 32.390	AFL		1683						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00									
PKG:6									
700C18 ^S	INSPECT RIGHT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES							Service	ATA:32
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 32.380	AFL		1683						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700C20 VISUAL AND NDI(MAGNETIC PARTICLE) RIGHT MAIN LANDING GEAR ASSEMBLY Service ATA:32								
PN:390-110084	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)	
WC#: 32.070	AFL	0	5000		5000		3286	
PROC. REF: CMM 32-10-01, AMM 20-26-00PROC. REF: CMM 32-10-01, AMM 20-26-00								
700C21^S INSPECT RIGHT LANDING GEAR WHEEL WELL Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
	AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
OPS32^S FUNCTIONAL TEST LANDING GEAR ALTERNATE EXTENSION SYSTEM Service ATA:32								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 32.230	AFL	1683						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
OPS33 PERFORM TEST OF EMERGENCY BRAKE SYSTEM Service ATA:32								
	MOS	30-Dec-22						
	HRS	1906.5	400 (+20)		2306.5	2326.5	239.7 (+20)	
WC#: 32.310	AFL	1603						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
OPS34 TEST ANTI-SKID BRAKE Service ATA:32								
	MOS	30-Dec-22						AIRWORTHINESS
	HRS	1906.5	400 (+20/-20)		2306.5	2326.5	239.7 (+20)	
WC#: 32.330	AFL	1603						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
SPC09^S INSPECTION LEFT MAIN LANDING GEAR BRAKE Service ATA:32								
	MOS/MSC	13-Jun-14	A/R					
	HRS	196.5						
WC#: 32.640	AFL	184						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 32 - LANDING GEAR

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

SPC09 ^S		INSPECTION RIGHT MAIN LANDING GEAR BRAKE				Service	ATA:32
	MOS/MSC	13-Jun-14	A/R				
	HRS	196.5					
WC#: 32.640	AFL	184					

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

ATA 33 - LIGHTS

331001		NO. 1 INCANDESCENT DIMMER			Component	ATA:33
PN:DC7-394	MOS/MSC	27-Jun-12	O/C	TSN 0		
SN:0676	HRS	0		TSN 0		
WC#: 33.090	AFL	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

331002		NO. 2 INCANDESCENT DIMMER			Component	ATA:33
PN:DC7-394	MOS/MSC	27-Jun-12	O/C	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
WC#: 33.090	AFL	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

331015		AFT ANTI-COLLISION LIGHT			Component	ATA:33
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
WC#: 33.020	AFL	0		TSN 0		

PROC. REF: AMM 33-40-03PROC. REF: AMM 33-40-03

331016		LEFT ANTI-COLLISION (STROBE) LIGHT			Component	ATA:33
PN:390-384022-0001	MOS/MSC	27-Jun-12	O/C	TSN 0		
SN:280	HRS	0		TSN 0		
WC#: 33.030	AFL	0		TSN 0		

PROC. REF: AMM 33-40-01, AMM 33-40-03PROC. REF: AMM 33-40-01, AMM 33-40-03

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
331017 RIGHT ANTI-COLLISION (STROBE) LIGHT								Component ATA:33
PN:39033011-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01, AMM 33-40-03PROC. REF: AMM 33-40-01, AMM 33-40-03								
331018 ^U TAIL ANTI-COLLISION (STROBE) LIGHT								Component ATA:33
PN:39033019-1	MOS/MSC	27-Apr-19	O/C	TSN 0				
SN:21235	HRS			TSN 0				
	AFL			TSN 0				
334001 AFT STROBE POWER SUPPLY								Component ATA:33
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1175M1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-04PROC. REF: AMM 33-40-04								
334001 LEFT WING STROBE POWER SUPPLY								Component ATA:33
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1175M1	HRS	0		TSN 0				
WC#: 33.100	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02PROC. REF: AMM 33-40-02								
334001 RIGHT WING STROBE POWER SUPPLY								Component ATA:33
PN:390-384014-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1175M1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02PROC. REF: AMM 33-40-02								
334003 LIGHTING SWITCH CONTROLLER								Component ATA:33
PN:76771-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:1301	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334101		LEFT LANDING LIGHT						Component	ATA:33
PN:390-384003-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:290	HRS	0		TSN 0					
WC#: 33.130	AFL	0		TSN 0					
PROC. REF: AMM 33-40-05PROC. REF: AMM 33-40-05									
334102		RIGHT LANDING LIGHT						Component	ATA:33
PN:LSM-SCD-009-1	MOS/MSC	28-Jun-22	O/C	TSN 0					
SN:70656	HRS	1774.2		TSN 0					
WC#: 33.130	AFL	1522		TSN 0					
PROC. REF: AMM 33-40-05PROC. REF: AMM 33-40-05									
335010		EMERGENCY EXIT (SELF-ILLUMINATING) SIGN						Component	ATA:33
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C						
SN:UNKNOWN	HRS	0							
WC#: 33.080	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
335015		FORWARD PARTITION (SELF-ILLUMINATING) SIGN						Component	ATA:33
PN:129-380003-1	MOS/MSC	27-Jun-12	O/C						
SN:A11-3783	HRS	0							
WC#: 33.120	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
LIMITS04	INSPECT EMERGENCY EXIT SIGN (SELF-ILLUMINATING)						Service	ATA:33	
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	232 d (+30)	MANDATORY	
	HRS	2064.9							
WC#: 33.080	AFL	1712							
Manufacture Date:: 19-Nov-24									
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
LIMITS04	INSPECT FORWARD PARTITION (SELF-ILLUMINATING ON AFT SIDE)						Service	ATA:33	
	MOS	19-Nov-24	12 (+30d/-30d)		19-Nov-25	19-Dec-25	232 d (+30)	MANDATORY	
	HRS	2064.9							
WC#: 33.120	AFL	1712							
Manufacture Date:: 19-Nov-24									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00									
OPS42 ^S	FUNCTIONAL TEST AFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.020	AFL	1683							
PROC. REF: CMM 33-40-03, AMM 33-40-00PROC. REF: CMM 33-40-03, AMM 33-40-00									
OPS43 ^S	FUNCTIONAL TEST LEFT ANTI-COLLISION LIGHT							Service	ATA:33
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 33.030	AFL	1683							
PROC. REF: CMM 33-40-05, AMM 33-40-00PROC. REF: CMM 33-40-05, AMM 33-40-00									
ATA 34 - NAVIGATION									
100C04 ^S	INSPECT PITOT AND STATIC LINES AND CONNECTIONS - LEFT BAGGAGE COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.020	AFL	1683							
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
100D01 ^S	INSPECT PITOT AND STATIC LINE CONNECTIONS - RIGHT AVIONICS COMPARTMENT							Service	ATA:34
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 34.030	AFL	1683							
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
100E10	INSPECT RVSM CONTOUR							Service	ATA:34
	MOS	11-Jun-24	24 (+30d/-30d)		11-Jun-26	11-Jul-26	436 d (+30)		
	HRS	2032							
WC#: 34.500	AFL	1683							
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340001 UPPER COAXIAL SWITCH								Component ATA:34
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:21323	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								
340002 LOWER COAXIAL SWITCH								Component ATA:34
PN:402-167	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:21321	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								
340003 PERFORM FEDERAL AVIATION ADMINISTRATION'S (FAA) REDUCED VERTICAL SEPARATION MINIMUM (RVSM) MONITORING								Service ATA:34
	MOS/MSC	27-Jun-12	A/R	TAC 0				FAA
	HRS	0		TAC 0				
	AFL	0		TAC 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340011 STANDBY COMPASS								Component ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340021 MAGNETIC COMPASS								Component ATA:34
PN:133-380035-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:BG16481011	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01								
3400504 ^U NO.1 DCP 3000 DISPLAY CONTROL PANEL								Component ATA:34
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4905L	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3400505 U NO.2 DCP 3000 DISPLAY CONTROL PANEL								Component ATA:34
PN:822-1828-012	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4905K	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
341001 NO. 1 AIR DATA COMPUTER								Component ATA:34
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C					
SN:4829R	HRS	1784.3						
WC#: 34.050	AFL	1528						
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
<hr/>								
341002 NO. 2 AIR DATA COMPUTER								Component ATA:34
PN:822-1109-016	MOS/MSC	15-Jul-22	O/C					
SN:4829P	HRS	1784.3						
WC#: 34.050	AFL	1528						
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
<hr/>								
341025 STANDBY ALTIMETER								Component ATA:34
PN:390-382042-0001	MOS/MSC	17-Jun-24	O/C	TSO 0				
SN:164626	HRS	2032		TSO 0				
WC#: 34.100	AFL	1683		TSO 0				
PROC. REF: AMM 34-12-06PROC. REF: AMM 34-12-06								
<hr/>								
341031 NO. 1 EXTERNAL COMPENSATION UNIT								Component ATA:34
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:49N3F	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
<hr/>								
341032 NO. 2 EXTERNAL COMPENSATION UNIT								Component ATA:34
PN:822-1200-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:49N2M	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341041		NO. 1 AHC 3000 AHRS UNIT					Component ATA:34		
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49N1W	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01									
341042		NO. 2 AHC 3000 AHRS UNIT					Component ATA:34		
PN:822-1110-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49MXN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01									
341047		ALT-4000 TRANSMITTER					Component ATA:34		
PN:822-0615-002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4963T	HRS	0		TSN 0					
WC#: 34.130	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01									
3410509 ^U		CENTER ADAPTIVE FLIGHT DISPLAY					Component ATA:34		
PN:822-1084-014	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341051		NO. 1 ADAPTIVE FLIGHT DISPLAY					Component ATA:34		
PN:822-1084-017	MOS/MSC	30-Nov-23	O/C	TSO 0					
SN:3YORD	HRS	2023.6		TSO 0					
WC#: 34.140	AFL	1676		TSO 0					
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
341052		NO. 2 ADAPTIVE FLIGHT DISPLAY					Component ATA:34		
PN:822-1084-017	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3V10Y	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341061		ADAPTIVE FLIGHT DISPLAY CENTER						Component	ATA:34
PN:822-1753-017	MOS/MSC	18-Jun-20	O/C						
SN:49RHR	HRS	1296.7							
WC#: 34.140	AFL	1240							
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
341071		NO. 1 CONTROL DISPLAY UNIT						Component	ATA:34
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DNL	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01									
341072		NO. 2 CONTROL DISPLAY UNIT						Component	ATA:34
PN:822-0884-112	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:49DJB	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01									
341081		WEATHER RADAR (RTA-800) ANTENNA						Component	ATA:34
PN:622-8440-004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:3Y2RW	HRS	0		TSN 0					
WC#: 34.160	AFL	0		TSN 0					
PROC. REF: AMM 34-41-01PROC. REF: AMM 34-41-01									
341091		AIRSPEED INDICATOR						Component	ATA:34
PN:390-382039-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:298282	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: AMM 34-12-01PROC. REF: AMM 34-12-01									
341093		MMT-3010 MOUNT						Component	ATA:34
PN:822-1290-003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341101		NO. 1 PITOT VALVE						Component	ATA:34
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0718	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341102		NO. 2 PITOT VALVE						Component	ATA:34
PN:122-380046-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0705	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341111		OAT PROBE						Component	ATA:34
PN:122-384003-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:B4916	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
PROC. REF: AMM 34-13-01PROC. REF: AMM 34-13-01									
341121		NO. 1 PITOT STATIC PROBE						Component	ATA:34
PN:390-382059-0001	MOS/MSC	09-Jan-20	O/C	TSN 0					
SN:315694	HRS	1270.3		TSN 0					
WC#: 34.200	AFL	1212		TSN 0					
PROC. REF: AMM 34-12-07PROC. REF: AMM 34-12-07									
341122		NO. 2 PITOT STATIC PROBE						Component	ATA:34
PN:390-382059-0002	MOS/MSC	30-Jul-24	O/C	TSN 0					
SN:328008	HRS	2056.1		TSN 0					
WC#: 34.200	AFL			TSN 0					
PROC. REF: AMM 34-12-07PROC. REF: AMM 34-12-07									
341201		NO. 1 NAV ANTENNA						Component	ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4253	HRS	0		TSN 0					
WC#: 34.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF, AMM 34-31-01PROC. REF: GENERIC NO REF, AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341202 NO. 2 NAV ANTENNA								Component ATA:34
PN:22-37-103	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4252	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01PROC. REF: GENERIC NO REF, AMM 34-31-01								
341211 PHASING COUPLER								Component ATA:34
PN:80-37-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:6393	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
341221 STANDBY AIRSPEED INDICATOR								Component ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-12-05PROC. REF: AMM 34-12-05								
342011 UPPER FLUX DETECTOR								Component ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:300605	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
342012 LOWER FLUX DETECTOR								Component ATA:34
PN:822-1193-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:300579	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
342031 ATTITUDE INDICATOR								Component ATA:34
PN:390-382065-0001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:3143	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342041 VERTICAL SPEED INDICATOR								Component ATA:34	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					
PROC. REF: AMM 34-12-02PROC. REF: AMM 34-12-02									
3420500.1^U STANDBY ATTITUDE INDICATOR								Component ATA:34	
PN:501-1828-01	MOS/MSC	27-Feb-19	O/C	TSO 0					
SN:3046	HRS	1096.92		TSO 0					
	AFL	1083		TSO 0					
343001 NO. 1 COUPLER									Component ATA:34
PN:DMH24-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:16391	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343002 NO. 2 COUPLER								Component ATA:34	
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:45353	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343003 NO. 3 COUPLER								Component ATA:34	
PN:DMH21-1	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:46539	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343021 MARKER BEACON ANTENNA								Component ATA:34	
PN:DM N27-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:17770	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343031 GLIDESLOPE ANTENNA								Component ATA:34
PN:100-384128	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:9006	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343041 NO. 1 VIR-432 NAV RECEIVER								Component ATA:34
PN:822-1465-101	MOS/MSC	11-Jun-24	O/C	TSO 0				
SN:39G0R	HRS	2032		TSO 0				
WC#: 34.300	AFL	1683		TSO 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343042 NO. 2 VIR-432 NAV RECEIVER								Component ATA:34
PN:822-1465-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:44G1G	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
3430501 ^U NO. 1 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER								Component ATA:34
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3430504 ^U NO. 2 GLIDESLOPE/MARKER BEACON/VOR/ILS NAVIGATION RECEIVER								Component ATA:34
PN:622-7194-201	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344001 UPPER TCAS ANTENNA								Component ATA:34
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:50075	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344002 LOWER TCAS ANTENNA								Component ATA:34
PN:622-8973-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:444CL	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344011 UPPER TRANSPONDER ANTENNA								Component ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:27106	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344012 LOWER TRANSPONDER ANTENNA								Component ATA:34
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:27533	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344021 TCAS TRANSMITTER								Component ATA:34
PN:822-1294-032	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:177927	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344031 TCAS COAX KIT								Component ATA:34
PN:999ML-500-102	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:E90135	HRS	0		TSN 0				
WC#: 34.340	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344301 RADIO ALTIMETER RECEIVER ANTENNA								Component ATA:34
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:6397	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344302 RADIO ALTIMETER TRANSMITTER ANTENNA								Component ATA:34	
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.350	AFL	0			TSN 0				
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01									
3443501^U RADIO ALTIMETER ANTENNA								Component ATA:34	
PN:DM PN19-2-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:6398	HRS	0			TSN 0				
	AFL	0			TSN 0				
345001 NO. 1 ATC TRANSPONDER									Component ATA:34
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491XD	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01									
345002 NO. 2 ATC TRANSPONDER								Component ATA:34	
PN:622-9210-501	MOS/MSC	04-Oct-17	O/C						
SN:491WY	HRS	852.3							
WC#: 34.040	AFL	866							
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01									
345011 SINGLE ADF ANTENNA								Component ATA:34	
PN:622-7383-001	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:48TJH	HRS	0			TSN 0				
WC#: 34.370	AFL	0			TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01									
345012 DUAL ADF ANTENNA								Component ATA:34	
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.370	AFL	0			TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345021		NO. 1 DME ANTENNA					Component ATA:34		
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:27536	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
345022		NO. 2 DME ANTENNA					Component ATA:34		
PN:DM N150-10-2	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
345031		NO. 1 DME					Component ATA:34		
PN:822-1466-001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:4BH2D	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
345032		NO. 2 DME					Component ATA:34		
PN:622-7309-101	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01									
345041		NO. 1 GPS ANTENNA					Component ATA:34		
PN:429-410	MOS/MSC	09-Sep-22	O/C	TSN 0					
SN:699715	HRS	1828.2		TSN 0					
WC#: 34.400	AFL	1558		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									
345042		NO. 2 GPS ANTENNA					Component ATA:34		
PN:C1401-22A	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.400	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3450504 ^U CUMMUNICATIONS/NAVIGATION TUNING UNIT Component ATA:34								
PN:822-1121-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450508 ^U NO. 1 IAPS POWER SUPPLY Component ATA:34								
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4B28J	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450509 ^U IAPS ENVIRONMENTAL CONTROLLER Component ATA:34								
PN:822-1167-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4B1PR	HRS	0		TSN 0				
	AFL	0		TSN 0				
345051 NO. 1 GLOBAL POSITIONING SYSTEM Component ATA:34								
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C					
SN:46F5T	HRS	852.3						
WC#: 34.410	AFL	866						
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
3450511 ^U NO. 1 IAPS INPUT/OUTPUT CONCENTRATOR Component ATA:34								
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4941X	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450519 ^U NO. 2 IAPS POWER SUPPLY Component ATA:34								
PN:822-1137-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4B28F	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345052 NO. 2 GLOBAL POSITIONING SYSTEM								Component ATA:34
PN:822-2189-004	MOS/MSC	04-Oct-17	O/C					
SN:44H6F	HRS	852.3						
WC#: 34.410	AFL	866						
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
3450520^U NO. 2 IAPS INPUT/OUTPUT CONCENTRATOR								Component ATA:34
PN:822-1361-004	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:4941Y	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
345061 SINGLE ADF-462 TRANSCEIVER								Component ATA:34
PN:622-7382-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
345062 DUAL ADF-462 TRANSCEIVER								Component ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
3451500^U XM DATA ID								Component ATA:34
PN:XM DATA ID	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
3451501^U XM GRAPHICAL WEATHER								Component ATA:34
PN:810-0007-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3451502 ^U XM WEATHER RECEIVER Component ATA:34								
PN:822-2031-002	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451505 ^U EXTERNAL COMPENSATION UNIT Component ATA:34								
PN:822-1200-998	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451510 ^U NAVIGATION RECEIVER Component ATA:34								
PN:822-1579-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451512 ^U MODULAR TRAY Component ATA:34								
PN:822-1811-003	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451515 ^U ENHANCED MAP OVERLAYS Component ATA:34								
PN:810-0003-001	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3451516 ^U FILE SERVER UNIT Component ATA:34								
PN:822-1543-101	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346001		NO. 1 DCP-3000 DISPLAY CONTROL PANEL						Component	ATA:34
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-25-00PROC. REF: AMM 34-25-00									
346002		NO. 2 DCP-3000 DISPLAY CONTROL PANEL						Component	ATA:34
PN:822-1134-112	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.420	AFL	0			TSN 0				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
346011		NO. 1 FLIGHT GUIDANCE COMPUTER						Component	ATA:34
PN:822-1108-317	MOS/MSC	14-May-17	O/C		TSN 59				
SN:44BJC	HRS	813.42			TSN 813.42				
WC#: 34.430	AFL	833			TSN 833				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346012		NO. 2 FLIGHT GUIDANCE COMPUTER						Component	ATA:34
PN:822-1108-317	MOS/MSC	14-May-17	O/C		TSN 59				
SN:44DFK	HRS	813.42			TSN 813.42				
WC#: 34.430	AFL	833			TSN 833				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346021		NO. 1 CONFIGURATION STRAPPING UNIT						Component	ATA:34
PN:822-1363-002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:4B1LT	HRS	0			TSN 0				
WC#: 34.440	AFL	0			TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346022		NO. 2 CONFIGURATION STRAPPING UNIT						Component	ATA:34
PN:822-1363-002	MOS/MSC	03-Jul-21	O/C						
SN:4M8DLK	HRS	1533.1							
WC#: 34.440	AFL	1373							
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346031		NO. 1 FLIGHT MANAGEMENT COMPUTER						Component	ATA:34
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C		TSO 0				
SN:20CVX	HRS	1533.1			TSO 0				
WC#: 34.450	AFL	1373			TSO 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346032		NO. 2 FLIGHT MANAGEMENT COMPUTER						Component	ATA:34
PN:822-0883-040	MOS/MSC	03-Jul-21	O/C		TSO 0				
SN:3N2GB	HRS	1533.1			TSO 0				
WC#: 34.450	AFL	1373			TSO 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346041		SDD-640C SENSOR DISPLAY DRIVE						Component	ATA:34
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.460	AFL	0			TSN 0				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
346061		ENHANCED GROUND PROXIMITY WARNING UNIT						Component	ATA:34
PN:965-0976-040-210-1	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:EMK5-28268	HRS	0			TSN 0				
WC#: 34.470	AFL	0			TSN 0				
PROC. REF: AMM 34-45-01PROC. REF: AMM 34-45-01									
346071		429 COMPUTER						Component	ATA:34
PN:90001-004	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.480	AFL	0			TSN 0				
PROC. REF: AMM 23-30-05PROC. REF: AMM 23-30-05									
346081		DATA BASE UNIT						Component	ATA:34
PN:822-2215-201	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:1BSP7	HRS	0			TSN 0				
WC#: 34.490	AFL	0			TSN 0				
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
OPS38		OPERATIONAL TEST REVERSION SWITCHES						Service	ATA:34
	MOS	30-Dec-22						AIRWORTHINESS	
	HRS	1906.5	200 (+20/-20)		2106.5	2126.5	39.7 (+20)		
WC#: 34.010	AFL	1603							
PROC. REF: AMM 34-00-01PROC. REF: AMM 34-00-01									
SPC03		RECERTIFY STANDBY ALTIMETER						Service	ATA:34
PN:390-382042-0001	MOS	11-Jun-24	24		11-Jun-26		436 d	MANDATORY	
SN:164626	HRS	2032							
WC#: 34.100	AFL	1683							
Calibration Date: : 11-Jun-24									
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
SPC05		RECERTIFY NO. 1 AIR DATA COMPUTER						Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		365 d	MANDATORY	
SN:4829R	HRS	2032							
WC#: 34.050	AFL	1683							
Calibration Date: : 01-Apr-24									
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02									
SPC05		RECERTIFY NO. 2 AIR DATA COMPUTER						Service	ATA:34
PN:822-1109-016	MOS	01-Apr-24	24		01-Apr-26		365 d	MANDATORY	
SN:4829P	HRS	2032							
WC#: 34.050	AFL	1683							
Calibration Date: : 01-Apr-24									
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02									
SPC11		RECERTIFY NO. 1 ATC TRANSPONDER						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		365 d	MANDATORY	
SN:491XD	HRS	2032							
WC#: 34.040	AFL	1683							
Calibration Date: : 01-Apr-24									
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
SPC11		RECERTIFY NO. 2 ATC TRANSPONDER						Service	ATA:34
PN:622-9210-501	MOS	01-Apr-24	24		01-Apr-26		365 d	MANDATORY	
SN:491WY	HRS	2032							
WC#: 34.040	AFL	1683							
Calibration Date: : 01-Apr-24									
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00									
SPC12		RECERTIFY NO. 1 PITOT STATIC SYSTEM						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		436 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
Calibration Date: : 11-Jun-24									
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
SPC12		RECERTIFY NO. 2 PITOT STATIC SYSTEM						Service	ATA:34
	MOS	11-Jun-24	24		11-Jun-26		436 d	MANDATORY	
	HRS	2032							
WC#: 34.520	AFL	1683							
Calibration Date: : 11-Jun-24									
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
SPC16		DRAIN LEFT PITOT/STATIC SYSTEM						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	103.5 (+20)		
WC#: 34.020	AFL	1639							
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
SPC16		DRAIN RIGHT PITOT/STATIC SYSTEM						Service	ATA:34
	MOS	10-Jul-23							
	HRS	1970.3	200 (+20)		2170.3	2190.3	103.5 (+20)		
WC#: 34.030	AFL	1639							
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00									
ATA 35 - OXYGEN									
100C02^S		INSPECT OXYGEN SYSTEM						Service	ATA:35
	MOS	11-Jun-24							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
	HRS	2032	600 (+20)						
WC#: 35.010	AFL	1683						PKG:6	
PROC. REF: AMM 12-10-30PROC. REF: AMM 12-10-30									
<hr/>									
200A12 ^S	INSPECT FLIGHT CREW OXYGEN SYSTEM							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.020	AFL	1683						PKG:6	
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01									
<hr/>									
200B07 ^S	INSPECT OXYGEN MASK AND HOSES							Service	ATA:35
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 35.050	AFL	1683						PKG:6	
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
<hr/>									
350001	OXYGEN PRESSURE TRANSDUCER							Component	ATA:35
PN:122-382008-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:7403-5-192	HRS	0		TSN 0					
WC#: 35.060	AFL	0		TSN 0					
PROC. REF: AMM 35-10-08PROC. REF: AMM 35-10-08									
<hr/>									
350011	OXYGEN SHUTOFF VALVE							Component	ATA:35
PN:101-384032-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:5303B	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
PROC. REF: AMM 35-10-05PROC. REF: AMM 35-10-05									
<hr/>									
350101	OXYGEN BOTTLE							Component	ATA:35
PN:176419-77	MOS	20-Aug-16	180	TSN 0	01-May-25		30 d	LIFE LIMIT	
SN:ALT281-24534/2672	HRS	607.7							
WC#: 35.010	AFL	627							
	ACH								
Manufacture Date:: 01-May-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PROC. REF: AMM 35-10-04PROC. REF: AMM 35-10-04									
351011	NO. 1 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:00309	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10PROC. REF: AMM 35-10-10									
351012	NO. 2 CREW STATION OXYGEN BOX							Component	ATA:35
PN:390-382044-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:00337	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10PROC. REF: AMM 35-10-10									
351021	OVERBOARD DISCHARGE INDICATOR							Component	ATA:35
PN:171-502	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0313	HRS	0		TSN 0					
WC#: 35.100	AFL	0		TSN 0					
PROC. REF: AMM 35-10-06PROC. REF: AMM 35-10-06									
351031	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:99-384042-3	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:03302	HRS	0		TSN 0					
WC#: 35.110	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									
351035	OXYGEN PRESSURE INDICATOR							Component	ATA:35
PN:390-382010-0007	MOS/MSC	07-Jul-14	O/C	TSO 0					
SN:071330	HRS	200.9		TSO 0					
WC#: 35.120	AFL	189		TSO 0					
PROC. REF: AMM 35-10-07PROC. REF: AMM 35-10-07									
3510501 ^U	LH OXYGEN CREW MASK							Component	ATA:35
PN:390-382045-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:23984	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
352020 CABIN OXYGEN CONTROL SOLENOID VALVE								Component ATA:35
PN:101-384032-7	MOS/MSC	17-Jun-24	O/C	TSN 0				
SN:7209B	HRS	2032		TSN 0				
WC#: 35.030	AFL	1683		TSN 0				
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02								
LIMITS12 HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384200-11 (40 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS/MSC	27-Jun-12	N/A					MANDATORY
SN:ALT281-24534/2672	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS13 HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384207-13 (77 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS	23-Jun-21	60		23-Jun-26		448 d	MANDATORY
SN:ALT281-24534/2672	HRS	1533.1						
WC#: 35.010	AFL	1373						
HydroCheck Date: : 23-Jun-21								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS14 HYDROSTATIC TEST OXYGEN BOTTLE CARBON FIBER BOTTLE P/N 101-384207-23 (77 CUBIC-FEET)								Service ATA:35
PN:176419-77	MOS/MSC	26-Jul-16	N/A					MANDATORY
SN:ALT281-24534/2672	HRS	607.7						
	AFL	627						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
OPS39 ^S FUNCTIONAL TEST OXYGEN SYSTEM								Service ATA:35
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 35.010	AFL	1683						
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SPC14 #1 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		961 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #2 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		869 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.130	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #3 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		961 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #4 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		869 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.140	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #5 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		961 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.150	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #6 PASSENGER OXYGEN MASK								
PN:174095	MOS	18-Jun-20	96	TSN 10	18-Aug-27		869 d	Component ATA:35 OVERHAUL
SN:UNKNOWN	HRS	1296.7		TSN 0				
WC#: 35.150	AFL	1240		TSN 0				
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
SPC14		LAVATORY PASSENGER OXYGEN MASK						Component	ATA:35
PN:174095	MOS	18-Jun-20	96	TSN 7	18-Nov-27		961 d	OVERHAUL	
SN:UNKNOWN	HRS	1296.7		TSN 0					
WC#: 35.160	AFL	1240		TSN 0					
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01									
SPC26		NO. 1 CREW OXYGEN MASK OVERHAUL						Component	ATA:35
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1498 d (+30)	OVERHAUL	
SN:23595	HRS	1964.5		TSO 0					
WC#: 35.080	AFL	1636		TSO 0					
PROC. REF: CMM 35-10-01, AMM 35-10-01PROC. REF: CMM 35-10-01, AMM 35-10-01									
SPC26		NO. 2 CREW OXYGEN MASK OVERHAUL						Component	ATA:35
PN:174252-13	MOS	08-May-23	72 (+30d/-30d)	TSO 0	08-May-29	07-Jun-29	1498 d (+30)	OVERHAUL	
SN:20790	HRS	1964.5		TSO 0					
WC#: 35.080	AFL	1636		TSO 0					
PROC. REF: CMM 35-10-01, AMM 35-10-01PROC. REF: CMM 35-10-01, AMM 35-10-01									
TBO06		OXYGEN REGULATOR						Component	ATA:35
PN:172400-14	MOS	29-Jun-21	60	TSO 0	29-Jun-26		454 d	OVERHAUL	
SN:2672	HRS	1533.1							
WC#: 35.010	AFL	1373		TSO 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
TBO07		REPLACE CABIN OXYGEN CONTROL SOLENOID VALVE O-RINGS						Service	ATA:35
	MOS	17-Jun-24	48		17-Jun-28		1173 d		
	HRS	2032							
WC#: 35.040	AFL	1683							
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361001	PNEUMATIC PRESSURE REGULATOR							Component	ATA:36
PN:390-385001-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0508	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
PROC. REF: AMM 36-10-01PROC. REF: AMM 36-10-01									
SPC19									
DRAIN MOISTURE FROM PNEUMATIC DRAIN LINE							Service	ATA:36	
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)		
WC#: 36.020	AFL	1603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 38 - WATER/WASTE									
200A06 ^S	INSPECT RELIEF TUBE							Service	ATA:38
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
3800400 ^U									
RELIEF TUBE							Component	ATA:38	
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 52 - DOORS									
200C01	VISUAL/A-SCAN CHECK PASSENGER DOOR							Service	ATA:52
PN:PN	MOS	27-Jun-12						AIRWORTHINESS	
SN:UNKNOWN	HRS	0	T:2400 (+200)		2400	2600	333.2 (+200)		
WC#: 52.010	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-10-01PROC. REF: AMM 20-26-00, AMM 52-10-01									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
200C03	VISUAL CHECK EMERGENCY EXIT HATCH							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)		
WC#: 52.040	AFL	0							
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
200C06 ^S	VISUAL CHECK PASSENGER DOOR AND STEPS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683						PKG:6	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
200C07 ^S	INSPECT PASSENGER DOOR LATCH MECHANISM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683						PKG:6	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
200C08 ^S	INSPECT PASSENGER DOOR							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.010	AFL	1683						PKG:7	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
200C09 ^S	INSPECT FUSELAGE DOOR LAND							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 52.010	AFL	1683						PKG:6	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
200C10 ^S	INSPECT EMERGENCY EXIT HATCH SEALS							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
PKG:7									
200C11 ^S	INSPECT EMERGENCY EXIT HATCH DOOR FRAME AND WINDOW INSTALLATION							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
PKG:7									
200C12 ^S	INSPECT EMERGENCY EXIT HATCH FUSELAGE OPENING PERIMETER							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
PKG:7									
200C13 ^S	INSPECT EMERGENCY EXIT HATCH LATCHING MECHANISM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.040	AFL	1683							
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
PKG:7									
300A33 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.050	AFL	1683							
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521001	PASSENGER DOOR							Component	ATA:52
PN:390-430020-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RB-293	HRS	0		TSN 0					
WC#: 52.010	AFL	0		TSN 0					
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
521002	PASSENGER DOOR SHELL ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
521011	CABIN DOOR KEY							Component	ATA:52
PN:390-384050-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
522001	EMERGENCY EXIT HATCH							Component	ATA:52
PN:390-430003-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:RB-293	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
523011	RIGHT AFT AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.120	AFL	0		TSN 0					
PROC. REF: AMM 52-30-03PROC. REF: AMM 52-30-03									
524001	FORWARD BAGGAGE & AVIONICS DOOR KEY							Component	ATA:52
PN:390-384008-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:80477	HRS	0		TSN 0					
WC#: 52.130	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01PROC. REF: AMM 52-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
800A02 ^S	INSPECT AFT BAGGAGE DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 52.150	AFL		1683						
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									
PKG:6									
800A03 ^S	INSPECT AFT AVIONICS DOOR, LATCH, SWITCHES AND SEALS							Service	ATA:52
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 52.150	AFL		1683						
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00									
PKG:6									
800A04 ^S	INSPECT AFT BAGGAGE DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 52.160	AFL		1683						
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05									
PKG:6									
800A05 ^S	INSPECT AFT AVIONICS DOOR LATCH PINS (4 LOCATIONS)							Service	ATA:52
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 52.160	AFL		1683						
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05									
PKG:6									
800A06 ^S	ADJUSTMENT/TEST FORWARD AND AFT BAGGAGE/AVIONICS DOORS							Service	ATA:52
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 52.170	AFL		1683						
PROC. REF: AMM 52-70-00PROC. REF: AMM 52-70-00									
PKG:6									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
800A07	EDDY CURRENT INSPECT AFT BAGGAGE AND AVIONICS DOOR LATCH PINS (4 EACH SIDE)							Service	ATA:52
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)		
WC#: 52.140	AFL	0							
PROC. REF: AMM 20-26-00, AMM 52-30-05PROC. REF: AMM 20-26-00, AMM 52-30-05									
OPS40 ^S	OPERATIONAL TEST PASSENGER DOOR WARNING SYSTEM							Service	ATA:52
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 52.030	AFL	1683							
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
ATA 53 - FUSELAGE									
100B08 ^S	INSPECT MOISTURE DRAIN HOLES AND VALVES							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.010	AFL	1683							
PROC. REF: AMM 06-20-00PROC. REF: AMM 06-20-00									
100B09 ^S	INSPECT WING SPIGOT FITTING INTERIOR REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.030	AFL	1683							
PROC. REF: AMM 57-10-02PROC. REF: AMM 57-10-02									
100B10 ^S	INSPECT FORWARD AND AFT WING ATTACHMENT FITTINGS REINFORCEMENTS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 53.040	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
100B11 ^S	INSPECT/LUBRICATE WING SPIGOT							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.330	AFL	1683							
PROC. REF: AMM 57-10-02, AMM 12-20-02PROC. REF: AMM 57-10-02, AMM 12-20-02									
100C01	INSPECT LEFT BAGGAGE COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1174 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1629.9 (+200)		
WC#: 53.050	AFL	1240							
PROC. REF: AMM 53-10-01PROC. REF: AMM 53-10-01									
100C05 ^S	INSPECT LEFT BAGGAGE COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.200	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
100D03	INSPECT RIGHT AVIONICS COMPARTMENT FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Jun-20	96 (+30d/-30d)		18-Jun-28	18-Jul-28	1174 d (+30)	AIRWORTHINESS	
	HRS	1296.7	2400 (+200)		3696.7	3896.7	1629.9 (+200)		
WC#: 53.060	AFL	1240							
PROC. REF: AMM 53-10-01PROC. REF: AMM 53-10-01									
100D04 ^S	INSPECT RIGHT AVIONICS COMPARTMENT NOSE KEEL							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 53.210	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
100E02 ^S	INSPECT FUSELAGE SKIN - STRUCTURAL DAMAGE							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032		1200 (+20)					
WC#: 53.070	AFL	1683							
PKG:7									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
100E04 ^S	INSPECT RADOME DETERIORATION (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032		1200 (+20)					
WC#: 53.240	AFL	1683							
PKG:7									
PROC. REF: AMM 53-30-01, AMM 53-30-01PROC. REF: AMM 53-30-01, AMM 53-30-01									
100E05 ^S	INSPECT RADOME ANTENNA (REMOVED)							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032		1200 (+20)					
WC#: 53.240	AFL	1683							
PKG:7									
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									
200B01	VISUAL OF AFT PRESSURE BULKHEAD							Service	ATA:53
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)	2400	2600	333.2 (+200)			
WC#: 53.100	AFL	0							
PROC. REF: AMM 53-10-03PROC. REF: AMM 53-10-03									
200B08 ^S	INSPECT FLOOR PANELS							Service	ATA:53
	MOS	11-Jun-24							
	HRS	2032		1200 (+20)					
WC#: 53.230	AFL	1683							
PKG:7									
PROC. REF: AMM 06-50-01PROC. REF: AMM 06-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
200C02 VISUAL CHECK OF FORWARD FUSELAGE SHELL AND FORWARD TO AFT SPLICE Service ATA:53								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	T:2400 (+200)		2400	2600	333.2 (+200)	
WC#: 53.080	AFL	0						
PROC. REF: AMM 53-10-02PROC. REF: AMM 53-10-02								
200C15^S INSPECT FUSELAGE SKIN Service ATA:53								
	MOS	11-Jun-24						
	HRS	2032	1200 (+20)					
WC#: 53.110	AFL	1683						PKG:7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
200D10^S INSPECT FUSELAGE AND WING ATTACHMENT FITTINGS Service ATA:53								
	MOS	11-Jun-24						
	HRS	2032	600 (+20)					
WC#: 53.120	AFL	1683						PKG:6,7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A07 VISUAL CHECK OF AFT FUSELAGE SHELL Service ATA:53								
	MOS	27-Jun-12						AIRWORTHINESS
	HRS	0	T:2400 (+200)		2400	2600	333.2 (+200)	
WC#: 53.130	AFL	0						
PROC. REF: AMM 53-30-03PROC. REF: AMM 53-30-03								
300A10 EDDY CURRENT INSPECT VERTICAL TAIL AFT SPAR (BOLT REMOVAL REQUIRED) Service ATA:53								
PN:PN	MOS	27-Jun-12						AIRWORTHINESS
SN:UNKNOWN	HRS	0	T:10000 (+200)		10000	10200	7933.2 (+200)	
WC#: 53.170	AFL	0						
PROC. REF: AMM 20-26-00, AMM 53-10-05PROC. REF: AMM 20-26-00, AMM 53-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
300A37 ^S	INSPECT AFT FUSELAGE SKIN							Service	ATA:53
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 53.020	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									
300A38 ^S	INSPECT FORWARD ENGINE CARRY-THROUGH BEAM							Service	ATA:53
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 53.180	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									
300A40 ^S	INSPECT MOISTURE DRAIN PATH							Service	ATA:53
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 53.190	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
530001	PYLON ASSEMBLY							Component	ATA:53
PN:390-440252-0001	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 53.260	AFL		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531001	FORWARD FUSELAGE ASSEMBLY							Component	ATA:53
PN:390-400011-0021	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 53.270	AFL		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531011	NOSE STRUCTURE							Component	ATA:53
PN:390-410006-0001	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 53.280	AFL		0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531046	AFT FUSELAGE SHELL							Component	ATA:53
PN:390-444011-0009	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.130	AFL	0		TSN 0					
PROC. REF: AMM 53-30-02PROC. REF: AMM 53-30-02									
531049	EMPENNAGE							Component	ATA:53
PN:390-600100-6001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531050	EMPENNAGE FITTING							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531052	FORWARD CANTED BULKHEAD							Component	ATA:53
PN:390-440095-0007	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531055	AFT CANTED BULKHEAD							Component	ATA:53
PN:390-440089-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
531057	VERTICAL TAIL AFT SPAR							Component	ATA:53
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.170	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
532001	AFT PRESSURE BULKHEAD							Component	ATA:53
PN:390-440031-6001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
532011	COCKPIT FLOOR STRUCTURE							Component	ATA:53
PN:390-420009-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
532021	NO. 1 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430361-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
532022	NO. 2 CABIN FLOOR STRUCTURE							Component	ATA:53
PN:390-430362-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
533001	TAILCONE							Component	ATA:53
PN:390-440215-0013	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.320	AFL	0		TSN 0					
PROC. REF: AMM 53-30-02PROC. REF: AMM 53-30-02									
535001	RADOME							Component	ATA:53
PN:390-415001-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:C198200-9	HRS	0		TSN 0					
WC#: 53.240	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									
ATA 54 - NACELLES/PYLONS									
400A12	S	INSPECT NO. 1 ENGINE PYLON SKIN						Service	ATA:54
		MOS	11-Jun-24						
		HRS	2032	600 (+20)					
WC#: 54.010		AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400A14	S	INSPECT NO. 1 ENGINE PYLON NACELLE SEAL						Service	ATA:54
		MOS	11-Jun-24						
		HRS	2032	1200 (+20)					
WC#: 54.020		AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400B12	S	INSPECT NO. 2 ENGINE PYLON SKIN						Service	ATA:54
		MOS	11-Jun-24						
		HRS	2032	600 (+20)					
WC#: 54.010		AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400B14	S	INSPECT NO. 2 ENGINE PYLON NACELLE SEAL						Service	ATA:54
		MOS	11-Jun-24						
		HRS	2032	1200 (+20)					
WC#: 54.020		AFL	1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
300B14 ^S	INSPECT VERTICAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.030	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
300B15 ^S	INSPECT FORWARD AND AFT DORSAL FIN							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.040	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
300C15 ^S	INSPECT HORIZONTAL STABILIZER SKIN AND LEADING EDGE							Service	ATA:55
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 55.010	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
ATA 56 - WINDOWS									
100E07	VISUAL/EDDY CURRENT INSPECT FRONT AND SIDE WINDSHIELD CLAMPS							Service	ATA:56
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:6000 (+200)	6000	6200	3933.2 (+200)			
WC#: 56.010	AFL	0							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
100E08	VISUAL CHECK WINDSHIELDS AND WINDOWS							Service	ATA:56
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:2400 (+200)	2400	2600	333.2 (+200)			
WC#: 56.020	AFL	0							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
100E09 ^S	INSPECT WINDSHIELD FRAMES							Service	ATA:56
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 56.030	AFL		1683						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
200C18 ^S									
	INSPECT CABIN WINDOW							Service	ATA:56
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 56.040	AFL		1683						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00									
561001									
	LEFT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0005	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:1167H1698	HRS		0		TSN 0				
WC#: 56.050	AFL		0		TSN 0				
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									
561002									
	RIGHT WINDSHIELD ASSY							Component	ATA:56
PN:390-384000-0006	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:11116H6478	HRS		0		TSN 0				
WC#: 56.050	AFL		0		TSN 0				
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01									
561011									
	LEFT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-3840001-0007	MOS/MSC		20-Mar-16	O/C	TSN 0				
SN:16118H9733	HRS		607.7		TSN 0				
WC#: 56.060	AFL		627		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
561012									
	RIGHT COCKPIT SIDE WINDOW							Component	ATA:56
PN:390-384001-0008	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:11154H0181	HRS		0		TSN 0				
WC#: 56.060	AFL		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
ATA 57 - WINGS									
200C14 ^S	INSPECT WING FUSELAGE FAIRINGS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.010	AFL	1683							
PROC. REF: AMM 06-50-00PROC. REF: AMM 06-50-00									
500A01	EDDY CURRENT LEFT WING CENTER LINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	1913 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3933.2 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01PROC. REF: AMM 57-10-01									
500A02	VISUAL INSPECT LEFT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	518 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
500A03	BORESCOPE LEFT WING AND FUSELAGE SPIGOT FITTINGS							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:14400 (+200)		14400	14600	12333.2 (+200)		
WC#: 57.030	AFL	0							
PROC. REF: AMM 57-10-02PROC. REF: AMM 57-10-02									
500A04	VISUAL INSPECT LEFT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	1913 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+200)		6000	6200	3933.2 (+200)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500A08 ^S	INSPECT NO. 1 WING TIP ASSEMBLY							Service	ATA:57
	MOS		11-Jun-24						
	HRS		2032	600 (+20)					
WC#: 57.120	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
500A09 ^S	INSPECT LEFT WING LEADING EDGE							Service	ATA:57
	MOS		11-Jun-24						
	HRS		2032	600 (+20)					
WC#: 57.130	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
500A12	PERFORM NDI(EDDY CURRENT) OF LEFT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS		27-Jun-12						
	HRS		0	T:3600 (+200)	3600	3800	1533.2 (+200)		
	AFL		0						
PROC. REF: AMM 57-10-03PROC. REF: AMM 57-10-03									
500B01-ALM	EDDY CURRENT LEFT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS		27-Jun-12					AIRWORTHINESS	
	HRS		0	T:12000 (+200)	12000	12200	9933.2 (+200)		
WC#: 57.160	AFL		0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B02-ALM	EDDY CURRENT LEFT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS		27-Jun-12	TAC 0				AIRWORTHINESS	
	HRS		0	T:6000 (+200)	6000	6200	3933.2 (+200)		
	AFL		0	TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B03-ALM	EDDY CURRENT LEFT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS		27-Jun-12	TAC 0				AIRWORTHINESS	
	HRS		0	T:6000 (+200)	6000	6200	3933.2 (+200)		
	AFL		0	TAC 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B04-ALM	EDDY CURRENT LEFT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B05-ALM	EDDY CURRENT LEFT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B06-ALM	EDDY CURRENT LEFT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
500B07 ^S	INSPECT LEFT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
500B08 ^S	INSPECT LEFT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:7

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
500B09 ^S	INSPECT LEFT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									
500C14 ^S	INSPECT LEFT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
571001	NO. 1 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
571002	NO. 2 SKELETON WING ASSEMBLY							Component	ATA:57
PN:390-110003-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
572001	NO. 1 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0005	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:309	HRS	0		TSN 0					
WC#: 57.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
572002	NO. 2 WING TIP ASSEMBLY							Component	ATA:57
PN:390-384004-0006	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:324	HRS	0		TSN 0					
WC#: 57.120	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
5720500 ^U	WING ASSEMBLY							Component	ATA:57
PN:390-100001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
573001	NO. 1 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0001	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
573002	NO. 2 WING PANEL ASSEMBLY							Component	ATA:57
PN:390-110001-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 57.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
5730501 ^U	LH UPPER SKIN							Component	ATA:57
PN:390-110010-0011	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730502 ^U	LH LOWER SKIN							Component	ATA:57
PN:390-110390-0003	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
5730504 ^U	RH UPPER SKIN							Component	ATA:57
PN:390-110010-0012	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
5730505 ^U	RH LOWER SKIN							Component	ATA:57
PN:390-110390-0004	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
600A01	EDDY CURRENT RIGHT WING CENTERLINE RIB AND SPLICE PLATE							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	1913 d (+30)		
	HRS	0	6000 (+20)		6000	6020	3933.2 (+20)		
WC#: 57.020	AFL	0							
PROC. REF: AMM 57-10-01PROC. REF: AMM 57-10-01									
<hr/>									
600A02	VISUAL CHECK RIGHT WING BOLTS AND ATTACH LINKS							Service	ATA:57
	MOS	23-Nov-20							
	HRS	1384.8	1200 (+20)		2584.8	2604.8	518 (+20)		
WC#: 57.040	AFL	1293							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
600A03	VISUAL INSPECT RIGHT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service	ATA:57
	MOS	27-Jun-12	216 (+30d/-30d)		27-Jun-30	27-Jul-30	1913 d (+30)	AIRWORTHINESS	
	HRS	0	6000 (+20)		6000	6020	3933.2 (+20)		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
600A07 ^S	INSPECT NO. 2 WING TIP ASSEMBLY							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.120	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
600A08 ^S	INSPECT RIGHT WING LEADING EDGE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.130	AFL	1683							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
600A11	PERFORM NDI(EDDY CURRENT) OF RIGHT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service	ATA:57
	MOS	27-Jun-12							
	HRS	0	T:3600 (+200)		3600	3800	1533.2 (+200)		
	AFL	0							
PROC. REF: AMM 57-10-03PROC. REF: AMM 57-10-03									
600B01-ALM	EDDY CURRENT RIGHT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	T:12000 (+200)		12000	12200	9933.2 (+200)		
WC#: 57.160	AFL	0							
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
600B02-ALM	EDDY CURRENT RIGHT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
600B03-ALM	EDDY CURRENT RIGHT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
600B04-ALM	EDDY CURRENT RIGHT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600B05-ALM	EDDY CURRENT RIGHT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0				AIRWORTHINESS	
	HRS	0	T:12000 (+200)	TAC 0	12000	12200	9933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
600B06-ALM	EDDY CURRENT RIGHT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service	ATA:57
	MOS	27-Jun-12		TAC 0					
	HRS	0	T:6000 (+200)	TAC 0	6000	6200	3933.2 (+200)		
	AFL	0		TAC 0					
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00									
600B07 ^S	INSPECT RIGHT WING RIBS, SPARS, STRINGERS AND SKINS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.080	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
600B08 ^S	INSPECT RIGHT WING RIB AT BL 00							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.090	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
600B09 ^S	INSPECT RIGHT WING FUEL STORAGE SEALANT							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.190	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
600C14 ^S	INSPECT RIGHT WING FLAP TRACKS							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 57.150	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700B19 ^S	INSPECT LEFT WING SKID RAIL STRUCTURE							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.110	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700B20 ^S	INSPECT LEFT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700C19 ^S	INSPECT RIGHT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service	ATA:57
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 57.100	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
SPC20	CHECK LEFT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
SPC20	CHECK RIGHT WING LEADING EDGE DRAIN HOLES							Service	ATA:57
	MOS	30-Dec-22							
	HRS	1906.5	200 (+20)		2106.5	2126.5	39.7 (+20)		
WC#: 57.140	AFL	1603							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 70 - STANDARD PRACTICES - ENGINES									
700401 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700401 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
700402 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									
700402 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 70 - STANDARD PRACTICES - ENGINES									
700403 ^S	NO. 1 ENGINE - REVIEW SPECIAL INSPECTION REQUIREMENTS COINCIDING WITH CHECK 1 OR 2							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									
<hr/>									
700403 ^S	NO. 2 ENGINE - REVIEW SPECIAL INSPECTION REQUIREMENTS COINCIDING WITH CHECK 1 OR 2							Service	ATA:70
	MOS	27-Jun-12		TAC 0					
	HRS	0	300 (+30)	TAC 0					
	ENC	0		TAC 0					
PKG:1,2									
<hr/>									
ATA 71 - POWER PLANT									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 AFT NO. 1 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	12000 (+200)		12000	12200	9933.2 (+200)		
WC#: 71.070	AFL	0							
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									
<hr/>									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 FORWARD NO. 1 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	12000 (+200)		12000	12200	9933.2 (+200)		
WC#: 71.060	AFL	0							
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									
<hr/>									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 AFT NO. 2 ENGINE AFT FITTING							Service	ATA:71
	MOS	27-Jun-12					AIRWORTHINESS		
	HRS	0	12000 (+200)		12000	12200	9933.2 (+200)		
WC#: 71.070	AFL	0							
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 FORWARD NO. 2 ENGINE FORWARD FITTING							Service	ATA:71
	MOS	27-Jun-12						AIRWORTHINESS	
	HRS	0	12000 (+200)		12000	12200	9933.2 (+200)		
WC#: 71.060	AFL	0							
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01									
400A08 ^S	INSPECT NO. 1 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.030	AFL	1683						PKG:7	
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
400A13 ^S	INSPECT NO. 1 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.040	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400A15 ^S	INSPECT NO. 1 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 71.110	AFL	1683						PKG:7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
400A16 ^S	INSPECT NO. 1 ENGINE INLET							Service	ATA:71
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 71.120	AFL	1683						PKG:6	
PROC. REF: AMM 54-10-01PROC. REF: AMM 54-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
400A17 ^S	CHECK NO. 1 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 71.140	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
400A35 ^S	VISUALLY INSPECT LEFT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 05.030	AFL		1683						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
PKG:6									
400B08 ^S	INSPECT NO. 2 ENGINE PYLON FIRE WALL							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 71.030	AFL		1683						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
PKG:7									
400B13 ^S	INSPECT NO. 2 ENGINE BLEED AIR DUCTS							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 71.040	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
400B15 ^S	INSPECT NO. 2 ENGINE ISOLATOR MOUNTS							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		1200 (+20)				
WC#: 71.110	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
400B16 ^S	INSPECT NO. 2 ENGINE INLET							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 71.120	AFL		1683						
PROC. REF: AMM 54-10-01PROC. REF: AMM 54-10-01									
PKG:6									
400B17 ^S	CHECK NO. 2 ENGINE ASSESSORY DRAIN TUBES							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 71.140	AFL		1683						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
400B33 ^S	VISUALLY INSPECT RIGHT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service	ATA:71
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 05.030	AFL		1683						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
PKG:6									
710000	NO. 1 ENGINE - PERFORM STABILITY/ACCELERATION CHECK WITH VISUAL CHECK OF THE ACCELERATION BLEED SYSTEM OPERATION							Service	ATA:71
	MOS/MSC		27-Jun-12	A/R	TAC 0				
	HRS		0		TAC 0				
	ENC		0		TAC 0				
710000	NO. 2 ENGINE - PERFORM STABILITY/ACCELERATION CHECK WITH VISUAL CHECK OF THE ACCELERATION BLEED SYSTEM OPERATION							Service	ATA:71
	MOS/MSC		27-Jun-12	A/R	TAC 0				
	HRS		0		TAC 0				
	ENC		0		TAC 0				
710010	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC		27-Jun-12	A/R	TAC 0				
	HRS		0		TAC 0				
	ENC		0		TAC 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A									
710010	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A									
710020	NO. 1 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A									
710020	NO. 2 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	27-Jun-12	ALF	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A									
710030	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A									
710030	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:71
	MOS/MSC	27-Jun-12	A/R	TAC 0					
	HRS	0		TAC 0					
	ENC	0		TAC 0					
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A									
710121	NO. 1 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:1307	HRS	0	2500	TSN 0	2500		433.2		
WC#: 71.080	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01									
710122	NO. 2 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	2500	TSN 0	2500	433.2		
WC#: 71.080	AFL		0	TSN 0					
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01									
710123	NO. 1 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:1305	HRS		0	2500	TSN 0	2500	433.2		
WC#: 71.090	AFL		0	TSN 0					
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01									
710124	NO. 2 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389000-0007	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	2500	TSN 0	2500	433.2		
WC#: 71.090	AFL		0	TSN 0					
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01									
710125	NO. 1 ENGINE AFT ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389021-0003	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:0517	HRS		0	2500	TSN 0	2500	433.2		
WC#: 71.095	AFL		0	TSN 0					
PROC. REF: AMM 71-20-02PROC. REF: AMM 71-20-02									
710126	NO. 2 ENGINE AFT ISOLATOR MOUNT (MANDATORY)							Component	ATA:71
PN:390-389021-0003	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:0514	HRS		0	2500	TSN 0	2500	433.2		
WC#: 71.095	AFL		0	TSN 0					
PROC. REF: AMM 71-20-02PROC. REF: AMM 71-20-02									
716001	NO. 1 ENGINE INLET ASSEMBLY							Component	ATA:71
PN:390-910281-0017	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:510794684	HRS		0		TSN 0				
WC#: 71.120	AFL		0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01									
716002	NO. 2 ENGINE INLET ASSEMBLY							Component	ATA:71
PN:390-910281-0002	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01									
71EN1	NO. 1 ENGINE							Component	ATA:71
	MOS/MSC	27-Jun-12	E/C						
SN:105499	HRS	0		TSO 607.7					
WC#: 71.EN1	AFL	0		TSO 627					
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
	MOS/MSC	27-Jun-12	E/C						
SN:105498	HRS	0		TSO 607.7					
WC#: 71.EN2	AFL	0		TSO 627					
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
OPS41	PERFORM NO. 1 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	203.5 (+20)		
	AFL	1639							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
OPS41	PERFORM NO. 2 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	10-Jul-23							
	HRS	1970.3	300 (+20)		2270.3	2290.3	203.5 (+20)		
	AFL	1639							
	ACH								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720018.10 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.10 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123510	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.11 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.11 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123511	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.12 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:122729	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.12 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:122729	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720018.8 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123508	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.8 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123508	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.9 ^U	NO. 1 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123509	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720018.9 ^U	NO. 2 ENGINE - 8000 CYCLE HP COMPRESSOR ROTOR REPLACE							Component	ATA:72
PN:123509	MOS/MSC	27-Jun-12	-						
SN:UNKNOWN	HRS	0							
	ENC	0							
<hr/>									
720060	NO. 1 ENGINE - ACCESSORY DRIVE SHAFT							Component	ATA:72
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A									
<hr/>									
720060	NO. 2 ENGINE - ACCESSORY DRIVE SHAFT							Component	ATA:72
PN:50479	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720502 ^U NO. 1 ENGINE - FRONT LP SHAFT NUT Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720502 ^U NO. 2 ENGINE - FRONT LP SHAFT NUT Component ATA:72								
PN:45785	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720504 ^U NO. 1 ENGINE - CASE AND INSERT ASSEMBLY Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720504 ^U NO. 2 ENGINE - CASE AND INSERT ASSEMBLY Component ATA:72								
PN:66772	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720508 ^U NO. 1 ENGINE - NO. 1 CARBON SEAL Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720508 ^U NO. 2 ENGINE - NO. 1 CARBON SEAL Component ATA:72								
PN:64771	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720509 ^U NO. 1 ENGINE - NO. 1 CARBON SEAL RUNNER Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720509 ^U NO. 2 ENGINE - NO. 1 CARBON SEAL RUNNER Component ATA:72								
PN:57828	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720511 ^U NO. 1 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720511 ^U NO. 2 ENGINE - NO. 1 SPLIT INNER RING BALL BEARING Component ATA:72								
PN:56172	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720512 ^U NO. 1 ENGINE - NO. 4 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720512 ^U NO. 2 ENGINE - NO. 4 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720513 ^U NO. 1 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720513 ^U NO. 2 ENGINE - NO. 1.5 ROLLER BEARING OUTER RACE Component ATA:72								
PN:55391	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720514 ^U NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00011973	HRS	1970.3						
	ENC	1639						
720514 ^U NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY Component ATA:72								
PN:50817	MOS/MSC	10-Jul-23	O/C					
SN:BCC-00012763	HRS	1970.3						
	ENC	1639						
720516 ^U NO. 1 ENGINE - OIL TANK COVER Component ATA:72								
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720516 ^U NO. 2 ENGINE - OIL TANK COVER Component ATA:72								
PN:54879	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720517 ^U NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR Component ATA:72								
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720517 ^U NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR Component ATA:72								
PN:50349	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720519 ^U NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING Component ATA:72								
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720519 ^U NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR ROLLER BEARING Component ATA:72								
PN:55392	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720520 ^U NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING Component ATA:72								
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720520 ^U NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BALL BEARING Component ATA:72								
PN:44573	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720521 ^U NO. 1 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT Component ATA:72								
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720521 ^U NO. 2 ENGINE - 1ST REDUCTION BEVEL GEAR BEARING SUPPORT Component ATA:72								
PN:57674	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720522 ^U NO. 1 ENGINE - 1ST REDUCTION PINION GEAR Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720522 ^U NO. 2 ENGINE - 1ST REDUCTION PINION GEAR Component ATA:72								
PN:56444	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720524 ^U NO. 1 ENGINE - NO. 2 CARBON SEAL FACE RUNNER Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720524 ^U NO. 2 ENGINE - NO. 2 CARBON SEAL FACE RUNNER Component ATA:72								
PN:56479	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720525 ^U NO. 1 ENGINE - NO. 2 BEARING HOUSING Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720525 ^U NO. 2 ENGINE - NO. 2 BEARING HOUSING Component ATA:72								
PN:56195	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720526 ^U NO. 1 ENGINE - NO. 2 BEARING Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720526 ^U NO. 2 ENGINE - NO. 2 BEARING Component ATA:72								
PN:60265	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720527 ^U NO. 1 ENGINE - NO. 2 CARBON SEAL Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720527 ^U NO. 2 ENGINE - NO. 2 CARBON SEAL Component ATA:72								
PN:56478	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720529 ^U	NO. 1 ENGINE - HP COMPRESSOR COVER ASSEMBLY							Component	ATA:72
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21619	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
720529 ^U	NO. 2 ENGINE - HP COMPRESSOR COVER ASSEMBLY							Component	ATA:72
PN:69885	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21612	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
720532 ^U	NO. 1 ENGINE - BALANCE PISTON							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
720532 ^U	NO. 2 ENGINE - BALANCE PISTON							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
720534 ^U	NO. 1 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY							Component	ATA:72
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
720534 ^U	NO. 2 ENGINE - HP TURBINE NOZZLE AND PRIMARY PLATE ASSEMBLY							Component	ATA:72
PN:62702	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720537 ^U NO. 1 ENGINE - NO. 3 HP SHAFT ROLLER BEARING								Component ATA:72
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
720537 ^U NO. 2 ENGINE - NO. 3 HP SHAFT ROLLER BEARING								Component ATA:72
PN:59853	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
720538 ^U NO. 1 ENGINE - NO. 3 CARBON SEAL HOUSING								Component ATA:72
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
720538 ^U NO. 2 ENGINE - NO. 3 CARBON SEAL HOUSING								Component ATA:72
PN:54963	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
720539 ^U NO. 1 ENGINE - NO. 3 CARBON SEAL								Component ATA:72
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
720539 ^U NO. 2 ENGINE - NO. 3 CARBON SEAL								Component ATA:72
PN:65307	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720540 ^U		NO. 1 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720540 ^U		NO. 2 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720541 ^U		NO. 1 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720541 ^U		NO. 2 ENGINE - NO. 4 CARBON SEAL						Component	ATA:72
PN:45075	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720542 ^U		NO. 1 ENGINE - 1ST LP TURBINE NOZZLE						Component	ATA:72
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
720542 ^U		NO. 2 ENGINE - 1ST LP TURBINE NOZZLE						Component	ATA:72
PN:60240	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720543 ^U NO. 1 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720543 ^U NO. 2 ENGINE - LP TURBINE ROTOR BALANCE ASSEMBLY Component ATA:72								
PN:55530	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720546 ^U NO. 1 ENGINE - NO. 4 BEARING INNER RACE Component ATA:72								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720546 ^U NO. 2 ENGINE - NO. 4 BEARING INNER RACE Component ATA:72								
PN:48639	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720553 ^U NO. 1 ENGINE - HYDROMECHANICAL METERING UNIT Component ATA:72								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720553 ^U NO. 2 ENGINE - HYDROMECHANICAL METERING UNIT Component ATA:72								
PN:66311	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720556 ^U NO. 1 ENGINE - ELECTRONIC FUEL FILTER INDICATOR Component ATA:72								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720556 ^U NO. 2 ENGINE - ELECTRONIC FUEL FILTER INDICATOR Component ATA:72								
PN:57847	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720558 ^U NO. 1 ENGINE - LUBE OIL COOLER Component ATA:72								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720558 ^U NO. 2 ENGINE - LUBE OIL COOLER Component ATA:72								
PN:59857	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720559 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720559 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720560 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720560 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720561 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720561 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720562 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720562 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720563 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720563 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720564 ^U NO. 1 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720564 ^U NO. 2 ENGINE - ITT PROBE ASSEMBLY Component ATA:72								
PN:62141	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720565 ^U NO. 1 ENGINE - ITT FLIGHT HARNESS Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720565 ^U NO. 2 ENGINE - ITT FLIGHT HARNESS Component ATA:72								
PN:62143	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720566 ^U NO. 1 ENGINE - OIL LEVEL SENSOR Component ATA:72								
PN:59843	MOS/MSC	16-Dec-19	O/C	TSN 0				
SN:MY0795	HRS	1256.43		TSN 0				
	ENC	1205		TSN 0				
720566 ^U NO. 2 ENGINE - OIL LEVEL SENSOR Component ATA:72								
PN:59843	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720570 ^U NO. 1 ENGINE - OIL TRANSFER HOUSING Component ATA:72								
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720570 ^U NO. 2 ENGINE - OIL TRANSFER HOUSING Component ATA:72								
PN:56796	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720571 ^U NO. 1 ENGINE - CDP TO HMU TUBE ASSEMBLY Component ATA:72								
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
720571 ^U NO. 2 ENGINE - CDP TO HMU TUBE ASSEMBLY Component ATA:72								
PN:54897	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
722010 NO. 1 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY								Component ATA:72
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU20330	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722010 NO. 2 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY								Component ATA:72
PN:115570	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:AU20337	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723001 NO. 1 ENGINE - FAN ROTOR								Component ATA:72
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT
SN:HW31800	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10000		8286	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								
723001 NO. 2 ENGINE - FAN ROTOR								Component ATA:72
PN:117809	MOS	27-Jun-12		TSN 0				LIFE LIMIT
SN:HW30926	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10000		8286	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								
723003^S NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS								Service ATA:72
PN:117809	MOS	10-Jul-23						
SN:HW31800	HRS	1970.3	600 (+30)					
	ENC	1639						
PROC. REF: LMM 72-31-20-801A-310A-A PROC. REF: LMM 72-31-20-801A-310A-A								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723003 ^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service	ATA:72
PN:117809	MOS		10-Jul-23						
SN:HW30926	HRS		1970.3			600 (+30)			
	ENC		1639						
PKG:2									
PROC. REF: LMM 72-31-20-801A-310A-APROC. REF: LMM 72-31-20-801A-310A-A									
<hr/>									
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW33856	HRS		0	TSN 0					
	ENC		0	TSN 0	(6000) 6000		4286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:118376	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS		0	TSN 0					
	ENC		0	TSN 0	(6000) 6000		4286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW32564	HRS		0	TSN 0					
	ENC		0	TSN 0	(8000) 8000		6286		
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-APROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A									
<hr/>									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:115552	MOS		27-Jun-12	TSN 0				LIFE LIMIT	
SN:HW31918	HRS		0	TSN 0					
	ENC		0	TSN 0	(8000) 8000		6286		
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-APROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723019	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42187	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723019	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU42188	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723021 ^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									
<hr/>									
723021 ^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									
<hr/>									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:114614	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21260	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723028	NO. 1 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723028	NO. 2 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21350	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723036	NO. 1 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU20311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723036	NO. 2 ENGINE - STAGE 3 IP ROTOR STATOR							Component	ATA:72
PN:59084	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU20310	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723037	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20084	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723037	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:68435	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:MX20079	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2235	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX08RT2269	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX07TN0013	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:110697	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:RX07TN0012	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
724035	NO. 1 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
724035	NO. 2 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:64411	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724036	NO. 1 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724036	NO. 2 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724040	NO. 1 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724040	NO. 2 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21421	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21424	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63028	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7659		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:223704	MOS	29-Jun-21		TSN 0				LIFE LIMIT	
SN:HW63022	HRS	1533.1		TSN 0					
	ENC	1373	8000	TSN 0	(9373) 9373		7659		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725016	NO. 1 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21561	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725016	NO. 2 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component	ATA:72
PN:73610	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:AU21534	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW34193	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72037	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31907	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31720	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	27-Jun-12		TSN 0				LIFE LIMIT	
SN:HW31740	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		8286		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0				LIFE LIMIT	
SN:MX20036	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:114130	MOS/MSC	27-Jun-12	O/C	TSN 0				LIFE LIMIT	
SN:MX20031	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A									
ATA 73 - ENGINE FUEL AND CONTROL									
731001	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS	27-Jun-12		TSN 0				OVERHAUL	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
SN:YK0737	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2933.2 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731001	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:59863	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:YK0736	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2933.2 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A									
731010^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS		10-Jul-23						
	HRS		1970.3				300 (+30)		
	ENC		1639						
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731010^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS		10-Jul-23						
	HRS		1970.3				300 (+30)		
	ENC		1639						
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731015^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS		10-Jul-23						
	HRS		1970.3				300 (+30)		
	ENC		1639						
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									

PKG:1,2

PKG:1,2

PKG:1,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731015 ^S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PKG:1,2									
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A									
731020 ^S	NO. 1 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PKG:2									
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A									
731020 ^S	NO. 2 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service	ATA:73
	MOS/MSC	10-Jul-23	A/R						
	HRS	1970.3							
	ENC	1639							
PKG:2									
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A									
731025	NO. 1 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1103.5 (+120)		
	ENC	1639							
PKG:2									
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A									
731025	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service	ATA:73
	MOS	10-Jul-23							
	HRS	1970.3	1200 (+120)		(3170.3) 3170.3	3290.3	1103.5 (+120)		
	ENC	1639							
PKG:2									
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731046 NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY Component ATA:73								
PN:56544	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731046 NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY Component ATA:73								
PN:56544	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001 NO. 1 ENGINE ECU Component ATA:73								
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:LH2A0739	HRS	0			TSN 0			
WC#: 73.050	AFL	0			TSN 0			
PROC. REF: AMM 73-20-01PROC. REF: AMM 73-20-01								
732002 NO. 2 ENGINE ECU Component ATA:73								
PN:117162	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:LH2A0732	HRS	0			TSN 0			
WC#: 73.050	AFL	0			TSN 0			
PROC. REF: AMM 73-20-01PROC. REF: AMM 73-20-01								
732101 NO. 1 ENGINE - ELECTRONIC CONTROL UNIT Component ATA:73								
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: LMM 73-24-01-802A-520A-APROC. REF: LMM 73-24-01-802A-520A-A								
732101 NO. 2 ENGINE - ELECTRONIC CONTROL UNIT Component ATA:73								
PN:PN	MOS/MSC	27-Jun-12	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: LMM 73-24-01-802A-520A-APROC. REF: LMM 73-24-01-802A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732104 ^S	NO. 1 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS		10-Jul-23						
	HRS		1970.3	600 (+30/-30)					
	ENC		1639						
PROC. REF: LMM 73-24-01-805A-913A-APROC. REF: LMM 73-24-01-805A-913A-A									
PKG:2									
732104 ^S	NO. 2 ENGINE - PERFORM ECU P AMBIENT CHECK							Service	ATA:73
	MOS		10-Jul-23						
	HRS		1970.3	600 (+30/-30)					
	ENC		1639						
PROC. REF: LMM 73-24-01-805A-913A-APROC. REF: LMM 73-24-01-805A-913A-A									
PKG:2									
732105 ^S	NO. 1 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3	300 (+30)					
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A									
PKG:1,2									
732105 ^S	NO. 2 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service	ATA:73
PN:PN	MOS		10-Jul-23						
SN:UNKNOWN	HRS		1970.3	300 (+30)					
	ENC		1639						
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A									
PKG:1,2									
732401	NO. 1 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444761	HRS		0	5000 (+100)	TSN 0	(5000) 5000	5100	2933.2 (+100)	
	ENC		0	TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-APROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732401	NO. 2 ENGINE - FUEL CONTROL (HMU) UNIT							Component	ATA:73
PN:78186	MOS		27-Jun-12	TSN 0				OVERHAUL	
SN:RF13444764	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	2933.2 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-APROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A									
ATA 73 - ENGINE FUEL AND CONTROL									
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:605963	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01									
ATA 73 - ENGINE FUEL AND CONTROL									
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:1/2-1-81-302	MOS/MSC		09-Sep-22	O/C					
SN:602858	HRS		1828.2						
WC#: 73.010	AFL		1558						
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01									
ATA 74 - IGNITION									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC		10-Jul-23	O/C					
SN:CK-1905820	HRS		1970.3						
	ENC		1639						
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A									
ATA 74 - IGNITION									
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC		10-Jul-23	O/C					
SN:CK-1601397	HRS		1970.3						
	ENC		1639						
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A									
ATA 74 - IGNITION									
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC		10-Jul-23	O/C					
SN:CK-1300539	HRS		1970.3						
	ENC		1639						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A									
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	10-Jul-23	O/C						
SN:CK-2100966	HRS	1970.3							
	ENC	1639							
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A									
742037 ^S	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742037 ^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742040 ^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-00-10-801A-340A-APROC. REF: LMM 74-00-10-801A-340A-A									
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 74-00-10-801A-340A-APROC. REF: LMM 74-00-10-801A-340A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS		10-Jul-23						
	HRS		1970.3		300 (+30)				
	ENC		1639						
PKG:1,2									
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS		10-Jul-23						
	HRS		1970.3		300 (+30)				
	ENC		1639						
PKG:1,2									
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A									
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A									
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A									
742202	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A									
742202	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:57846	MOS/MSC		27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-A PROC. REF: LMM 74-22-01-801A-520A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
ATA 75 - AIR									
751001	NO. 1 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0811	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
751002	NO. 2 ENGINE ANTI ICE VALVE							Component	ATA:75
PN:5188-00-7	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:0807	HRS	0		TSN 0					
WC#: 75.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A									
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A									
753020	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753020	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:PN	MOS/MSC	27-Jun-12	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 76 - ENGINE CONTROLS									
100A09 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-BELOW FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	1200 (+20)						
WC#: 76.030	AFL	1683						PKG:7	
PROC. REF: AMM 20-14-00PROC. REF: AMM 20-14-00									
200A13 ^S	INSPECT THRUST LEVER/THROTTLE QUADRANT LEVER							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.010	AFL	1683						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
200A14 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-ABOVE FLOORS							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.040	AFL	1683						PKG:6	
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
300A39 ^S	INSPECT POWER CONTROL CABLES - AFT FUSELAGE							Service	ATA:76
	MOS	11-Jun-24							
	HRS	2032	600 (+20)						
WC#: 76.050	AFL	1683						PKG:6	
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
400A18 ^S	CHECK NO. 1 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 76.020	AFL		1683						
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
PKG:6									
400B18 ^S	CHECK NO. 2 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS		11-Jun-24						
	HRS		2032		600 (+20)				
WC#: 76.020	AFL		1683						
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									
PKG:6									
ATA 77 - ENGINE INDICATING									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355-C	MOS/MSC		16-May-17		O/C				
SN:MD-0140432	HRS		813.42						
	ENC		833						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771005	NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355-C	MOS/MSC		16-May-17		O/C				
SN:MD-0134214	HRS		813.42						
	ENC		833						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771015	NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:54831	MOS/MSC		27-Jun-12		O/C	TSN 0			
SN:MD-0143176	HRS		0			TSN 0			
	ENC		0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771015 NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR								Component ATA:77
PN:54831	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:MD-0139499	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772005 NO. 1 ENGINE - TT2 SENSOR								Component ATA:77
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:LR10379	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-01-801A-520A-APROC. REF: LMM 77-22-01-801A-520A-A								
772005 NO. 2 ENGINE - TT2 SENSOR								Component ATA:77
PN:59715	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:LR10333	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-01-801A-520A-APROC. REF: LMM 77-22-01-801A-520A-A								
772010 ^S NO. 1 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT								Service ATA:77
PN:59715	MOS	10-Jul-23						
SN:LR10379	HRS	1970.3	300 (+30/-30)					
	ENC	1639						
								PKG:1,2
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-APROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A								
772010 ^S NO. 2 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT								Service ATA:77
PN:59715	MOS	10-Jul-23						
SN:LR10333	HRS	1970.3	300 (+30/-30)					
	ENC	1639						
								PKG:1,2
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-APROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
781001	NO. 1 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0003	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:51089926	HRS	0			TSN 0				
WC#: 78.020	AFL	0			TSN 0				
PROC. REF: AMM 78-10-01PROC. REF: AMM 78-10-01									
ATA 78 - EXHAUST									
781002	NO. 2 ENGINE EXHAUST NOZZLE ASSEMBLY							Component	ATA:78
PN:390-910017-0002	MOS/MSC	27-Jun-12	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.020	AFL	0			TSN 0				
PROC. REF: AMM 78-10-01PROC. REF: AMM 78-10-01									
ATA 79 - OIL									
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
ATA 79 - OIL									
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-APROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
ATA 79 - OIL									
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PROC. REF: LMM 79-30-01-801A-310A-APROC. REF: LMM 79-30-01-801A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	300 (+30)						
	ENC	1639							
PKG:1,2									
PROC. REF: LMM 79-30-01-801A-310A-APROC. REF: LMM 79-30-01-801A-310A-A									
792025 ^S	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PKG:2									
PROC. REF: LMM 72-00-03-801A-200A-APROC. REF: LMM 72-00-03-801A-200A-A									
792025 ^S	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	10-Jul-23							
	HRS	1970.3	600 (+30/-30)						
	ENC	1639							
PKG:2									
PROC. REF: LMM 72-00-03-801A-200A-APROC. REF: LMM 72-00-03-801A-200A-A									
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20375	HRS	0	6000 (+100)	TSN 0	(6000) 6000	6100	3933.2 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:110590	MOS	27-Jun-12		TSN 0				OVERHAUL	
SN:MX20377	HRS	0	6000 (+100)	TSN 0	(6000) 6000	6100	3933.2 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-293 RegNo: N390AA HRS: 2066.8 AFL: 1714 As Of: 03-Jan-2025

01-Apr-2025 04:52 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793001 NO. 1 ENGINE OIL PRESSURE SWITCH								Component ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:772	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793002 NO. 2 ENGINE OIL PRESSURE SWITCH								Component ATA:79
PN:680S53	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:775	HRS	0		TSN 0				
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793003 NO. 1 ENGINE OIL TEMPERATURE BULB								Component ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:170251	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03								
793004 NO. 2 ENGINE OIL TEMPERATURE BULB								Component ATA:79
PN:MS28034-3	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:168500	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03								
793005 NO. 1 ENGINE OIL PRESSURE TRANSDUCER								Component ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:7883-12-23	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								
793006 NO. 2 ENGINE OIL PRESSURE TRANSDUCER								Component ATA:79
PN:101-389023-7	MOS/MSC	27-Jun-12	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task